

# AVIGILON™

a Motorola Solutions Company



## Access Control - MSRP - USD

Global Pricelist effective January 02, 2020

### CONFIDENTIAL

The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

© 2019 Avigilon. All rights reserved. AVIGILON, the AVIGILON logo, TRUSTED SECURITY SOLUTIONS, AVIGILON CONTROL CENTER, and ACC are trademarks of Avigilon Corporation.

## Summary of Changes

- Price increase from HID for Mercury equipment and HID VertX controllers (around 3%)
- Price increase for selected HID readers and credentials (3% to 15%)
- Price increase from HID for EasyLobby products (7% to 25%)
- Price increase from Farpointe Data for Delta class readers and many Farpointe Data credentials (3% to 20%)
- In addition to the above increases, due to currency fluctuations, prices in GBP and AUD have also increased (1% to 3%)
- Removal of HID mobile credentials due to HID ending sale of these products; they will be replaced by a subscription product in the new year.

## Avigilon Access Control Manager Professional Appliance

Supporting up to 32 card readers per appliance, Access Control Manager Professional is perfect for small sites looking to secure their facilities. Access Control Manager also provides seamless integration with IT systems and physical security and leverages open field hardware investments.



Model No.	Description	MSRP \$
AC-APP-16R-PRO-6	Access Control Manager Professional 6 – Web-Based PACS Professional Appliance for 16 Readers - includes:   physical appliance   embedded 64 bit Linux OS & Open LDAP for configuration database   Access Control Manager Security Management Software   16 Reader Count Software License   One (1) ACM Verify   ACC Video Integration   Five (5) partitions   Identities CSV export, recurring, one-time, long & short format   Total reader capacity can be expanded from 16 to 32 readers with the purchase of one AC-SW-LIC-16RCU-6-P 16 Reader Count Software License   Supports up to 32 controllers, 75K identities, 75M stored transactions and ten (10) simultaneous operators (via browser)   Three (3) year appliance hardware warranty begins at date of shipment	1,667.00
AC-APP-32R-PRO-6	Access Control Manager Professional 6 – Web-Based PACS Professional Appliance for 32 Readers - includes:   physical appliance   embedded 64 bit Linux OS & Open LDAP for configuration database   Access Control Manager Security Management Software   32 Reader Count Software License   One (1) ACM Verify   ACC Video Integration   Five (5) partitions   Identities CSV export, recurring, one-time, long & short format   Total reader capacity cannot be expanded   Supports up to 32 controllers, 75K identities and 75M stored transactions and ten (10) simultaneous operators (via browser)   Three (3) year appliance hardware warranty begins at date of shipment	2,500.00

## Avigilon Access Control Manager Professional Appliance Extended Warranties

Model No.	Description	MSRP \$
AC-APP-PRO-WARR-EXTEND-1YR	1 Year Extended Warranty for Access Control Manager Professional Appliance	225.00
AC-APP-PRO-WARR-EXTEND-2YR	2 Year Extended Warranty for Access Control Manager Professional Appliance	450.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Avigilon Access Control Manager Enterprise Appliance

Supporting up to 400 card readers per appliance, Access Control Manager Enterprise is perfect for enterprises of all sizes looking to secure their facilities, people and assets across a variety of offices, buildings or locations. The system eliminates the cost and complexity of legacy security systems and was built to be completely scalable to your business's needs. Access Control Manager also provides seamless integration with IT systems and physical security and leverages open field hardware investments.



Model No.	Description	MSRP \$
AC-APP-16R-ENT2-6	Access Control Manager Enterprise 6 – Web-Based PACS Enterprise Appliance for 16 Readers - includes:   physical appliance   embedded 64 bit Linux OS & Open LDAP for configuration database   Access Control Manager Security Management Software   16 Reader Count Software License   One (1) ACM Verify   ACC Video Integration   Five (5) partitions   Identities CSV export, recurring, one-time, long & short format   Total reader capacity can be expanded from 16 to 400 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P, 16 Reader Count Software Licenses   Supports up to 512 controllers   250K identities and 150M stored events and twenty (20) simultaneous operators (via browser)   Three (3) year appliance hardware warranty begins at date of shipment	3,666.00
AC-APP-32R-ENT2-6	Access Control Manager Enterprise 6 – Web-Based PACS Enterprise Appliance for 32 Readers - includes:   physical appliance   embedded 64 bit Linux OS & Open LDAP for configuration database   Access Control Manager Security Management Software   32 Reader Count Software License   One (1) ACM Verify   ACC Video Integration   Five (5) partitions   Identities CSV export, recurring, one-time, long & short format   Total reader capacity can be expanded from 32 to 400 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P, 16 Reader Count Software Licenses   Supports up to 512 controllers   250K identities and 150M stored events and twenty (20) simultaneous operators (via browser)   Three (3) year appliance hardware warranty begins at date of shipment	4,499.00
AC-APP-64R-ENT2-6	Access Control Manager Enterprise 6 – Web-Based PACS Enterprise Appliance for 64 Readers - includes:   physical appliance   embedded 64 bit Linux OS & Open LDAP for configuration database   Access Control Manager Security Management Software   64 Reader Count Software License   One (1) ACM Verify   ACC Video Integration   Five (5) partitions   Identities CSV export, recurring, one-time, long & short format   Total reader capacity can be expanded from 64 to 400 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P, 16 Reader Count Software Licenses   Supports up to 512 controllers   250K identities and 150M stored events and twenty (20) simultaneous operators (via browser)   Three (3) year appliance hardware warranty begins at date of shipment	6,166.00
AC-APP-128R-ENT2-6	Access Control Manager Enterprise 6 – Web-Based PACS Enterprise Appliance for 128 Readers - includes:   physical appliance   embedded 64 bit Linux OS & Open LDAP for configuration database   Access Control Manager Security Management Software   128 Reader Count Software License   One (1) ACM Verify   ACC Video Integration   Five (5) partitions   Identities CSV export, recurring, one-time, long & short format   Total reader capacity can be expanded from 128 to 400 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P, 16 Reader Count Software Licenses   Supports up to 512 controllers   250K identities and 150M stored events and twenty (20) simultaneous operators (via browser)   Three (3) year appliance hardware warranty begins at date of shipment	9,500.00
AC-APP-256R-ENT2-6	Access Control Manager Enterprise 6 – Web-Based PACS Enterprise Appliance for 256 Readers - includes:   physical appliance   embedded 64 bit Linux OS & Open LDAP for configuration database   Access Control Manager Security Management Software   256 Reader Count Software License   One (1) ACM Verify   ACC Video Integration   Five (5) partitions   Identities CSV export, recurring, one-time, long & short format   Total reader capacity can be expanded from 256 to 400 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P, 16 Reader Count Software Licenses   Supports up to 512 controllers   250K identities and 150M stored events and twenty (20) simultaneous operators (via browser)   Three (3) year appliance hardware warranty begins at date of shipment	16,166.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Avigilon Access Control Manager Enterprise Appliance

Supporting up to 400 card readers per appliance, Access Control Manager Enterprise is perfect for enterprises of all sizes looking to secure their facilities, people and assets across a variety of offices, buildings or locations. The system eliminates the cost and complexity of legacy security systems and was built to be completely scalable to your business's needs. Access Control Manager also provides seamless integration with IT systems and physical security and leverages open field hardware investments.

### Avigilon Access Control Manager Enterprise Appliance Extended Warranties

Model No.	Description	MSRP \$
AC-APP-ENT2-WARR-EXTEND-1YR	1 Year Extended Warranty for Access Control Manager Enterprise Appliance	640.00
AC-APP-ENT2-WARR-EXTEND-2YR	2 Year Extended Warranty for Access Control Manager Enterprise Appliance	1,280.00

*All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.*

## Avigilon Access Control Manager Enterprise Plus Appliance

Supporting up to 2,048 card readers per appliance, Access Control Manager Enterprise is perfect for enterprises of all sizes looking to secure their facilities, people and assets across a variety of offices, buildings or locations. The system eliminates the cost and complexity of legacy security systems and was built to be completely scalable to your business's needs. Access Control Manager also provides seamless integration with IT systems and physical security and leverages open field hardware investments.



Model No.	Description	MSRP \$
AC-APP-16R-ENT-PLUS-6	Access Control Manager Enterprise Plus 6 – Web-Based PACS Plus Appliance for 16 Readers - includes:   physical appliance   embedded 64 bit Linux OS & Open LDAP for configuration database   Access Control Manager Security Management Software   16 Reader Count Software License   One (1) ACM Verify   ACC Video Integration   Five (5) partitions   Identities CSV export, recurring, one-time, long & short format   Total reader capacity can be expanded from 16 to 2048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P, 16 Reader Count Software Licenses   Supports up to 512 controllers   500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser)   Three (3) year appliance hardware warranty begins at date of shipment	11,833.00
AC-APP-256R-ENT-PLUS-6	Access Control Manager Enterprise Plus 6 – Web-Based PACS Plus Appliance for 256 Readers - includes:   physical appliance   embedded 64 bit Linux OS & Open LDAP for configuration database   Access Control Manager Security Management Software   256 Reader Count Software License   One (1) ACM Verify   ACC Video Integration   Five (5) partitions   Identities CSV export, recurring, one-time, long & short format   Total reader capacity can be expanded from 256 to 2048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P, 16 Reader Count Software Licenses   Supports up to 512 controllers   500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser)   Three (3) year appliance hardware warranty begins at date of shipment	21,000.00
AC-APP-512R-ENT-PLUS-6	Access Control Manager Enterprise Plus 6 – Web-Based PACS Plus Appliance for 512 Readers - includes:   physical appliance   embedded 64 bit Linux OS & Open LDAP for configuration database   Access Control Manager Security Management Software   512 Reader Count Software License   One (1) ACM Verify   ACC Video Integration   Five (5) partitions   Identities CSV export, recurring, one-time, long & short format   Total reader capacity can be expanded from 512 to 2048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P, 16 Reader Count Software Licenses   Supports up to 512 controllers   500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser)   Three (3) year appliance hardware warranty begins at date of shipment	33,000.00
AC-APP-1024R-ENT-PLUS-6	Access Control Manager Enterprise Plus 6 – Web-Based PACS Plus Appliance for 1024 Readers - includes:   physical appliance   embedded 64 bit Linux OS & Open LDAP for configuration database   Access Control Manager Security Management Software   1024 Reader Count Software License   One (1) ACM Verify   ACC Video Integration   Five (5) partitions   Identities CSV export, recurring, one-time, long & short format   Total reader capacity can be expanded from 1024 to 2048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P, 16 Reader Count Software Licenses   Supports up to 512 controllers   500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser)   Three (3) year appliance hardware warranty begins at date of shipment	45,000.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Avigilon Access Control Manager Enterprise Plus Appliance

Supporting up to 2,048 card readers per appliance, Access Control Manager Enterprise is perfect for enterprises of all sizes looking to secure their facilities, people and assets across a variety of offices, buildings or locations. The system eliminates the cost and complexity of legacy security systems and was built to be completely scalable to your business's needs. Access Control Manager also provides seamless integration with IT systems and physical security and leverages open field hardware investments.



Model No.	Description	MSRP \$
AC-APP-2048R-ENT-PLUS-6	Access Control Manager Enterprise Plus 6 – Web-Based PACS Plus Appliance for 2048 Readers - includes:   physical appliance   embedded 64 bit Linux OS & Open LDAP for configuration database   Access Control Manager Security Management Software   2048 Reader Count Software License   One (1) ACM Verify   ACC Video Integration   Five (5) partitions   Identities CSV export, recurring, one-time, long & short format   Total reader capacity cannot be expanded   Supports up to 512 controllers   500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser)   Three (3) year appliance hardware warranty begins at date of shipment	57,000.00

## Avigilon Access Control Manager Enterprise Plus Appliance Extended Warranties

Model No.	Description	MSRP \$
AC-APP-ENT-PLUS-WARR-EXTEND-1YR	1 Year Extended Warranty for Access Control Manager Enterprise Plus Appliance	755.00
AC-APP-ENT-PLUS-WARR-EXTEND-2YR	2 Year Extended Warranty for Access Control Manager Enterprise Plus Appliance	1,515.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Avigilon Access Control Manager Virtual

Access Control Manager Virtual is a physical access control system (PACS) that comes VMware ready, for deployments in a virtual server environment. Manage security within your own private cloud infrastructure, while leveraging IT investments in hardware virtualization. The system can also help to extend security budgets by eliminating the cost of stand-alone servers and software.



Model No.	Description	MSRP \$
AC-SW-16R-VM-6-P	Access Control Manager Virtual 6 - Web-Based PACS Virtual for 16 Readers - includes: embedded 64 bit Linux OS & Open LDAP for configuration database   Access Control Manager Security Management Software   16 Reader Count Software License   One (1) ACM Verify   ACC Video Integration   Five (5) partitions   Identities CSV export, recurring, one-time, long & short format   Total reader capacity can be expanded from 16 to 2048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P, 16 Reader Count Software Licenses   Supports up to 512 controllers   500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser)   VMware software is required and not included	2,500.00
AC-SW-32R-VM-6-P	Access Control Manager Virtual 6 - Web-Based PACS Virtual for 32 Readers - includes: embedded 64 bit Linux OS & Open LDAP for configuration database   Access Control Manager Security Management Software   32 Reader Count Software License   One (1) ACM Verify   ACC Video Integration   Five (5) partitions   Identities CSV export, recurring, one-time, long & short format   Total reader capacity can be expanded from 32 to 2048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P, 16 Reader Count Software Licenses   Supports up to 512 controllers   500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser)   VMware software is required and not included	3,333.00
AC-SW-64R-VM-6-P	Access Control Manager Virtual 6 - Web-Based PACS Virtual for 64 Readers - includes: embedded 64 bit Linux OS & Open LDAP for configuration database   Access Control Manager Security Management Software   64 Reader Count Software License   One (1) ACM Verify   ACC Video Integration   Five (5) partitions   Identities CSV export, recurring, one-time, long & short format   Total reader capacity can be expanded from 64 to 2048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P, 16 Reader Count Software Licenses   Supports up to 512 controllers   500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser)   VMware software is required and not included	5,000.00
AC-SW-128R-VM-6-P	Access Control Manager Virtual 6 - Web-Based PACS Virtual for 128 Readers - includes: embedded 64 bit Linux OS & Open LDAP for configuration database   Access Control Manager Security Management Software   128 Reader Count Software License   One (1) ACM Verify   ACC Video Integration   Five (5) partitions   Identities CSV export, recurring, one-time, long & short format   Total reader capacity can be expanded from 128 to 2048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P, 16 Reader Count Software Licenses   Supports up to 512 controllers   500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser)   VMware software is required and not included	8,333.00
AC-SW-256R-VM-6-P	Access Control Manager Virtual 6 - Web-Based PACS Virtual for 256 Readers - includes: embedded 64 bit Linux OS & Open LDAP for configuration database   Access Control Manager Security Management Software   256 Reader Count Software License   One (1) ACM Verify   ACC Video Integration   Five (5) partitions   Identities CSV export, recurring, one-time, long & short format   Total reader capacity can be expanded from 256 to 2048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P, 16 Reader Count Software Licenses   Supports up to 512 controllers   500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser)   VMware software is required and not included	15,000.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**



## Avigilon Access Control Manager Virtual

Access Control Manager Virtual is a physical access control system (PACS) that comes VMware ready, for deployments in a virtual server environment. Manage security within your own private cloud infrastructure, while leveraging IT investments in hardware virtualization. The system can also help to extend security budgets by eliminating the cost of stand-alone servers and software.



Model No.	Description	MSRP \$
AC-SW-512R-VM-6-P	Access Control Manager Virtual 6 - Web-Based PACS Virtual for 512 Readers - includes: embedded 64 bit Linux OS & Open LDAP for configuration database   Access Control Manager Security Management Software   512 Reader Count Software License   One (1) ACM Verify   ACC Video Integration   Five (5) partitions   Identities CSV export, recurring, one-time, long & short format   Total reader capacity can be expanded from 512 to 2048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P, 16 Reader Count Software Licenses   Supports up to 512 controllers   500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser)   VMware software is required and not included	28,334.00
AC-SW-1024R-VM-6-P	Access Control Manager Virtual 6 - Web-Based PACS Virtual for 1024 Readers - includes: embedded 64 bit Linux OS & Open LDAP for configuration database   Access Control Manager Security Management Software   1024 Reader Count Software License   One (1) ACM Verify   ACC Video Integration   Five (5) partitions   Identities CSV export, recurring, one-time, long & short format   Total reader capacity can be expanded from 1024 to 2048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P, 16 Reader Count Software Licenses   Supports up to 512 controllers   500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser)   VMware software is required and not included	35,000.00
AC-SW-2048R-VM-6-P	Access Control Manager Virtual 6 - Web-Based PACS Virtual for 2048 Readers - includes: embedded 64 bit Linux OS & Open LDAP for configuration database   Access Control Manager Security Management Software   2048 Reader Count Software License   One (1) ACM Verify   ACC Video Integration   Five (5) partitions   Identities CSV export, recurring, one-time, long & short format   Total reader capacity cannot be expanded   Supports up to 512 controllers   500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser)   VMware software is required and not included	53,333.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Additional Software Licenses for Avigilon Access Control Manager Professional, Enterprise, Enterprise Plus & Virtual

### Access Control Manager 6 Additional Reader Licensing for Professional, Enterprise, Enterprise Plus & Virtual

Model No.	Description	MSRP \$
AC-SW-LIC-16RCU-6-P	Access Control Manager 6 16 Reader Count Software License	833.00

### Access Control Manager 6 Non OEM Licensing for HID Hardware Controllers for Professional, Enterprise, Enterprise Plus and Virtual

Model No.	Description	MSRP \$
AC-SW-LIC-HID-VERTEX-ASM-6-P	Access Control Manager 6 NON OEM (Non Avigilon Ordered) HID VertX EVO V1000 or HID VertX EVO V2000 Assimilation License. Quantity order must equal number on V1000 and V2000 NON OEM controllers desired to be supported. If HID VertX EVO controllers are ordered from Avigilon, this item is NOT required.	500.00

### Access Control Manager 6 Badging Software Options for Professional, Enterprise, Enterprise Plus & Virtual

Model No.	Description	MSRP \$
AC-SW-LIC-BDGE-6-P	Access Control Manager 6 Badging Application Software License (one per Appliance)	833.00

### Access Control Manager 6 Video Integration License Options for Professional, Enterprise, Enterprise Plus & Virtual

Model No.	Description	MSRP \$
AC-SW-LIC-EXACQ-6-P	Access Control Manager 6 License for Video Integration for Exacq (per Appliance)	4,166.00
AC-SW-LIC-MILEST-6-P	Access Control Manager 6 License for Video Integration for Milestone (per Appliance)	4,166.00

### Access Control Manager 6 IT Collaboration Software Options for Professional, Enterprise, Enterprise Plus & Virtual

Model No.	Description	MSRP \$
AC-SW-LIC-PART-6-P	Access Control Manager 6 Partitioning License for additional partitions (per Appliance)	4,167.00
AC-SW-LIC-SQL-6-P	Access Control Manager 6 Microsoft SQL Server Connectivity Software License (from Microsoft SQL 2000 forward)	1,667.00
AC-SW-LIC-ORCL-6-P	Access Control Manager 6 Oracle Server Connectivity Software License (from Oracle DB 9i forward)	3,333.00
AC-SW-LIC-LDAP-6-P	Access Control Manager 6 LDAP Directory Connectivity Software License (required for integration with Microsoft Active Directory or other directory products)	2,500.00
AC-SW-LIC-XML-6-P	Access Control Manager 6 XML Events Connectivity Software License	833.00
AC-SW-LIC-REST-6-P	Access Control Manager 6 REST Connectivity Software License	833.00

*All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.*

## Additional Software Licenses for Avigilon Access Control Manager Professional, Enterprise, Enterprise Plus & Virtual

### Access Control Manager 6 IT Collaboration Software Options for Enterprise, Enterprise Plus & Virtual

Model No.	Description	MSRP \$
AC-SW-LIC-AF-6-P	Access Control Manager 6 Hot Standby - Auto Failover Software License (per Appliance) includes AC-SW-LIC-REP; Requires duplicate licensing for failover appliance	5,000.00
AC-SW-LIC-REP-6-P	Access Control Manager 6 Multi-Appliance Replication Software License (per Appliance)	3,333.00

### Access Control Manager 6 Bosch Intrusion Integration License Options for Professional, Enterprise, Enterprise Plus & Virtual

Model No.	Description	MSRP \$
AC-SW-LIC-BOSCHINTR-1PANEL-6-P	Access Control Manager 6 per panel license for Bosch intrusion panel integration. Panels supported: B3512, B4512, B5512, B6512, B9512G, B8512G, D9412GV4 & D7412GV4	325.00
AC-SW-LIC-BOSCHINTR-10PANEL-6-P	Access Control Manager 6 for 10 panels for Bosch intrusion panel integration. Panels supported: B3512, B4512, B5512, B6512, B9512G, B8512G, D9412GV4 & D7412GV4	3,000.00

### Access Control Manager 6 Verify™ License Options for Professional, Enterprise, Enterprise Plus & Virtual

Model No.	Description	MSRP \$
AC-SW-LIC-AVO-VER-5VS-6-P	Access Control Manager 6 (ACM) Verify license for 5 virtual stations	300.00
AC-SW-LIC-AVO-VER-16VS-6-P	Access Control Manager 6 (ACM) Verify license for 16 virtual stations	833.00

### Access Control Manager 6 Biometric Integration License Options for Professional, Enterprise, Enterprise Plus & Virtual

Model No.	Description	MSRP \$
AC-SW-LIC-VIRDI-BIO-6-P	Access Control Manager 6 Biometric integration to Viridi Biometric readers	2,500.00

### Access Control Manager 6 demonstration licence for Professional, Enterprise, Enterprise Plus and Virtual

Model No.	Description	MSRP \$
AC-SW-ACM-DEMO-30D-6-P	Access Control Manager 6 License 30 Day Demonstration: includes licensing for Badging, Exacq, Milestone, one Bosch intrusion panel, ViRIDI BEManager integration, Replication, Hot Stand By Auto Failover, SQL collaboration, Oracle collaboration, LDAP collaboration, XML collaboration, REST collaboration	0.00

*All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.*

## Additional Software Licenses for Avigilon Access Control Manager Professional, Enterprise, Enterprise Plus & Virtual

### Access Control Manager 5 Additional Reader Licensing for Professional, Enterprise, Enterprise Plus & Virtual

\*\*Can only be ordered for existing systems on ACM 5

\*\*Available for ordering until April 15, 2020

\*\*For each AC-SW-16RCU order, a quantity of 16 AC-SW-HID-RDR or AC-SW-MER-RDR are required.

\*\*When adding these items to existing physical or virtual ACM, the MAC address from the About screen must be provided with the order.

Model No.	Description	MSRP \$
AC-SW-16RCU	16 Reader Count ACM 5 Software License	833.00
AC-SW-HID-RDR	This Part Number is REQUIRED for all systems using HID VertX Field hardware controllers, and must specify the total amount of Reader/Doors that will be installed for use with HID VertX controllers only. The total quantities must match the overall system size. Example: If a 64 Reader/Door system is purchased and 53 Reader/Doors will be configured to work with HID VertX controllers, you must specify a quantity of 64.	0.00
AC-SW-MER-RDR	This Part Number is REQUIRED for all systems using Mercury Field hardware controllers, and must specify the total amount of Reader/Doors that will be installed for use with Mercury controllers only. The total quantities must match the overall system size. Example: If a 64 Reader/Door system is purchased and 53 Reader/Doors will be configured to work with Mercury controllers, you must specify a quantity of 64.	0.00

### Access Control Manager 5 Non OEM Licensing for HID Hardware Controllers for Professional, Enterprise, Enterprise Plus and Virtual

\*\*Can only be ordered for existing systems on ACM 5

\*\*Available for ordering until April 15, 2020

Model No.	Description	MSRP \$
AC-SW-HID-VERTEX-ASM	Access Control Manager NON OEM (Non Avigilon Ordered) HID VertX EVO V1000 or HID VertX EVO V2000 Assimilation License. Quantity order must equal number on V1000 and V2000 NON OEM controllers desired to be supported. If HID VertX EVO controllers are ordered from Avigilon, this item is NOT required.	500.00

### Access Control Manager 5 Badging Software Options for Professional, Enterprise, Enterprise Plus & Virtual

\*\*Can only be ordered for existing systems on ACM 5

\*\*Available for ordering until April 15, 2020

Model No.	Description	MSRP \$
AC-SW-BDGE	Badging Application Software License (one per Appliance)	833.00

*All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.*

## Additional Software Licenses for Avigilon Access Control Manager Professional, Enterprise, Enterprise Plus & Virtual

### Access Control Manager 5 Video Integration License Options for Professional, Enterprise, Enterprise Plus & Virtual

\*\*Can only be ordered for existing systems on ACM 5

\*\*Available for ordering until April 15, 2020

Model No.	Description	MSRP \$
AC-SW-LIC-EXACQ	Access Control Manager License for Video Integration for Exacq (per Appliance)	4,166.00
AC-SW-LIC-MILEST	Access Control Manager License for Video Integration for Milestone (per Appliance)	4,166.00

### Access Control Manager 5 IT Collaboration Software Options for Professional, Enterprise, Enterprise Plus & Virtual

\*\*Can only be ordered for existing systems on ACM 5

\*\*Available for ordering until April 15, 2020

Model No.	Description	MSRP \$
AC-SW-LIC-PART	Partitioning License for additional partitions (per Appliance)	4,167.00
AC-SW-LIC-SQL	Microsoft SQL Server Connectivity Software License (from Microsoft SQL 2000 forward)	1,667.00
AC-SW-LIC-ORCL	Oracle Server Connectivity Software License (from Oracle DB 9i forward)	3,333.00
AC-SW-LIC-LDAP	LDAP Directory Connectivity Software License (required for integration with Microsoft Active Directory or other directory products)	2,500.00
AC-SW-LIC-XML	XML Events Connectivity Software License	833.00
AC-SW-LIC-REST	REST Connectivity Software License	833.00

### Access Control Manager 5 IT Collaboration Software Options for Enterprise, Enterprise Plus & Virtual

\*\*Can only be ordered for existing systems on ACM 5

\*\*Available for ordering until April 15, 2020

Model No.	Description	MSRP \$
AC-SW-LIC-AF	Hot Standby - Auto Failover Software License (per Appliance) includes AC-SW-LIC-REP; Requires duplicate licensing for failover appliance	5,000.00
AC-SW-LIC-REP	Multi-Appliance Replication Software License (per Appliance)	3,333.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Additional Software Licenses for Avigilon Access Control Manager Professional, Enterprise, Enterprise Plus & Virtual

### Access Control Manager 5 Bosch Intrusion Integration License Options for Professional, Enterprise, Enterprise Plus & Virtual

\*\*Can only be ordered for existing systems on ACM 5

\*\*Available for ordering until April 15, 2020

Model No.	Description	MSRP \$
AC-SW-LIC-BOSCHINTR-1PANEL	Access Control Manager (V5.8 & later) per panel license for Bosch intrusion panel integration. Panels supported: B3512, B4512, B5512, B6512, B9512G, B8512G, D9412GV4 & D7412GV4. The D9412GV4 and D7412GV4 panels only support V2 of Mode 2 protocol.	335.00
AC-SW-LIC-BOSCHINTR-10PANEL	Access Control Manager (V5.8 & later) for 10 panels for Bosch intrusion panel integration. Panels supported: B3512, B4512, B5512, B6512, B9512G, B8512G, D9412GV4 & D7412GV4. The D9412GV4 and D7412GV4 panels only support V2 of Mode 2 protocol.	3,100.00

### Access Control Manager 5 Verify™ License Options for Professional, Enterprise, Enterprise Plus & Virtual

\*\*Can only be ordered for existing systems on ACM 5

\*\*Available for ordering until April 15, 2020

Model No.	Description	MSRP \$
AC-SW-AVO-VER-5VS	Access Control Manager (ACM) Verify™ license for 5 virtual stations	300.00
AC-SW-AVO-VER-16VS	Access Control Manager (ACM) Verify™ license for 16 virtual stations	833.00

### Access Control Manager 5 Biometric Integration License Options for Professional, Enterprise, Enterprise Plus & Virtual

\*\*Can only be ordered for existing systems on ACM 5




\*\*Available for ordering until April 15, 2020

Model No.	Description	MSRP \$
AC-SW-LIC-VIRDI-BIO	Access Control Manager Biometric integration to VIRDI Biometric readers	2,500.00

*All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.*

## Access Control Manager Bundled Kits

### Access Control Manager Professional Bundled Kits


Model No.	Description	MSRP \$
AC-PRO-KIT4	 <p>Access Control Manager Professional Four (4) Door Unassembled Kit, includes:</p> <ul style="list-style-type: none"> <li>- one (1) AC-APP-16R-PRO-6 Access Control Manager Professional appliance for 16 readers</li> <li>- one (1) AC-MER-CONT-LP1502 Mercury Intelligent Controller supports 2 readers, 8 inputs and 4 outputs onboard, expandable up to 64 readers</li> <li>- one (1) AC-MER-CON-MR52 Mercury 2-Reader Interface Module</li> <li>- one (1) AC-LSP-4DR-MER-LCK LifeSafety Power Four (4) Door Mercury Dual Voltage Integrated Power System with lock power</li> <li>- four (4) AC-HID-READ-ICLASS-SE-RP40-AVG HID iCLASS SE RP40 Card Readers, Avigilon Logo</li> <li>- one-hundred (100) AC-HID-CARD-ICLASS-SE-3000-AVG-NL iCLASS SE Contactless Smart Card, 2k bit with 2 application areas, Avigilon Format, Without Avigilon Logo, Avigilon University 1000, packaged in box of 100</li> </ul>	5,960.00
AC-PRO-KIT8	 <p>Access Control Manager Professional Eight (8) Door Unassembled Kit, includes:</p> <ul style="list-style-type: none"> <li>- one (1) AC-APP-16R-PRO-6 Access Control Manager Professional appliance for 16 readers</li> <li>- one (1) AC-MER-CONT-LP1502 Mercury Intelligent Controller supports 2 readers, 8 inputs and 4 outputs onboard, expandable up to 64 readers</li> <li>- three (3) AC-MER-CON-MR52 Mercury 2-Reader Interface Module</li> <li>- one (1) AC-LSP-8DR-MER-LCK LifeSafety Power Eight (8) Door Mercury Dual Voltage Integrated Power System with lock power</li> <li>- eight (8) AC-HID-READ-ICLASS-SE-RP40-AVG HID iCLASS SE RP40 Card Readers, Avigilon Logo</li> <li>- one-hundred (100) AC-HID-CARD-ICLASS-SE-3000-AVG-NL iCLASS SE Contactless Smart Card, 2k bit with 2 application areas, Avigilon Format, Without Avigilon Logo, Avigilon University 1000, packaged in box of 100</li> </ul>	8,820.00
AC-PRO-KIT16	 <p>Access Control Manager Professional Sixteen (16) Door Unassembled Kit, includes:</p> <ul style="list-style-type: none"> <li>- one (1) AC-APP-16R-PRO-6 Access Control Manager Professional appliance for 16 readers</li> <li>- one (1) AC-MER-CONT-LP1502 Mercury Intelligent Controller supports 2 readers, 8 inputs and 4 outputs onboard, expandable up to 64 readers</li> <li>- seven (7) AC-MER-CON-MR52 Mercury 2-Reader Interface Module</li> <li>- two (2) AC-LSP-8DR-MER-LCK LifeSafety Power Eight (8) Door Mercury Dual Voltage Integrated Power System with lock power</li> <li>- sixteen (16) AC-HID-READ-ICLASS-SE-RP40-AVG HID iCLASS SE RP40 Card Readers, Avigilon Logo</li> <li>- one-hundred (100) AC-HID-CARD-ICLASS-SE-3000-AVG-NL iCLASS SE Contactless Smart Card, 2k bit with 2 application areas, Avigilon Format, Without Avigilon Logo, Avigilon University 1000, packaged in box of 100</li> </ul>	14,870.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Access Control Manager Bundled Kits

### Access Control Manager Enterprise Bundled Kits

Model No.	Description	MSRP \$
AC-ENT-KIT8	<p>Access Control Manager Enterprise Eight (8) Door Unassembled Kit, includes:</p> <ul style="list-style-type: none"> <li>- one (1) AC-APP-16R-ENT2-6 Access Control Manager Enterprise appliance for 16 readers</li> <li>- one (1) AC-MER-CONT-LP1502 Mercury Intelligent Controller supports 2 readers, 8 inputs and 4 outputs onboard, expandable up to 64 readers</li> <li>- three (3) AC-MER-CON-MR52 Mercury 2-Reader Interface Module</li> <li>- one (1) AC-LSP-8DR-MER-LCK LifeSafety Power Eight (8) Door Mercury Dual Voltage Integrated Power System with lock power</li> <li>- eight (8) AC-HID-READ-ICLASS-SE-RP40-AVG HID iCLASS SE RP40 Card Readers, Avigilon Logo</li> <li>- one-hundred (100) AC-HID-CARD-ICLASS-SE-3000-AVG-NL iCLASS SE Contactless Smart Card, 2k bit with 2 application areas, Avigilon Format, Without Avigilon Logo, Avigilon University 1000, packaged in box of 100</li> </ul>	10,820.00
AC-ENT-KIT16	<p>Access Control Manager Enterprise Sixteen (16) Door Unassembled Kit, includes:</p> <ul style="list-style-type: none"> <li>- one (1) AC-APP-16R-ENT2-6 Access Control Manager Enterprise appliance for 16 readers</li> <li>- one (1) AC-MER-CONT-LP1502 Mercury Intelligent Controller supports 2 readers, 8 inputs and 4 outputs onboard, expandable up to 64 readers</li> <li>- seven (7) AC-MER-CON-MR52 Mercury 2-Reader Interface Module</li> <li>- two (2) AC-LSP-8DR-MER-LCK LifeSafety Power Eight (8) Door Mercury Dual Voltage Integrated Power System with lock power</li> <li>- sixteen (16) AC-HID-READ-ICLASS-SE-RP40-AVG HID iCLASS SE RP40 Card Readers, Avigilon Logo</li> <li>- one-hundred (100) AC-HID-CARD-ICLASS-SE-3000-AVG-NL iCLASS SE Contactless Smart Card, 2k bit with 2 application areas, Avigilon Format, Without Avigilon Logo, Avigilon University 1000, packaged in box of 100</li> </ul>	16,860.00



**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**



## Access Control Manager Embedded Controller

Model No.	Description	MSRP \$
AC-HID-ACMEC	Avigilon Access Control Manager Embedded Controller (with plastic enclosure back plate & cover), Browser Based ACM Controller, Up To 16 Doors, 2000 Cardholders, 10 Operators (two Concurrent), 25,000 Transactions, 8 Subpanel Support, Schedules, Holidays, Access Groups, Weigh 1 lb.	1,360.00
		
AC-HID-LSP-ACMEC-KIT4	Access Control Manager Embedded Controller, Four (4) Door, Unassembled Kit, Includes one (1) AC-HID-ACMEC Access Control Manager Embedded Controller, Two (2) AC-HID-VERTEX-V100 HID VertX V100 Reader Interface Modules, One (1) AC-LSP-4DR-HID-LCK LifeSafety Power Four (4) Door HID Dual Voltage Integrated Power System, Four (4) AC-HID-READ-ICLASS-SE-R10-AVG HID iCLASS SE R10 Card Readers, Avigilon Logo, One-Hundred (100) AC-HID-CARD-ICLASS-SE-3000-AVG iCLASS SE Contactless Smart Card, 2k bit with 2 application areas, Avigilon Format, Avigilon logo on back, packaged in box of 100, 26 lbs.	4,164.00
		
AC-HID-LSP-ACMEC-KIT8	Access Control Manager Embedded Controller, Eight (8) Door, Unassembled Kit, Includes one (1) AC-HID-ACMEC Access Control Manager Embedded Controller, Four (4) AC-HID-VERTEX-V100 HID VertX V100 Reader Interface Modules, One (1) AC-LSP-8DR-HID-LCK LifeSafety Power Eight (8) Door HID Dual Voltage Integrated Power System, Eight (8) AC-HID-READ-ICLASS-SE-R10-AVG HID iCLASS SE R10 Card Readers, Avigilon Logo, One-Hundred (100) AC-HID-CARD-ICLASS-SE-3000-AVG iCLASS SE Contactless Smart Card, 2k bit with 2 application areas, Avigilon Format, Avigilon logo on back, packaged in box of 100, 39 lbs.	6,203.00
		
AC-HID-LSP-ACMEC-KIT16	Access Control Manager Embedded Controller, Sixteen (16) Door, Unassembled Kit, Includes one (1) AC-HID-ACMEC Access Control Manager Embedded Controller, Eight (8) AC-HID-VERTEX-V100 HID VertX V100 Reader Interface Modules, One (1) AC-LSP-16DR-HID-LCK LifeSafety Power Sixteen (16) Door HID Dual Voltage Integrated Power System, Sixteen (16) AC-HID-READ-ICLASS-SE-R10-AVG HID iCLASS SE R10 Card Readers, Avigilon Logo, One-Hundred (100) AC-HID-CARD-ICLASS-SE-3000-AVG iCLASS SE Contactless Smart Card, 2k bit with 2 application areas, Avigilon Format, Avigilon logo on back, packaged in box of 100, 49 lbs.	9,813.00
		

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## HID VertX Hardware

Enclosures, power supplies and batteries not included.

### System Controller Modules

Model No.	Description	MSRP \$
AC-HID-VERTEX-V2000	VertX EVO V2000 Networked Controller / Reader Interface (with plastic enclosure back plate & cover), 100,000 Cardholders	1,175.00
AC-HID-VERTEX-V1000	VertX EVO V1000 Networked Controller (with plastic enclosure back plate & cover), 100,000 Cardholders	1,175.00

### Reader Interface Modules

Model No.	Description	MSRP \$
AC-HID-VERTEX-V100	VertX V100 Reader Interface (with plastic enclosure back plate & cover)	567.00

### Input Monitor and Output Control Modules

Model No.	Description	MSRP \$
AC-HID-VERTEX-V200	VertX V200 Input Monitor Interface (with plastic enclosure back plate & cover)	623.00
AC-HID-VERTEX-V300	VertX V300 Output Control Interface (with plastic enclosure back plate & cover)	665.00

*All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.*

## Mercury Hardware & Accessories

Enclosures, power supplies and batteries not included.

### System Controller Modules - Series 3

Model No.	Description	MSRP \$
AC-MER-CONT-LP1501	Intelligent Controller, Linux Based with 1 door, 2 inputs and 2 outputs, PoE+ Support, expandable up to 17 doors. (Mercury Part #: LP1501)	680.00
AC-MER-CONT-LP1502	Intelligent Controller, Linux Based with 2 doors, 8 inputs and 4 outputs, expandable up to 64 doors. (Mercury Part #: LP1502)	1,280.00
AC-MER-CONT-LP2500	Intelligent Controller, Linux Based, expandable up to 64 doors. (Mercury Part #: LP2500)	1,880.00
AC-MER-CONT-LP4502	Intelligent Controller, Linux Based with 2 doors, 8 inputs and 4 outputs, expandable up to 64 doors. (Mercury Part #: LP4502)	2,580.00

### Reader Interface Modules - Series 3

Model No.	Description	MSRP \$
AC-MER-CON-MR50	Series 3 Single Reader Interface Module: mag or wiegand, 2 inputs, 2 relays (Mercury Part Number: MR50-S3)	355.00
AC-MER-CON-MR52	Series 3 Two-Reader Interface Module: mag or wiegand, 8 inputs, 6 relays (Mercury Part Number: MR52-S3)	705.00
AC-MER-RIM-MR62E	Reader Interface Module with 2 doors, 4 inputs and 4 outputs, PoE+ Support. (Mercury Part #: MR62e)	800.00

### Input Monitor and Output Control Modules - Series 3

Model No.	Description	MSRP \$
AC-MER-CON-MR16IN	16 Zone Input Monitor Module with 2 relays (Mercury Part Number: MR16in-S3)	800.00
AC-MER-CON-MR16OUT	16 Relay Output Control Module (Mercury Part Number: MR16out-S3)	800.00

### Communication and Interface Modules

Model No.	Description	MSRP \$
AC-MER-MUX8	RS-232/485 to 8 RS-485 Channel Mux (Mercury Part Number: MUX8)	675.00

### ASSA ABLOY - Mercury Aperio Hub

Model No.	Description	MSRP \$
AC-MER-AH30RN1-RC	ASSA ABLOY - Mercury Aperio Hub 1:8-with Avigilon Enablement SW(ASSA ABLOY Part Number: AH30RN1-RC)	383.00
AC-MER-APD-10-USB	ASSA ABLOY - USB Radio Dongle(ASSA ABLOY Part Number: APD-10-USB)	585.00

*All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.*

## Mercury Hardware & Accessories

Enclosures, power supplies and batteries not included.

### Accessories

Model No.	Description	MSRP \$
AC-MER-A-TERM5-3	Replace 3-Position Terminal Blocks, 10-pack(Mercury Part Number: A-TERM5-3)	26.00
AC-MER-A-TERM5-4	Replace 4-Position Terminal Blocks, 10-pack(Mercury Part Number: A-TERM5-4)	34.00
AC-MER-A-TERM5-5	Replace 5-Position Terminal Blocks, 10-pack(Mercury Part Number: A-TERM5-5)	44.00
AC-MER-A-TERM5-6	Replace 6-Position Terminal Blocks, 10-pack(Mercury Part Number: A-TERM5-6)	52.00
AC-MER-A-TC-MR50	CABLE FOR MR-50 TAMPER (Mercury Part Number: A-TC-MR50)	4.00
AC-MER-A-RES-1K32	AXIAL LEADED 1K1%1/4W RESISTORS, 32-pack(Mercury Part Number: RES-1K32)	11.00
AC-MER-A-BAT23MM	LITHIUM COIN CELLS BR/CR2325, 20-pack(Mercury Part Number: A-BAT23MM)	86.00

*All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.*

## Avigilon Access Control Manager OEM - Mercury Security Hardware - M5 (Casi Retrofit)

### System Controller & Communication Modules

Model No.	Description	MSRP \$
AC-MER-M5-IC-1	Intelligent Controller, 32MB RAM, Ethernet, Dual RS485 ports (1 board)(Mercury Part Number: M5-IC-1)	1,270.00
AC-MER-M5-COM-1	Combination Power & RS485; Communications Bridge (1 board)(Mercury Part Number: M5-COM-1)	273.00

### Reader Interface Modules

Model No.	Description	MSRP \$
AC-MER-M5-2RP-1	Reader Interface Module-(2 Rdr, 4 Inputs, 6 Outputs) (1 board)(Mercury Part Number: M5-2RP-1)	620.00
AC-MER-M5-2SRP-1	Supervised Reader Interface Module-(2 Rdr, 4 Inputs, 6 Outputs) (1 board)(Mercury Part Number: M5-2SRP-1)	620.00
AC-MER-M5-8RP-1	Supervised Reader Interface Module-(8 Supervised Rdr Connections) (1 board)(Mercury Part Number: M5-8RP-1)	953.00

### Input Monitor and Output Control Modules

Model No.	Description	MSRP \$
AC-MER-M5-20IN-1	20 Zone Input Monitor Module (1 board)(Mercury Part Number: M5-20IN-1)	650.00
AC-MER-M5-16DOR-1	16 Relay Output Controller Module-(16 solid state relays) (1 board)(Mercury Part Number: M5-16DOR-1)	620.00
AC-MER-M5-16DO-1	16 Digital Output Control Module-(16 digital arrays) (1 board)(Mercury Part Number: M5-16DO-1)	620.00

### Multi device interface panels for replacement of Casi M2000

Model No.	Description	MSRP \$
AC-MER-M5-2K-BASE	Multi-device interface panel for replacement of the Casi M2000 reader controller, does NOT include M5-IC that is sold separately (Mercury Part Number: M5-2K-BASE)	1,050.00
AC-MER-M5-2K	Multi-device interface panel for replacement of the Casi M2000 reader controller, includes the M5-IC as well as the 4 reader daughter board (Mercury Part Number: M5-2K)	2,220.00

*All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.*

## Avigilon Access Control Manager OEM - Mercury Security Hardware – MS Bridge (Software House)

### System Controller Modules

Model No.	Description	MSRP \$
AC-MER-MS-ICS	Intelligent controller, Ethernet enabled SWH Pro GCM Bridge Board(Mercury Part Number: MS-ICS)	1,728.00

### Reader Interface Module

Model No.	Description	MSRP \$
AC-MER-MS-ACS	Reader Interface Module (8RDR capacity, direct and/or 485) SWH Pro ACM Bridge Board(Mercury Part Number: MS-ACS)	1,408.00

### Input Monitor and Output Control Modules

Model No.	Description	MSRP \$
AC-MER-MS-I8S	Remote Input Module (8supervised inputs) SWH Pro I8 Bridge Board(Mercury Part Number: MS-I8S)	430.00
AC-MER-MS-R8S	Remote Output Module (8 relay outputs) SWH Pro R8 Bridge Board(Mercury Part Number: MS-R8S)	482.00

*All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.*

## LifeSafety Power Kits

### LifeSafety Regulated Power Supply Kits – Mercury Hardware

Ordering LifeSafety Power kits is as simple as 1-2-3. Just answer a few questions to get started. The first two questions in each group have been answered for you. Scroll down to see all 4 groups.

1. Using Mercury or HID hardware Answer: Mercury Hardware
2. Do you require lock power Answer: No Lock Power Included
3. How many doors are you looking to secure Choose door capacity (2, 4, 8, or 16 doors) below

Model No.	Description	MSRP \$
AC-LSP-2DR-MER	Two Door Mercury Single Voltage Integrated Power System supporting two AC-MER-CONT-1DR or one AC-MER-CONT-2DR (Mercury hardware sold separately). Includes painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws and a 75 watt 12V/6A or 24V/3A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8P Board) delivering a regulated independent power connection to Mercury boards and auxiliary equipment. The power supply features dual outputs, form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet (unless using two AC-MER-CONT-1DR). Cabinet size: 12" x 14" x 4.5" with door lock, tamper switch and two (2) keys. Weight 14 lb.(LifeSafety Power Part Number: FPO75-D8PE1M)	370.00
AC-LSP-4DR-MER	Four Door Mercury Single Voltage Integrated Power System supporting one AC-MER-CONT-2DR with one AC-MER-CON-MR52 (Mercury hardware sold separately). Includes painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws and a 75 watt 12V/6A or 24V/3A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8P Board) delivering a regulated independent power connection to Mercury boards and auxiliary equipment. The power supply features dual outputs, form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 16" x 20" x 4.5" with door lock, tamper switch and two (2) keys. Weight 19 lb.(LifeSafety Power Part Number: FPO75-D8PE2M)	400.00
AC-LSP-8DR-MER	Eight Door Mercury Single Voltage Integrated Power System supporting one AC-MER-CONT-2DR with three AC-MER-CON-MR52 (Mercury hardware sold separately). Includes painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws and a 75 watt 12V/6A or 24V/3A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8P Board) delivering a regulated independent power connection to Mercury boards and auxiliary equipment. The power supply features dual outputs, form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 20" x 24" x 4.5" with door lock, tamper switch and two (2) keys. Weight 25 lb.(LifeSafety Power Part Number: FPO75-D8PE4M)	475.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**


## LifeSafety Power Kits

### LifeSafety Regulated Power Supply Kits – Mercury Hardware

Ordering LifeSafety Power kits is as simple as 1-2-3. Just answer a few questions to get started. The first two questions in each group have been answered for you. Scroll down to see all 4 groups.

1. Using Mercury or HID hardware Answer: Mercury Hardware
2. Do you require lock power Answer: No Lock Power Included
3. How many doors are you looking to secure Choose door capacity (2, 4, 8, or 16 doors) below

Model No.	Description	MSRP \$
AC-LSP-16DR-MER	Sixteen Door Mercury Single Voltage Integrated Power System supporting one AC-MER-CONT-2DR with Seven AC-MER-CON-MR52 (Mercury hardware sold separately). Includes painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws and a 150 watt 12V/12A or 24V/6A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8P Board) delivering a regulated independent power connection to Mercury boards and auxiliary equipment. The power supply features dual outputs, form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 20" x 24" x 4.5" with door lock, tamper switch and two (2) keys. Weight 25 lb.(LifeSafety Power Part Number: FPO150-D8PE4M1)	720.00



**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**





## LifeSafety Power Kits

### LifeSafety Regulated Power Supply Kits – Mercury Hardware (Includes Lock Power)

Ordering LifeSafety Power kits is as simple as 1-2-3. Just answer a few questions to get started. The first two questions in each group have been answered for you. Scroll down to see all 4 groups.

1. Using Mercury or HID hardware Answer: Mercury Hardware
2. Do you require lock power Answer: Lock Power Included
3. How many doors are you looking to secure Choose door capacity (2, 4, 8, or 16 doors) below

Model No.	Description	MSRP \$
AC-LSP-2DR-MER-LCK	 <p>Two Door Mercury Dual Voltage Integrated Power System supporting two AC-MER-CONT-1DR or one AC-MER-CONT-2DR (Mercury hardware sold separately). The advantage of a dual voltage power supply is the ability to power both Mercury boards and door locks from the same supply. Includes a painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws and a 75 watt 12V/2A and 24V/2A power supply-battery charger. The power supply is pre-wired to four Class 2, Power Limited (CL2PL) outputs (C4 P Board) delivering a regulated independent power connection to each Mercury board and lock power and control. The power supply features dual outputs (12 &amp; 24volts DC), form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet (unless using two AC-MER-CONT-1DR). Cabinet size: 12" x 14" x 4.5" with door lock and two (2) keys. Weight 14 lb.(LifeSafety Power Part Number: FPO75-B100C4PE1M)</p>	450.00
AC-LSP-4DR-MER-LCK	 <p>Four Door Mercury Dual Voltage Integrated Power System supporting one AC-MER-CONT-2DR with one AC-MER-CON-MR52 (Mercury hardware sold separately). The advantage of a dual voltage power supply is the ability to power both Mercury boards and door locks from the same supply. Includes a painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws and a 75 watt 12V/2A and 24V/2A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8 P Board) delivering a regulated independent power connection to each Mercury board and four fused output (C4 Board) for independent relay lock power. The power supply features dual outputs (12 &amp; 24volts DC), form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 16" x 20" x 4.5" with door lock and two (2) keys. Weight 19 lb.(LifeSafety Power Part Number: FPO75-B100C4D8PE2M)</p>	515.00
AC-LSP-8DR-MER-LCK	 <p>Eight Door Mercury Dual Voltage Integrated Power System supporting one AC-MER-CONT-2DR with three AC-MER-CON-MR52 (Mercury hardware sold separately). The advantage of a dual voltage power supply is the ability to power both Mercury boards and door locks from the same supply. Includes a painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws and a 150 watt 12V/4A and 24V/4A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8 P Board) delivering a regulated independent power connection to each Mercury board and eight fused output (C8 Board) for independent relay lock power. The power supply features dual outputs (12 &amp; 24volts DC), form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 20" x 24" x 4.5" with door lock and two (2) keys. Weight 25 lb.(LifeSafety Power Part Number: FPO150-B100C8D8PE4M )</p>	700.00


**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## LifeSafety Power Kits

### LifeSafety Regulated Power Supply Kits – Mercury Hardware (Includes Lock Power)

Ordering LifeSafety Power kits is as simple as 1-2-3. Just answer a few questions to get started. The first two questions in each group have been answered for you. Scroll down to see all 4 groups.

1. Using Mercury or HID hardware Answer: Mercury Hardware
2. Do you require lock power Answer: Lock Power Included
3. How many doors are you looking to secure Choose door capacity (2, 4, 8, or 16 doors) below

Model No.	Description	MSRP \$
AC-LSP-16DR-MER-LCK	 <p>Sixteen Door Mercury Dual Voltage Integrated Power System supporting one AC-MER-CONT-2DR with seven AC-MER-CON-MR52 (Mercury hardware sold separately). The advantage of a dual voltage power supply is the ability to power Mercury boards and door locks. Includes a painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws. System includes one 150 watt 12V/12A pre-wired to sixteen Class 2, Power Limited (CL2PL) outputs (two D8P Boards) delivering regulated independent power connection to each Mercury board and one 250 watt 24V/10A power supply-battery chargers pre-wired to sixteen fused output (two C8 Boards) for independent relay lock power. Both power supplies features dual outputs (12 &amp; 24volts DC), form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Cabinet size: 20" x 24" x 4.5" with door lock and two (2) keys. Weight 26 lb.(LifeSafety Power Part Number: FPO150/250-2C82D8PE4M1)</p>	1,110.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## LifeSafety Power Kits

### LifeSafety Regulated Power Supply Kits – HID Hardware

Ordering LifeSafety Power kits is as simple as 1-2-3. Just answer a few questions to get started. The first two questions in each group have been answered for you. Scroll down to see all 4 groups.

1. Using Mercury or HID hardware Answer: HID Hardware
2. Do you require lock power Answer: No Lock Power Included
3. How many doors are you looking to secure Choose door capacity (2, 4, 8, or 16 doors) below

Model No.	Description	MSRP \$
AC-LSP-2DR-HID	Two Door HID Single Voltage Integrated Power System supporting one AC-HID-VERTEX-V2000 (HID VertX EVO hardware sold separately). Includes painted steel enclosure, removable pre drilled back plate, controller mounting screws and a 75 watt 12V/6A or 24V/3A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8 P Board) delivering a regulated independent power connection to HID VertX EVO board and auxiliary equipment. The power supply features dual outputs, form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 12" x 14" x 4.5" with door lock, tamper switch and two (2) keys. Weight 14 lb.(LifeSafety Power Part Number: FPO75-D8PE1V)	370.00
AC-LSP-4DR-HID	Four Door HID Single Voltage Integrated Power System supporting two AC-HID-VERTEX-V2000 or one AC-HID-VERTEX-V1000 with two AC-HID-VERTEX-V100 (HID VertX EVO hardware sold separately). Includes painted steel enclosure, removable pre drilled back plate, controller mounting screws and a 75 watt 12V/6A or 24V/3A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8 P Board) delivering a regulated independent power connection to each HID VertX EVO board and auxiliary equipment. The power supply features dual outputs, form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 16" x 20" x 4.5" with door lock, tamper switch and two (2) keys. Weight 19 lb.(LifeSafety Power Part Number: FPO75-D8PE2V)	400.00
AC-LSP-8DR-HID	Eight Door HID Single Voltage Integrated Power System supporting one AC-HID-VERTEX-V1000 with four AC-HID-VERTEX-V100 (HID VertX EVO hardware sold separately). Includes painted steel enclosure, removable pre drilled back plate, controller mounting screws and a 75 watt 12V/6 A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8P Board) delivering a regulated independent power connection to each HID VertX EVO board and auxiliary equipment. The power supply features dual outputs, form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 20" x 24" x 4.5" with door lock, tamper switch and two (2) keys. Weight 25 lb.(LifeSafety Power Part Number: FPO75-D8PE4V)	511.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**


## LifeSafety Power Kits

### LifeSafety Regulated Power Supply Kits – HID Hardware

Ordering LifeSafety Power kits is as simple as 1-2-3. Just answer a few questions to get started. The first two questions in each group have been answered for you. Scroll down to see all 4 groups.

1. Using Mercury or HID hardware Answer: HID Hardware
2. Do you require lock power Answer: No Lock Power Included
3. How many doors are you looking to secure Choose door capacity (2, 4, 8, or 16 doors) below

Model No.	Description	MSRP \$
AC-LSP-16DR-HID	Sixteen Door HID Single Voltage Integrated Power System supporting one AC-HID-VERTEX-V1000 with eight AC-HID-VERTEX-V100 (HID VertX EVO hardware sold separately). Includes painted steel enclosure, removable pre drilled back plate, controller mounting screws and a 150 watt 12V/12 A power supply-battery charger. The power supply is pre-wired to sixteen Class 2, Power Limited (CL2PL) outputs (two D8P Boards) delivering a regulated independent power connection to each HID VertX EVO board and auxiliary equipment. The power supply features dual outputs, form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 20" x 24" x 4.5" with door lock, tamper switch and two (2) keys. Weight 25 lb.(LifeSafety Power Part Number: FPO150-2D8PE4V1)	755.00



**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## LifeSafety Power Kits

### LifeSafety Regulated Power Supply Kits – HID Hardware (Includes Lock Power)

Ordering LifeSafety Power kits is as simple as 1-2-3. Just answer a few questions to get started. The first two questions in each group have been answered for you. Scroll down to see all 4 groups.

1. Using Mercury or HID hardware Answer: HID Hardware
2. Do you require lock power Answer: Lock Power Included
3. How many doors are you looking to secure Choose door capacity (2, 4, 8, or 16 doors) below

Model No.	Description	MSRP \$
AC-LSP-2DR-HID-LCK	Two Door HID Dual Voltage Integrated Power System supporting one AC-HID-VERTEX-V2000 (HID VertX EVO hardware sold separately). The advantage of a dual voltage power supply is the ability to power both HID board and door locks from the same supply. Includes painted steel enclosure, removable pre drilled back plate, controller mounting screws and a 75 watt 12V/2 A and 24V/2A power supply-battery charger. The power supply is pre-wired to four Class 2, Power Limited (CL2PL) outputs (C4P Board) delivering a regulated independent power connection to HID VertX EVO board and lock power control. The power supply features dual outputs (12 & 24volts DC), form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 12" x 14" x 4.5" with door lock and two (2) keys. Weight 14 lb.(LifeSafety Power Part Number: FPO75-B100C4PE1V)	450.00
AC-LSP-4DR-HID-LCK	Four Door HID Dual Voltage Integrated Power System supporting two AC-HID-VERTEX-V2000 or one AC-HID-VERTEX-V1000 with two AC-HID-VERTEX-V100 (HID VertX EVO hardware sold separately). The advantage of a dual voltage power supply is the ability to power both HID boards and door locks from the same supply. Includes a painted steel enclosure, removable pre drilled back plate, controller mounting screws, and a 75 watt 12V/2A and 24V/2A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8 P Board) delivering a regulated independent power connection to each HID VertX EVO board and four fused output (C4 Board) for independent relay lock power control. The power supply features dual outputs (12 & 24volts DC), form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 16" x 20" x 4.5" with door lock and two (2) keys. Weight 19 lb.	515.00
AC-LSP-8DR-HID-LCK	Eight Door HID Dual Voltage Integrated Power System supporting one AC-HID-VERTEX-V1000 with four AC-HID-VERTEX-V100 (HID VertX EVO hardware sold separately). The advantage of a dual voltage power supply is the ability to power both HID boards and door locks from the same supply. Includes a painted steel enclosure, removable pre drilled back plate, controller mounting screws, and a 150 watt 12V/4A and 24V/4A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8P Board) delivering a regulated independent power connection to each HID VertX EVO board and eight fused output (C8 Board) for independent relay lock power control. The power supply features dual outputs (12 & 24volts DC), form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 20" x 24" x 4.5" with door lock and two (2) keys. Weight 25 lb.(LifeSafety Power Part Number: FPO150-B100C8D8PE4V1)	860.00


**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## LifeSafety Power Kits

### LifeSafety Regulated Power Supply Kits – HID Hardware (Includes Lock Power)

Ordering LifeSafety Power kits is as simple as 1-2-3. Just answer a few questions to get started. The first two questions in each group have been answered for you. Scroll down to see all 4 groups.

1. Using Mercury or HID hardware Answer: HID Hardware
2. Do you require lock power Answer: Lock Power Included
3. How many doors are you looking to secure Choose door capacity (2, 4, 8, or 16 doors) below

Model No.	Description	MSRP \$
AC-LSP-16DR-HID-LCK	 <p>Sixteen Door HID Dual Voltage Integrated Power System supporting one AC-HID-VERTEX-V1000 with eight AC-HID-VERTEX-V100 (HID VertX EVO hardware sold separately). The advantage of a dual voltage power supply is the ability to power HID boards and door locks. Includes a painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws. System includes one 75 watt 12V/6A pre-wired to sixteen Class 2, Power Limited (CL2PL) outputs (two D8P Boards) delivering regulated independent power connection to each HID VertX EVO board and one 250 watt 24V/10A power supply-battery chargers pre-wired to sixteen fused output (two C8 Boards) for independent relay lock power. Both power supplies features dual outputs (12 &amp; 24volts DC), form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Cabinet size: 20" x 24" x 4.5" with door lock and two (2) keys. Weight 26 lb.(LifeSafety Power Part Number: FPO75/250-2C82D8PE4V1)</p>	1,082.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## LifeSafety Power Enclosures



### LifeSafety Power Enclosures – Mercury Hardware

Model No.	Description	MSRP \$
AC-LSP-E4M	8 Door Mercury enclosure with removable backplate Battery space for 12V or 24V, 8Ah batteries is available within the cabinet. Comes with door lock and two (2) keys. Weight: 24 lb. Size: 20" x 24" x 4.5"(LifeSafety Power Part Number: E4M)	360.00
		
AC-LSP-E4M1	16 Door Mercury enclosure with door mount & removable backplate. Battery space for 12V or 24V, 8Ah batteries is available within the cabinet. Comes with door lock and two (2) keys. Weight: 26 lb. Size: 20" x 24" x 4.5"(LifeSafety Power Part Number: E4M1)	510.00
		
AC-LSP-PS-MCLASS-E5M	E5 enclosure size 8.5W x 11H x 3D with Mercury/LNL hole mount pattern Fits up to Mercury 1501 or Mr51e Controllers(LifeSafety Power Part Number: E5M)	115.00
		
AC-LSP-FPO150/250-2D8P2M8NL4E4M1	Power supply board 150W, 12A/12V or 6A/24V   Power supply board 250W, 20A/12V or 10A/24V   16 auxiliary DC outputs class 2 power limited at 2.5A per output   Eight output smart distribution module, fused at 3A per output   Eight output smart distribution module, fused at 3A per output   Four port network monitoring module   Enclosure 20W x 24H x 4.5D with backplate and door mount which can hold up to eight Mercury boards. Requires separate enclosure for batteries.	1,610.00
		
AC-LSP-FPO150/250-2D8P2M8NL4E6M1	Power supply board 150W, 12A/12V or 6A/24V   Power supply board 250W, 20A/12V or 10A/24V   16 auxiliary DC outputs class 2 power limited at 2.5A per output   Eight output smart distribution module, fused at 3A per output   Eight output smart distribution module, fused at 3A per output   Four port network monitoring module   Enclosure 30W x 23H x 6.5D with Mercury backplate and door mount option (Lifesafety Power Part #: FPO150/250-2D8P2M8NL4E6M1)	2,035.00
		

*All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.*

## LifeSafety Power Enclosures

### LifeSafety Power Enclosures – Mercury Hardware

Model No.	Description	MSRP \$
AC-LSP-FPO150/250-2D8P2M8NL4E8M2	Power supply board 150W, 12A/12V or 6A/24V   Power supply board 250W, 20A/12V or 10A/24V   16 auxiliary DC outputs class 2 power limited at 2.5A per output   16 output smart distribution module, fused at 3A per output   Four port network monitoring module   Enclosure 30W x 36H x 4.5D with backplate which can hold up to eight Mercury boards. Battery space available.	2,185.00
		
AC-LSP-FPO75-B100M8NL4E2M	Power supply board 75W, 6A/12V or 3A/24V   Secondary voltage power supply, 5-18V adjustable @ 4A max, class 2 power limited output   Eight output smart distribution module, fused at 3A per output   Four port network monitoring module   Enclosure, Size 18. (16W x 20H x 4.5D) with backplate which can hold up to two Mercury boards. Battery space available.	870.00
		
AC-LSP-FPO150-B100D8PM8NL4E4M	Power supply board 150W, 12A/12V or 6A/24V   Secondary voltage power supply, 5-18V adjustable @ 4A max, class 2 power limited output   8 auxiliary DC outputs class 2 power limited at 2.5A per output   Eight output smart distribution module, fused at 3A per output   Four port network monitoring module   Enclosure, Size 24. (20W x 24H x 4.5D) with backplate which can hold up to four Mercury boards. Battery space available in front of Mercury boards.	1,075.00
		
AC-LSP-FPO150-B100D8PM8NL4E6M	Power supply board 150W, 4A/12V or 4A/24V   Secondary voltage power supply, 5-18V adjustable @ 4A max, class 2 power limited output   Eight output smart distribution module, fused at 3A per output   Four port network monitoring module   Enclosure, Size 30W x 23H x 6.5D with Mercury backplate (Lifesafety Power Part #: FPO150-B100D8PM8NL4E6M)	1,440.00
		
AC-LSP-WALL-MOUNT-FPO150-B100C8D8E2M	Power supply board 150W, 12A/12V or 6A/24V   Secondary voltage power supply, 5-18V adjustable @ 4A max, class 2 power limited output   8 relay lock control outputs fused at 3A per output   8 auxiliary DC outputs fused at 3A per output   Enclosure, Size 18. (16W x 20H x 4.5D) with Mercury backplate (Non-stock item)(LifeSafety Power Part Number: FPO150-B100C8D8E2M)	629.00
		

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**



## LifeSafety Power Enclosures

### LifeSafety Power Enclosures – Mercury Hardware

Model No.	Description	MSRP \$
AC-LSP-WALL-MOUNT-FPO150-B100C8D8NL2E2M	Power supply board 150W, 12A/12V or 6A/24V   Secondary voltage power supply, 5-18V adjustable @ 4A max, class 2 power limited output   8 relay lock control outputs fused at 3A per output   8 auxiliary DC outputs fused at 3A per output   Network communication module 2nd Gen.   Enclosure, Size 18. (16W x 20H x 4.5D) with Mercury/Lenel backplate (Non-stock item)(LifeSafety Power Part Number: FPO150-B100C8D8NL2E2M)	833.00
		
AC-LSP-WALL-MOUNT-FPO150-B100C8D8NL2E4M	Power supply board 150W, 12A/12V or 6A/24V   Secondary voltage power supply, 5-18V adjustable @ 4A max, class 2 power limited output   8 relay lock control outputs fused at 3A per output   8 auxiliary DC outputs fused at 3A per output   Network communication module 2nd Gen.   Enclosure, Size 24. (20W x 24H x 4.5D) with Mercury backplate (Non-stock item)(LifeSafety Power Part Number: FPO150-B100C8D8NL2E4M)	911.00
		
AC-LSP-WALL-MOUNT-FPO250-B1002C82D8NL2E8M	Power supply board 250W, 20A/12V or 10A/24V   Secondary voltage power supply, 5-18V adjustable @ 4A max, class 2 power limited output   16 relay lock control outputs fused at 3A per output   16 auxiliary DC outputs fused at 3A per output   Network communication module 2nd Gen.   Enclosure, (30W x 36H x 4.5D) with Mercury backplate (Non-stock item)(LifeSafety Power Part Number: FPO250-B1002C82D8NL2E8M)	1,662.00
		
AC-LSP-WALL-MOUNT-FPO75-B100C4D8NL2E2M	Power supply board 75W, 6A/12V or 3A/24V   Secondary voltage power supply, 5-18V adjustable @ 4A max, class 2 power limited output   4 relay lock control outputs fused at 3A per output   8 auxiliary DC outputs fused at 3A per output   Network communication module 2nd Gen.   Enclosure, Size 18. (16W x 20H x 4.5D) with Mercury backplate (Non-stock item)(LifeSafety Power Part Number: FPO75-B100C4D8NL2E2M)	727.00
		
AC-LSP-WALL-MOUNT-FPO75-B100C4D8NL2E4M	Power supply board 75W, 6A/12V or 3A/24V   Secondary voltage power supply, 5-18V adjustable @ 4A max, class 2 power limited output   4 relay lock control outputs fused at 3A per output   8 auxiliary DC outputs fused at 3A per output   Network communication module 2nd Gen.   Enclosure, Size 24. (20W x 24H x 4.5D) with Mercury backplate (Non-stock item)(LifeSafety Power Part Number: FPO75-B100C4D8NL2E4M)	802.00
		

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## LifeSafety Power Enclosures

### LifeSafety Power Enclosures – Mercury Hardware

Model No.	Description	MSRP \$
AC-LSP-OSE-16DR-MER	16 Door Mercury Over Sized Enclosure (OSE) with removable backplate. Enclosure holds a total of 8 mercury panel boards and two D8P auxiliary distribution modules for 16 class II power limited outputs. Battery space for 12V or 24V, 8Ah batteries is available. Enclosure comes standard with installed AC on/off switch, a low battery disconnect module and dual door lock key sets. Enclosure weight: 75 lb. Size: 36" x 30" x 4.5". CE approved. UL/CUL listed with Mercury panels installed. (LifeSafety Power Part Number: FPO150-2D8PE8M2)	1,278.00
		
AC-LSP-OSE-16DR-MER-IO	16 Door Dual Voltage Mercury Over Sized Enclosure (OSE) with door mount & removable backplate. 150W power supply for system power and 250W power supply for lock power. Enclosure holds a total of 10 boards - 8 mercury panels and two (2) I/O modules, 6 placed in the main box and 4 on the door. Enclosure has two C8 lock control modules for 16 distributed lock outputs and two D8P auxiliary distribution modules for 16 class II power limited outputs. Battery space for 12V or 24V, 8Ah batteries is available. Enclosure comes standard with installed AC on/off switch, a low battery disconnect module and dual door lock key sets. Enclosure weight: 77 lb. Size: 36" x 30" x 4.5". CE approved. UL/CUL listed with Mercury panels installed. (LifeSafety Power Part Number: FPO150-2D8PE8M1)	1,367.00
		
AC-LSP-OSE-16DR-MER-LCK	16 Door Dual Voltage Mercury Over Sized Enclosure (OSE) with door mount & removable backplate. 150W power supply for system power and 250W power supply for lock power. Enclosure holds a total of 10 boards - 8 mercury panels and two (2) I/O modules, 6 placed in the main box and 4 on the door. Enclosure has two C8 lock control modules for 16 distributed lock outputs and two D8P auxiliary distribution modules for 16 class II power limited outputs. Battery space for 12V or 24V, 8Ah batteries is available. Enclosure comes standard with installed AC on/off switch, a low battery disconnect module and dual door lock key sets. Enclosure weight: 77 lb. Size: 36" x 30" x 4.5". CE approved. UL/CUL listed with Mercury panels installed. (LifeSafety Power Part Number: FPO150/250-2C82D8PE8M2)	1,689.00
		
AC-LSP-OSE-16DR-MER-LCK-IO	16 Door Dual Voltage Mercury Over Sized Enclosure (OSE) with removable backplate. 150W power supply for system power and 250W power supply for lock power. Enclosure holds a total of 8 Mercury boards, two C8 lock control modules for 16 distributed lock outputs and two D8P auxiliary distribution modules for 16 class II power limited outputs. Battery space for 12V or 24V, 8Ah batteries is available. Enclosure comes standard with installed AC on/off switch, a low battery disconnect module and dual door lock key sets. Enclosure weight: 75 lb. Size: 36" x 30" x 4.5". CE approved. UL/CUL listed with Mercury panels installed. (LifeSafety Power Part Number: FPO150/250-2C82D8PE8M1)	1,780.00
		

*All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.*

## LifeSafety Power Enclosures


### LifeSafety Power Enclosures – Mercury Hardware

Model No.	Description	MSRP \$
AC-LSP-OSE-16DR-MER-LCK-FAI	16 Door Dual Voltage Mercury Over Sized Enclosure (OSE) with removable backplate. 150W power supply for system power and 250W power supply for lock power. Enclosure holds a total of 8 Mercury boards, two F8 FAI control modules for 16 outputs and one D8P auxiliary distribution modules for 8 outputs. Battery space for 12V or 24V, 8Ah batteries is available. Enclosure comes standard with installed AC on/off switch, a low battery disconnect module and dual door lock key sets. Enclosure weight: 72 lb. Size: 36" x 30" x 4.5". CE approved. UL/CUL listed with Mercury panels installed. (LifeSafety Power Part Number: FPO150/250-2F8D8E8M )	1,500.00



### LifeSafety Power Enclosures – HID Hardware



Model No.	Description	MSRP \$
AC-LSP-E4V	8 Door HID VertX enclosure with removable backplate *** Accommodates single voltage only *** Battery space for 12V or 24V, 8Ah batteries is available within the cabinet. Comes with door lock and two (2) keys. Weight: 24 lb. Size: 20" x 24" x 4.5"(LifeSafety Power Part Number: E4V)	360.00
AC-LSP-E4V1	8 - 16 Door HID VertX enclosure with door mount & removable backplate *** Accommodates single or dual voltage *** Battery space for 12V or 24V, 8Ah batteries is available within the cabinet. Comes with door lock and two (2) keys. Weight: 75 lb. Size: 20" x 24" x 4.5"(LifeSafety Power Part Number: E4V1)	575.00



*All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.*

## LifeSafety Power Enclosures




### LifeSafety Power Enclosures – Battery Enclosures (Non-stock items)

Model No.	Description	MSRP \$
AC-LSP-E2-BS1	Locking battery enclosure with one 4" battery shelf. 20x16x4.5 enclosure with pre-installed lock set and tamper switch.	240.00
		
AC-LSP-E4-3BS1	Locking battery enclosure with three 4" battery shelf. 24x20x4.5 enclosure with pre-installed lock set and tamper switch.	350.00
		

*All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.*

## LifeSafety Power Enclosures


### LifeSafety Power Enclosures - ProWired Enclosures (Non-stock items)

Model No.	Description	MSRP \$
AC-LSP-WIRED-FPO150-B100C82D8PE6M/P8-A	 <p>Eight Door Mercury Panduit ProWire Unified Power wall mount   Power supply board 150W, 4A/24V   Secondary voltage module, 4A/12V class 2 power limited   Eight relay lock control outputs fused at 3A   8 auxiliary output power limited at 2.5A   Enclosure size: 30" x 23" x 6.5"   47 lbs   Wired for MR52/EP1502. NOTE: All ProWire Unified Power wall mounts are custom made to order. After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. (Lifesafety Power Part #: FPO150-B100C82D8PE6M/P8-A)</p>	1,705.00
AC-LSP-WIRED-FPO150-B1002D8PM8NL4E6M/P8-A	 <p>Eight Door Mercury Panduit ProWire Unified Power wall mount   Power supply board 150W, 4A/24V   Secondary voltage module, 4A/12V class 2 power limited   Eight relay managed outputs fused at 3A   8 auxiliary output power limited at 2.5A   Four port monitoring module   Enclosure size: 30" x 23" x 6.5"   47 lbs   Wired for MR52/EP1502. NOTE: All ProWire Unified Power wall mounts are custom made to order. After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. (Lifesafety Power Part #: FPO150-B1002D8PM8NL4E6M/P8-A)</p>	2,080.00
AC-LSP-WIRED-FPO150/250-2C83D8PE8M2/P16-A	 <p>Sixteen Door Mercury Panduit ProWire Unified Power wall mount   Power supply board 150W, 12A/12V   Power supply board 250W, 10A/24V   16 relay lock control outputs fused at 3A   16 auxiliary outputs power limited at 2.5A   Enclosure size: 36" x 30" x 4.5"   73 lbs   Wired for MR52/EP1502. NOTE: All ProWire Unified Power wall mounts are custom made to order. NOTE: All ProWire Unified Power wall mounts are custom made to order. After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. (Lifesafety Power Part #: FPO150/250-2C83D8PE8M2/P16-A)</p>	2,835.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## LifeSafety Power Enclosures

### LifeSafety Power Enclosures - ProWired Enclosures (Non-stock items)

Model No.	Description	MSRP \$
AC-LSP-WIRED-FPO150/250-3D8P2M8NL4E8M2/P16-A	 <p>Sixteen Door Mercury Panduit ProWire Unified Power wall mount   Power supply board 150W, 12A/12V   Power supply board 250W, 10A/24V   16 relay managed outputs fused at 3A   16 auxiliary outputs power limited at 2.5A   Four port monitoring module   Enclosure size: 36" x 30" x 4.5"   73 lbs   Wired for MR52/EP1502. NOTE: All ProWire Unified Power wall mounts are custom made to order. After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. (Lifesafety Power Part #: FPO150/250-3D8P2M8NL4E8M2/P16-A)</p>	3,335.00
AC-LSP-WIRED-FPO150/250-2C83D8PE8M2/P16-C	 <p>Sixteen Door Mercury Panduit ProWire Unified Power wall mount   Power supply board 150W, 12A/12V   Power supply board 250W, 10A/24V   16 relay lock control outputs fused at 3A   16 auxiliary outputs power limited at 2.5A   Enclosure size: 36" x 30" x 4.5"   73 lbs   Wired for all MR52s. NOTE: All ProWire Unified Power wall mounts are custom made to order. After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. (Lifesafety Power Part #: FPO150/250-2C83D8PE8M2/P16-C)</p>	2,835.00
AC-LSP-WIRED-FPO150/250-3D8P2M8NL4E8M2/P16-C	 <p>Sixteen Door Mercury Panduit ProWire Unified Power wall mount   Power supply board 150W, 12A/12V   Power supply board 250W, 10A/24V   16 relay managed outputs fused at 3A   16 auxiliary outputs power limited at 2.5A   Four port monitoring module   Enclosure size: 36" x 30" x 4.5"   73 lbs   Wired for All MR52s. NOTE: All ProWire Unified Power wall mounts are custom made to order. After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. (Lifesafety Power Part #: FPO150/250-3D8P2M8NL4E8M2/P16-C)</p>	3,335.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## LifeSafety Power Rackmount Enclosures

### LifeSafety Rack Mount Enclosures – Mercury Hardware without Z-Wire Management (Non-stock items)

Model No.	Description	MSRP \$
AC-LSP-RACK-MOUNT-MERC-RGM75-D8P	75W 12V/6A or 24V/3A UL listed 4DR Mercury rack mount, 12/24V 8 class 2 power limited outputs fused at 2.5A/ea. Fits (2) MR52 sized Mercury controllers, Standard 2U EIA, 19" rack mount chassis,UL/CUL listed system(LifeSafety Power Part Number: RGM75-D8P)	780.00
		
AC-LSP-RACK-MOUNT-MERC-RGM75-D8PN	75W 12V/6A or 24V/3A UL listed 4DR Mercury rack mount, networked, 12/24V 8 class 2 power limited outputs fused at 2.5A/ea. Fits (2) MR52 sized Mercury controllers, Standard 2U EIA, 19" rack mount chassis, UL/CUL listed system(LifeSafety Power Part Number: RGM75-D8PN)	989.00
		
AC-LSP-RACK-MOUNT-MERC-RGM75-M8PN	75W 12V/6A or 24V/3A UL listed 4DR Mercury rack mount, networked 12/24V 8 managed class 2 power limited outputs fused at 2.5A/ea. Fits (2) MR52 sized Mercury controllers, Standard 2U EIA, 19" rack mount chassis, UL/CUL listed system(LifeSafety Power Part Number: RGM75-M8PN)	1,293.00
		
AC-LSP-RACK-MOUNT-MERC-RGM75B-C4P	75W 12V/2A and 24V/2A UL listed Dual Voltage 12 & 24VDC 12 & 24VDC: 4DR Mercury rack mount, 4 class 2 power limited outputs fused at 2.5A/ea. Fits (2) MR52 sized Mercury controllers, Standard 2U EIA, 19" rack mount chassis, UL/CUL listed system(LifeSafety Power Part Number: RGM75B-C4P)	900.00
		
AC-LSP-RACK-MOUNT-MERC-RGM75B-C4PN	75W 12V/2A and 24V/2A UL listed Dual Voltage 12 & 24VDC 12 & 24VDC: 4DR Mercury rack mount, 4 class 2 power limited outputs fused at 2.5A/ea. Fits (2) MR52 sized Mercury controllers, Standard 2U EIA, 19" rack mount chassis, UL/CUL listed system(LifeSafety Power Part Number: RGM75B-C4PN)	1,107.00
		

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## LifeSafety Power Rackmount Enclosures

### LifeSafety Rack Mount Enclosures – Mercury Hardware without Z-Wire Management (Non-stock items)

Model No.	Description	MSRP \$
AC-LSP-RACK-MOUNT-MERC-RGM75B-M8PN	75W 12V/2A and 24V/2A UL listed Dual Voltage 12 & 24VDC 12 & 24VDC: 4DR Mercury rack mount, 8 class 2 power limited outputs fused at 2.5A/ea. Fits (2) MR52 sized Mercury controllers, Standard 2U EIA, 19" rack mount chassis, UL/CUL listed system(LifeSafety Power Part Number: RGM75B-M8PN)	1,349.00



*All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.*



## LifeSafety Power Rackmount Enclosures



### LifeSafety Power Enclosures – Mercury Hardware with Z-Wire Management (Non-stock items)

Model No.	Description	MSRP \$
AC-LSP-RACK-MOUNT-MERC-RGM75-D8PZ	75W 12V/6A or 24V/3A UL listed 4DR Mercury rack mount, 12/24V 8 class 2 power limited outputs fused at 2.5A/ea. Fits (2) MR52 sized Mercury controllers, Standard 2U EIA, 19" rack mount chassis, UL/CUL listed system / z wire mgmt cable arm(LifeSafety Power Part Number: RGM75-D8PZ)	872.00
		
AC-LSP-RACK-MOUNT-MERC-RGM75-D8PNZ	75W 12V/6A or 24V/3A UL listed 4DR Mercury rack mount, networked, 12/24V 8 class 2 power limited outputs fused at 2.5A/ea. Fits (2) MR52 sized Mercury controllers, Standard 2U EIA, 19" rack mount chassis, UL/CUL listed system / z wire mgmt cable arm(LifeSafety Power Part Number: RGM75-D8PNZ)	1,078.00
		
AC-LSP-RACK-MOUNT-MERC-RGM75-M8PNZ	75W 12V/6A or 24V/3A UL listed 4DR Mercury rack mount, networked 12/24V 8 managed class 2 power limited outputs fused at 2.5A/ea. Fits (2) MR52 sized Mercury controllers, Standard 2U EIA, 19" rack mount chassis, UL/CUL listed system / z wire mgmt cable arm(LifeSafety Power Part Number: RGM75-M8PNZ)	1,382.00
		
AC-LSP-RACK-MOUNT-MERC-RGM75B-C4PZ	75W 12V/2A and 24V/2A UL listed Dual Voltage 12 & 24VDC: 4DR Mercury rack mount, 4 class 2 power limited outputs fused at 2.5A/ea. Fits (2) MR52 sized Mercury controllers, Standard 2U EIA, 19" rack mount chassis, UL/CUL listed system / z wire mgmt cable arm(LifeSafety Power Part Number: RGM75B-C4PZ)	989.00
		
AC-LSP-RACK-MOUNT-MERC-RGM75B-C4PNZ	75W 12V/2A and 24V/2A UL listed Dual Voltage 12 & 24VDC: 4DR Mercury rack mount, 4 class 2 power limited outputs fused at 2.5A/ea. Fits (2) MR52 sized Mercury controllers, Standard 2U EIA, 19" rack mount chassis, UL/CUL listed system / z wire mgmt cable arm(LifeSafety Power Part Number: RGM75B-C4PNZ)	1,196.00
		

*All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.*

## LifeSafety Power Rackmount Enclosures

### LifeSafety Power Enclosures – Mercury Hardware with Z-Wire Management (Non-stock items)

Model No.	Description	MSRP \$
AC-LSP-RACK-MOUNT-MERC-RGM75B-M8PNZ	75W 12V/2A and 24V/2A UL listed Dual Voltage 12 & 24VDC 12 & 24VDC: 4DR Mercury rack mount, 8 class 2 power limited outputs fused at 2.5A/ea. Fits (2) MR52 sized Mercury controllers, Standard 2U EIA, 19" rack mount chassis, UL/CUL listed system / z wire mgmt cable arm(LifeSafety Power Part Number: RGM75B-M8PNZ)	1,438.00
		
AC-LSP-RM-BAT-RBE	RBE rackmount battery enclosure for 7-8Ah batteries, Standard 2U EIA, 19" rack mount chassis(LifeSafety Power Part Number: RBE)	367.00
		

*All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.*

## LifeSafety Regulated Power Supply Replacement Boards and Accessories

Model No.	Description	MSRP \$
AC-LSP-FPO75	The FPO75 75W Power Supply Board is a high efficiency, off-line switchmode power supply-battery charger designed as a general purpose power supply to provide uninterrupted power for locks, auxiliary equipment and access controllers. Capable of providing two power outputs and featuring user selectability for 12 or 24 VDC, the unit provides multiple outputs, fire alarm interface, AC fault reporting, system faultreporting, form 'C' fault relay contacts and a host of features and functions designed to support the access control industry.(LifeSafety Power Part Number: FPO75)	170.00
		
AC-LSP-FPO150-PS	The FPO150 150W Power Supply Board is a high efficiency, off-line switchmode power supply-battery charger designed as a general purpose power supply to provide uninterrupted power for locks, auxiliary equipment and access controllers. Capable of providing two power outputs and featuring user selectability for 12 or 24 VDC, the unit provides multiple outputs, fire alarm interface, AC fault reporting, system faultreporting, form 'C' fault relay contacts and a host of features and functions designed to support the access control industry.(LifeSafety Power Part Number: FPO150)	285.00
		
AC-LSP-FPO250	The FPO250 250W Power Supply Board is a high efficiency, off-line switchmode power supply-battery charger designed as a general purpose power supply to provide uninterrupted power for locks, auxiliary equipment and access controllers. Capable of providing two power outputs and featuring user selectability for 12 or 24 VDC, the unit provides multiple outputs, fire alarm interface, AC fault reporting, system faultreporting, form 'C' fault relay contacts and a host of features and functions designed to support the access control industry.(LifeSafety Power Part Number: FPO250)	355.00
		
AC-LSP-C4	The C4 (4 Door) Lock Control Module adds four (4) fused outputs to a FPO power supply for "buffered" lock control and is typically supplied as part of a system or purchased as an expansion piece to an existing system. The C4 provides four (4) access control inputs capable of voltage or dry contact activation and four (4) relay controlled outputs, individually fuse protected at 3 A per output. (LifeSafety Power Part Number: C4)	70.00
		
AC-LSP-C8	The C8 (8 Door) Lock Control Module lock adds eight (8) fused outputs to a FPO power supply for "buffered" lock control and is typically supplied as part of a system or purchased as an expansion piece to an existing system. The C8 provides eight (8) access control inputs capable of voltage or dry contact activation and eight (8) relay controlled outputs, individually fuse protected at 3 A per output.(LifeSafety Power Part Number: C8)	90.00
		

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## LifeSafety Regulated Power Supply Replacement Boards and Accessories


### Communication and Interface Modules

Model No.	Description	MSRP \$
AC-LSP-D8P	The D8P (8 Out) Power Distribution Module provides 8 auxiliary power outputs, each one individually protected by a solid state circuit breaker (D8P) rated at 2.5 A each. Each output is programmable to either of the two voltages available when used in a dual voltage power system, or to the continuous output or the resettable output of the power supply when used in a single voltage system. (LifeSafety Power Part Number: D8P)	40.00
		
AC-LSP-B100	The B100 Secondary Voltage Module provides a means to easily and economically add an additional voltage to any power system. Primary power for the B100 is derived from an main FPO power supply and the B100 steps the FPO voltage down to the user defined range (typically 12VDC). B100 delivers up to 4A maximum current at 12VDC.(LifeSafety Power Part Number: B100)	60.00
		
AC-LSP-NL2	The NL2 Network Communication Module communicates and controls power status over a local or wide area network to Access Control Manager (ACM). Provides two SPI ports for connection of one or two power supplies to enable monitoring, reporting and control of the power system. Enables remote testing of one battery set (12 or 24VDC). Recommended for use with single voltage systems or dual voltage systems using B100 12V module.(LifeSafety Power Part Number: NL2)	220.00
		
AC-LSP-NL4	The NL4 Network Communication Module communicates and controls power status over a local or wide area network to Access Control Manager (ACM). Provides four SPI ports for connection of one or two power supplies to enable monitoring, reporting and control of the power system. Enables remote testing of two battery sets (12 and 24VDC). Recommended for use with dual voltage systems requiring independent FPO power supplies (i.e. sixteen door dual voltage systems).(LifeSafety Power Part Number: NL4)	330.00
		
AC-LSP-CAMLOCKSET	Replacement Camlock and key for LifeSafety Power enclosures, keyed alike (Lifesafety Power # Camlock Set)(LifeSafety Power Part Number: Camlock_Set)	20.00
		

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## LifeSafety Regulated Power Supply Replacement Boards and Accessories

### Communication and Interface Modules

Model No.	Description	MSRP \$
AC-LSP-M8	The M8 smart power controller communicates with the NL4 network module and provides eight (8) monitored and controlled relay outputs accessible from a network or internet. The M8 provides eight (8) control INPUTS capable of voltage or dry contact activation and eight (8) controlled and monitored OUTPUTS, with each output network programmable for fail-safe, fail-secure, fire alarm over ride, and AC loss over ride for egress lock control. (LifeSafety Power Part Number: M8)	225.00
		
AC-LSP-F8	The F8 module provides 8 protected outputs, each output programmable to enable voltage on activation of the fire alarm interface (FAI), disable voltage on FAI or provide a constant output voltage ATM style fuse: 3A/per output	48.00
AC-LSP-F8P	The F8P module provides 8 protected outputs, each output programmable to enable voltage on activation of the fire alarm interface (FAI), disable voltage on FAI or provide a constant output voltage Solid state circuit breaker: 2.5A/per output Class 2 power limited	48.00

LifeSafety Power – Power Supply & Enclosure Kit			
Suggested Configurations Table for Mercury Boards			
Config.	Mercury Application	LSP Model (old version)	Quick Description
Type 1	(1)-EP1502 + (1)-MR52	FPO75-E2M (FPO75-E2BP2)	75W-12/24VDC PS; E2M Cabinet 16"x20"x4.5"
Type 2	(1)-EP2500 + (1)-MR52	FPO75-E2M (FPO75-E2BP2)	75W-12/24VDC PS; E2M Cabinet 16"x20"x4.5"
Type 3	(2)-MR52	FPO75-E2M (FPO75-E2BP2)	75W-12/24VDC PS; E2M Cabinet 16"x20"x4.5"
Type 4	(1)-EP2500 + (5)-MR52 (or mix of MR50)	FPO75-2E2M (FPO75-2E2BP2)	(1) 75W-12/24VDC PS; (2) E2M Cabinet 16"x20"x4.5"
Type 5	(1)-EP1501 OR (1)-MR51e (no PoE – with LSP PS)	FPO75-E1M (FPO75-E1BP1)	75W-12/24VDC PS; E1M Cabinet 12"x 14"x4.5"
Type 6	(1)-EP1502 + (3)-MR52 (no LSP PS)	E2M (E2BP2)	E2M Cabinet 16"x20"x4.5"
Type 7	(1)-EP1501 OR (1)-MR51e (with PoE – no LSP PS)	E1M (E1BP1)	E1M Cabinet 12"x14"x4.5"
Type 8	(1)-EP1502 + (6)-MR52	AC-LSP-FPO150 (FPO150-2D8E4M1)	150W-12/24VDC PS; E4M Cabinet 20" x 24" x 4.5"


*All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.*

## LifeSafety Power Supply & Enclosure Kit

Model No.	Description	MSRP \$
AC-LSP-FPO75-E2M	75W-12/24VDC PS, Backplate, Standoffs & E2 size cabinet kit: The FlexPower FPO75-E2M is an offline switchmode 75 watt power supply-battery charger specifically designed for the lifesafety industry. Capable of providing two power outputs, user selectable for 12 or 24 VDC, the unit is configured in a painted-steel, locking enclosure with tamper switch and integral battery space. One output provides continuous output power for system use, the second is programmable for either fail-safe or fail-secure operation, activated when the fire alarm disconnect is initiated. Size: 16" x 20" x 4.5", Weight: 13 lb. (LifeSafety Power Part Number: FPO75-E2BP2)	450.00
		
AC-LSP-FPO75-2E2M	One (1) 75W-12/24VDC PS, Backplate, Standoffs; & two (2) E2M size cabinets kit: The FlexPower FPO75-2E2M is an offline switchmode 75 watt power supply-battery charger specifically designed for the lifesafety industry. Capable of providing two power outputs, user selectable for 12 or 24 VDC, the unit is configured in a painted-steel, locking enclosure with tamper switch and integral battery space. One output provides continuous output power for system use, the second is programmable for either fail-safe or fail-secure operation, activated when the fire alarm disconnect is initiated. Size: 16" x 20" x 4.5", Weight: 13 lb. (LifeSafety Power Part Number: FPO75-2E2BP2)	665.00
		
AC-LSP-FPO75-E1M	75W-12/24VDC PS, Backplate, Standoffs, & E1 size cabinet kit: The FlexPower FPO75-E1M is an offline switchmode power supply-battery charger specifically designed for the lifesafety industry. Capable of providing two power outputs, user selectable for 12 or 24 VDC, the unit is configured in a painted-steel, locking enclosure with tamper switch and integral battery space. One output provides continuous output power for system use, the second is programmable for either fail-safe or fail-secure operation, activated when the fire alarm disconnect is initiated. Size: 12" x 14" x 4.5", Weight: 9 lb. (LifeSafety Power Part Number: FPO75-E1BP1)	372.00
		
AC-LSP-E2M	Backplate, Standoffs & E2M size cabinet kit: Size: 16" x 20" x 4.5", Weight: 13 lb. (LifeSafety Power Part Number: E2M)	300.00
		
AC-LSP-E1M	Backplate, Standoffs & E1M size cabinet kit: Size: 12" x 14" x 4.5", Weight: 9 lb. (LifeSafety Power Part Number: E1M)	265.00
		

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## LifeSafety Power Supply & Enclosure Kit

Model No.	Description	MSRP \$
AC-LSP-FPO150	 <p>150W-12/24VDC PS, Backplate, Standoffs, &amp; E4M size cabinet kit: The FlexPower AC-LSP-FPO150 (FPO150-2D8E4M1) is an offline switchmode power supply battery charger system. The unit is user selectable for 12 or 24VDC. Providing two independent outputs, the first output provides continuous output power for system use and the second is programmable for either fail-safe or fail-secure operation, activated when the fire alarm disconnect is initiated. Also providing 16 auxiliary power distributed outputs, the unit has provisions for mounting a variety of Mercury boards in the cabinet proper (E4M) and cabinet door (EM1). The unit is configured in painted, steel, locking enclosure with tamper switch and integral battery space. Size: 20" x 24" x 4.5", Weight: 21 lb. (LifeSafety Power Part Number: FPO150-2D8E4M1)</p>	757.00

*All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.*

## LifeSafety Power Supply & Enclosure Kit

### Additional, General Use 4, 8, 16 Door - Access Control Power-Enclosure Configurations

\*These products do not include back-plates, and are designed custom mountings.

Model No.	Description	MSRP \$
AC-LSP-FPO75-4DR-SV	<p>4 Door Access/Single Voltage 75W PS/C, 12VDC@4A or 24VDC@2A</p> <p>System Features: 40Ah charge capability, microprocessor battery charging, charger software algorithm minimizes effects of deep battery discharge, continuous and switched DC outputs, fire alarm input (FAI), four opto isolated, NO/NC, access control inputs, four relay lock control outputs, failsafe or failsecure, and FAI – each output fused for 3A (Class 2 power limited version also available). Fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure: 12" X 14" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification (LifeSafety Power Part Number: FPO75-C4E1)</p>	337.00
		
AC-LSP-FPO150-8DR-SV	<p>8 Door Access/Single Voltage 150W PS/C, 12VDC@12A or 24VDC@6A System Features: 80Ah charge capability, microprocessor battery charging, charger software algorithm minimizes effects of deep battery discharge, continuous and switched DC outputs, eight 12 or 24VDC auxiliary outputs fused at 3 A (Class 2 power limited version also available), fire alarm input (FAI), eight opto isolated, NO/NC, access control inputs, eight relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure: 16" X 20" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification (LifeSafety Power Part Number: FPO150-C8D8E2)</p>	537.00
		
AC-LSP-FPO75/75-8DR-DV	<p>8 Door Access/Dual Voltage 150W PS/C, 12VDC@6A and 24VDC@3A System Features: 40Ah charge capability, microprocessor battery charging, charger software algorithm minimizes effects of deep battery discharge, continuous and switched DC outputs, eight 12 or 24VDC auxiliary outputs fused at 3 A (Class 2 power limited version also available), fire alarm input (FAI), eight opto isolated, NO/NC, access control inputs, eight relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure: 16" X 20" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification (LifeSafety Power Part Number: FPO75/75-C8D8E2)</p>	563.00
		
AC-LSP-FPO150-8DR-DV	<p>8 Door Access/Dual Voltage 150W PS/C, 12VDC@4A and 24VDC@4A System Features: One battery set supports all voltages, microprocessor battery charging, 80Ah charge capability, continuous and switched DC outputs, eight 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), eight opto isolated, NO/NC, access control inputs, eight relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230 VAC, locking enclosure: 16" X 20" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification (LifeSafety Power Part Number: FPO150-B100C8D8E2)</p>	597.00
		




**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**



## LifeSafety Power Supply & Enclosure Kit

### Additional, General Use 4, 8, 16 Door - Access Control Power-Enclosure Configurations

\*These products do not include back-plates, and are designed custom mountings.

Model No.	Description	MSRP \$
AC-LSP-FPO250-16DR-SV	 <p>16 Door Access/Single Voltage 250W PS/C, 12VDC@20A or 24VDC@10A System Features: 80Ah charge capability, microprocessor battery charging, charger software algorithm minimizes effects of deep battery discharge, continuous and switched DC outputs, sixteen 12 or 24VDC auxiliary outputs fused at 3 A (Class 2 power limited version also available), fire alarm input (FAI), sixteen opto isolated, NO/NC, access control inputs, sixteen relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure, 20" X 24" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification (LifeSafety Power Part Number: FPO250-2C82D8E4)</p>	787.00
AC-LSP-FPO150/150-16DR-DV	 <p>16 Door Access/Dual Voltage 300W PS/C, 12VDC@12A and 24VDC@6A System Features: 80Ah charge capability, microprocessor battery charging, charger software algorithm minimizes effects of deep battery discharge, continuous and switched DC outputs, sixteen 12 or 24VDC auxiliary outputs fused at 3 A (Class 2 power limited version also available), fire alarm input (FAI), sixteen opto isolated, NO/NC, access control inputs, sixteen relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230 VAC, locking enclosure, 20" X 24" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification (LifeSafety Power Part Number: FPO150/150-2C82D8E4)</p>	943.00
AC-LSP-FPO250/250-16DR-DV	 <p>16 Door Access/Dual Voltage 500W PS/C, 12VDC@20A and 24VDC@10A System Features: 80Ah charge capability, microprocessor battery charging, charger software algorithm minimizes effects of deep battery discharge, continuous and switched DC outputs, sixteen 12 or 24VDC auxiliary outputs fused at 3 A (Class 2 power limited version also available), fire alarm input (FAI), sixteen opto isolated, NO/NC, access control inputs, sixteen relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure, 20" X 24" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification (LifeSafety Power Part Number: FPO250/250-2C82D8E4)</p>	1,058.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Rolec Power Supply Enclosures

### Rolec Enclosures for Mercury Boards

Model No.	Description	MSRP \$
AC-RO-SMALL-ENC	6.5W x 6.5W x 3D small size enclosure suitable for 1 x Mercury EP1501 or 1 x Mercury MR51e , IP67 rated, Includes removable non-metallic backplane for mounting the controller. Stock Item	75.00

*All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.*

## HID Global - Readers and Credentials - 13.56 MHz Products

### iCLASS SE Contactless Smart Card Readers - 13.56 MHz

Model No.	Description	MSRP \$
AC-HID-READ-ICLASS-SE-R10	R10 Mini-mullion reader; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Pigtail (HID Part #: 900NTNNEK00000)	140.00
AC-HID-READ-ICLASS-SE-R10-AVG	R10 Mini-mullion reader; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Pigtail; Avigilon logo (HID Part #: 900NTNNEK00000-A001)	140.00
AC-HID-READ-ICLASS-SE-R15	R15 Mullion reader; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Pigtail (HID Part #: 910NTNNEK00000)	245.00
AC-HID-READ-ICLASS-SE-R40	R40 Standard wall switch reader; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Pigtail (HID Part #: 920NTNNEK00000)	245.00
AC-HID-READ-ICLASS-SE-RK40	RK40 Standard wall switch reader with keypad input; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Pigtail (HID Part #: 921NTNNEK00000)	450.00

### IP65 iClass SE Reader Gaskets

For upgrading iClass SE Readers to IP65 Ingress Protection in the field

Model No.	Description	MSRP \$
AC-HID-GASKET-IP65GSKT-R10	GASKET PACK, IP65, R10 SIZE, ICLASS SE, PACK OF 10 GASKETS (HID Part Number: IP65GSKT-R10)	26.00
AC-HID-GASKET-IP65GSKT-R15	GASKET PACK, IP65, R15 SIZE, ICLASS SE, PACK OF 10 GASKETS (HID Part Number: IP65GSKT-R15)	26.00
AC-HID-GASKET-IP65GSKT-R40	GASKET PACK, IP65, R40 SIZE, ICLASS SE, PACK OF 10 GASKETS (HID Part Number: IP65GSKT-R40)	26.00
AC-HID-GASKET-IP65GSKT-RK40	GASKET PACK, IP65, RK40 SIZE, ICLASS SE, PACK OF 10 GASKETS (HID Part Number: IP65GSKT-RK40)	26.00

### iClass SE Reader Spacers

Model No.	Description	MSRP \$
AC-HID-SPACER-05-R10-6132AKB-M	R10 Mini-mullion spacer, black 0.5" with metal plate	25.00
AC-HID-SPACER-05-R15-6132AKC-M	R15 Mullion spacer, black 0.5" with metal plate	25.00
AC-HID-SPACER-05-R40-6132AKT-M	R40 Standard wall switch, black 0.5" with metal plate	25.00
AC-HID-SPACER-10-R40-6132AKE-M	R40 Standard wall switch, black 1.0" with metal plate	25.00
AC-HID-SPACER-05-RK40-6132AKU-M	RK40 Standard wall switch with keypad, black 0.5" with metal plate	25.00

*All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.*

## HID Global - Readers and Credentials - 13.56 MHz Products

### iCLASS SE multiCLASS Contactless Smart Card Readers, 13.56 MHz & 125 kHz

\*These readers are only compatible with specific credentials like the iCLASS 13.56 MHz Credentials (listed below). Please refer to HID reader specifications for full compatibility details.

Model No.	Description	MSRP \$
AC-HID-READ-ICLASS-SE-R40-WG-920NSNNEK20000	RDR, R40, ICLASS, SE E, LF OFF, HF SEOS, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, VAR BIT OUTPUT PER SIO, IPM OFF, VEL ON	247.00
AC-HID-READ-ICLASS-SE-RK40-WG-921NSNNEK20000	RDR, RK40, ICLASS, SE E, LF OFF, HF SEOS, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, VAR BIT OUTPUT PER SIO, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, VEL ON	451.00
AC-HID-READ-ICLASS-SE-RP10	RP10 Mini-mullion reader; Wiegand; HID Prox, AWID and EM4102 (32 bits); iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Pigtail (HID Part #: 900PTNNEK00000)	178.00
AC-HID-READ-ICLASS-SE-RP15	RP15 Mullion reader; Wiegand; HID Prox, AWID and EM4102 (32 bits); iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Pigtail (HID Part #: 910PTNNEK00000)	283.00
AC-HID-READ-ICLASS-SE-RP40	RP40 Standard wall switch reader; Wiegand; HID Prox, AWID and EM4102 (32 bits); iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Pigtail (HID Part #: 920PTNNEK00000)	283.00
AC-HID-READ-ICLASS-SE-RP40-AVG	RP40 Standard wall switch reader; Wiegand; HID Prox, AWID and EM4102 (32 bits); iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Pigtail; Avigilon logo (HID Part #: 920PTNNEK00000-A001)	283.00
AC-HID-READ-ICLASS-SE-RPK40	RPK40 Standard wall switch reader with keypad input; Wiegand; HID Prox, AWID and EM4102 (32 bits); iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Pigtail (HID Part #: 921PTNNEK00000)	488.00
AC-HID-READ-MCLASS-SE-CSN-WG-920PTNNEK0050X	R40 Standard wall switch reader; Wiegand; HID Prox, AWID and EM4102 (32 bits); iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Pigtail (HID Part #: 920PTNNEK0050X)	285.00
AC-HID-READ-MCLASS-SE-INDALA-900LTNNEK00017	RP10 Mini-mullion reader; Wiegand; Indala Prox, no OSDP; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Pigtail (HID Part #: 900LTNNEK00017)	180.00
AC-HID-READ-MCLASS-SE-INDALA-910LTNNEK00017	RP15 Mullion reader; Wiegand; Indala Prox, no OSDP; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Pigtail (HID Part #: 910LTNNEK00017)	285.00
AC-HID-READ-MCLASS-SE-INDALA-920LTNNEK00017	RP40 Standard wall switch reader; Wiegand; Indala Prox, no OSDP; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Pigtail (HID Part #: 920LTNNEK00017)	285.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## HID Global - Readers and Credentials - 13.56 MHz Products

### iCLASS SE multiCLASS Contactless Smart Card Readers, 13.56 MHz & 125 kHz

\*These readers are only compatible with specific credentials like the iCLASS 13.56 MHz Credentials (listed below). Please refer to HID reader specifications for full compatibility details.

Model No.	Description	MSRP \$
AC-HID-READ-MCLASS-SE-INDALA-921LTNNEK00027	RPK40 Standard wall switch reader with keypad input; Wiegand; Indala Prox, no OSDP; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Pigtail (HID Part #: 921LTNNEK00027)	490.00
AC-HID-READ-MCLASS-SE-PROX-WG-900PTNTEK00000	R10 Mini-mullion reader; Wiegand; HID Prox, AWID and EM4102 (32 bits); iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Terminal Strip (HID Part #: 900PTNTEK00000)	180.00
AC-HID-READ-MCLASS-SE-PROX-WG-910PTNTEK00000	R15 Mullion reader; Wiegand; HID Prox, AWID and EM4102 (32 bits); iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Terminal Strip (HID Part #: 910PTNTEK00000)	285.00
AC-HID-READ-MCLASS-SE-PROX-WG-920PTNTEK00000	R40 Standard wall switch reader; Wiegand; HID Prox, AWID and EM4102 (32 bits); iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Terminal Strip (HID Part #: 920PTNTEK00000)	285.00
AC-HID-READ-MCLASS-SE-PROX-WG-921PTNTEK00000	RK40 Standard wall switch reader with keypad input; Wiegand; HID Prox, AWID and EM4102 (32 bits); iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Terminal Strip (HID Part #: 921PTNTEK00000)	490.00
AC-HID-MCLASS-SE-PROX-OSDP-900PTPTEK00387	R10 Mini-mullion; HID Prox, AWID and EM4102 (32 bits); iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile via NFC; ISO 14443 UID; OSDP; Terminal Strip (HID Part #: 900PTPTEK00387)	210.00
AC-HID-MCLASS-SE-PROX-OSDP-910PTPTEK00387	R15 Mullion; HID Prox, AWID and EM4102 (32 bits); iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile via NFC; ISO 14443 UID; OSDP; Terminal Strip (HID Part #: 910PTPTEK00387)	315.00
AC-HID-MCLASS-SE-PROX-OSDP-920PTPTEK00387	R40 Standard wall switch; HID Prox, AWID and EM4102 (32 bits); iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile via NFC; ISO 14443 UID; OSDP; Terminal Strip (HID Part #: 920PTPTEK00387)	315.00
AC-HID-MCLASS-SE-PROX-OSDP-921PTPTEK00385	RK40 Standard wall switch with keypad input; HID Prox, AWID and EM4102 (32 bits); iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile via NFC; ISO 14443 UID; OSDP; Terminal Strip (HID Part #: 921PTPTEK00385)	520.00
AC-HID-MCLASS-SE-PROX-OSDP-900PTPNEK00387	R10 Mini-mullion; HID Prox, AWID and EM4102 (32 bits); iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile via NFC; ISO 14443 UID; OSDP; Pigtail (HID Part #: 900PTPNEK00387)	210.00
AC-HID-MCLASS-SE-PROX-OSDP-910PTPNEK00387	R15 Mullion; HID Prox, AWID and EM4102 (32 bits); iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile via NFC; ISO 14443 UID; OSDP; Pigtail (HID Part #: 910PTPNEK00387)	315.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## HID Global - Readers and Credentials - 13.56 MHz Products

### iCLASS SE multiCLASS Contactless Smart Card Readers, 13.56 MHz & 125 kHz

\*These readers are only compatible with specific credentials like the iCLASS 13.56 MHz Credentials (listed below). Please refer to HID reader specifications for full compatibility details.

Model No.	Description	MSRP \$
AC-HID-MCLASS-SE-PROX-OSDP-920PTPNEK00387	R40 Standard wall switch; HID Prox, AWID and EM4102 (32 bits); iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile via NFC; ISO 14443 UID; OSDP; Pigtail (HID Part #: 920PTPNEK00387)	315.00
AC-HID-MCLASS-SE-PROX-OSDP-921PTPNEK00385	RK40 Standard wall switch with keypad input; HID Prox, AWID and EM4102 (32 bits); iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile via NFC; ISO 14443 UID; OSDP; Pigtail (HID Part #: 921PTPNEK00385)	520.00
AC-HID-READ-MCLASS-WIEG-920PTNNEKE0000	R40 Standard wall switch reader; Wiegand; HID Prox, AWID and EM4102 (32 bits); iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; HID Elite; Pigtail (HID Part #: 920PTNNEKE0000)	285.00
AC-HID-READ-MCLASS-WIEG-910PTNNEKE0000	R15 Mullion reader; Wiegand; HID Prox, AWID and EM4102 (32 bits); iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; HID Elite; Pigtail (HID Part #: 910PTNNEKE0000)	285.00
AC-HID-READ-MCLASS-WIEG-900PTNNEKE0000	R10 Mini-mullion reader; Wiegand; HID Prox, AWID and EM4102 (32 bits); iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; HID Elite; Pigtail (HID Part #: 900PTNNEKE0000)	180.00
AC-HID-READ-MCLASS-WIEG-921PTNNEKE0000	RK40 Standard wall switch reader with keypad input; Wiegand; HID Prox, AWID and EM4102 (32 bits); iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; HID Elite; Pigtail (HID Part #: 921PTNNEKE0000)	490.00

### Bluetooth enabled OSDP Upgrade Kits

Model No.	Description	MSRP \$
AC-HID-UPGKIT-BLEOSDP-UPG-A-900	R10/RP10 iCLASS/MULTICLASS, SE RDR BLE OSDP UPGRADE KIT, 1 BLE OSDP MODULE, 1 METALIC BACKPLATE STICKER	109.00
AC-HID-UPGKIT-BLEOSDP-UPG-A-910	R15/RP15 iCLASS/MULTICLASS, SE RDR BLE OSDP UPGRADE KIT, 1 BLE OSDP MODULE, 1 METALIC BACKPLATE STICKER	109.00
AC-HID-UPGKIT-BLEOSDP-UPG-A-920	R40/RP40 iCLASS/MULTICLASS, SE RDR BLE OSDP UPGRADE KIT, 1 BLE OSDP MODULE, 1 METALIC BACKPLATE STICKER	109.00
AC-HID-UPGKIT-BLEOSDP-UPG-A-921	RK40/RPK40 iCLASS/MULTICLASS, SE RDR BLE OSDP UPGRADE KIT, 1 BLE OSDP MODULE, 1 METALIC BACKPLATE STICKER	109.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## HID Global - Readers and Credentials - 13.56 MHz Products

### iClass SE 13.56 MHz Credentials (Stock items)

\*No programming information required

Model No.	Description	MSRP \$
AC-HID-CARD-ICLASS-SE-3000-AVG	iCLASS SE Contactless Smart Card, 2k bit with 2 application areas, Avigilon Format, Avigilon logo on back, Order quantity must be in boxes of 100, no partial boxes allowed, packaged in box of 100 (Stock Item)	5.59
AC-HID-CARD-ICLASS-SE-3000-AVG-NL	iCLASS SE Contactless Smart Card, 2k bit with 2 application areas, Avigilon Format, Without Avigilon logo, Order quantity must be in boxes of 100, no partial boxes allowed, packaged in box of 100 (Stock Item)	5.59
AC-HID-FOB-ICLASS-3250PNNMN-AVG	ICLASS SE KEYFOB 2K/2, PROG ICLASS, BLACK W/BUE HID, MATCH ICLASS #, Available with Avigilon format, Stock Item, Order quantity must be in boxes of 100, no partial boxes allowed, Packed in box of 100	6.70

### iCLASS 13.56 MHz Credentials (Non-stock items)

\*MUST Specify Bit No., Facility Code No., and Start/Stop Number

Model No.	Description	MSRP \$
AC-HID-CARD-ICLASS-2080	iCLASS Clamshell Contactless Smart Card, 2k bit with 2 application areas, Minimum Order 100 (HID Part Number: 2080PMSMV)	3.44
AC-HID-CARD-ICLASS-2000	iCLASS Contactless Smart Card, 2k bit with 2 application areas, Minimum Order 100 (HID Part Number: 2000PGGMN)	5.15
AC-HID-CARD-ICLASS-2100	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, F-GLOSS W/ MAG, MATCHING#, Minimum Order 100, (HID Part Number: 2100PG1MN )	7.00
AC-HID-CARD-ICLASS-2002	iCLASS Contactless Smart Card, 16k bit with 16 application areas, Minimum Order 100 (HID Part Number: 2002PGGMN)	9.32
AC-HID-CARD-ICLASS-2004	iCLASS Contactless Smart Card, 32k bit with 16k/16 + 16k/1 application areas, Minimum Order 100 (HID Part Number: 2004PGGMN)	9.72
AC-HID-CARD-ICLASS-2050	iCLASS Key II Contactless Smart Key Fob 2k bit with 2 application areas, Minimum Order 100 (HID Part Number: 2050PNNMN)	6.70

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## HID Global - Readers and Credentials - 13.56 MHz Products

### iClass SE 13.56 MHz Credentials (Non-stock items)

\*MUST Specify Bit No., Facility Code No., and Start/Stop Number

Model No.	Description	MSRP \$
AC-HID-CARD-ICLASS-SR-2080	iCLASS SR (note: SR instead of SE is correct for this card) Clamshell Contactless Smart Card, 2k bit with 2 application areas, Minimum Order 100 (HID Part Number: 2080HPMSMV)	3.44
AC-HID-CARD-ICLASS-SE-3000	iCLASS SE Contactless Smart Card, 2k bit with 2 application areas, Minimum Order 100 (HID Part Number: 3000PGGMN)	5.15
AC-HID-CARD-ICLASS-SE-3002	iCLASS SE Contactless Smart Card, 16k bit with 16 application areas, Minimum Order 100 (HID Part Number: 3002PGGMN)	9.32
AC-HID-CARD-ICLASS-SE-3004	iCLASS SE Contactless Smart Card, 32k bit with 16k/16 + 16k/1 application areas, Minimum Order 100 (HID Part Number: 3004PGGMN)	9.54
AC-HID-TAG-ICLASS-SE-3300	iCLASS SE Tag, Contactless Smart Tag , 2k bit with 2 application areas, Black with HID Standard Artwork, Sequential Matching Internal/External – Peel-off self-adhesive back, Minimum Order 100 (HID Part Number: 3300PKSMN)	4.83
AC-HID-FOB-3250PNNMN	ICLASS SE KEYFOB 2K/2, PROG ICLASS, BLACK W/BLOCK HID, MATCH ICLASS #, Minimum Order 100 (HID Part Number: 3250PNNMN)	6.70
AC-HID-CARD-3000PG1MN	ICLASS 2K/2 SE, PROG, F-GLOSS, B-GLOSS W/MAG, MATCH, NO SLOT, Minimum Order 100 (HID Part Number: 3000PG1MN)	6.50
AC-HID-CARD-ICLASS-3000PGGMV	ICLASS 2K/2 SE, PROG, F-GLOSS, B-GLOSS, MATCH, VERT SLOT, Minimum Order 100 (HID Part Number: 3000PGGMV)	5.15
AC-HID-CARD-ICLASS-3350PMSMV	iCLASS SE Clamshell Card, 2k bits with 2 application areas, plain white vinyl with matte finish, HID logo on back, vertical slot punch. Minimum Order 100 (HID Part Number: 3350PMSMV).	3.43
AC-HID-CARD-ICLASS-2000PGGMV		5.05

### iClass 13.56 MHz & 125 kHz Credentials (Non-Stock items)

\*MUST Specify Bit No., Facility Code No., and Start/Stop Number

Model No.	Description	MSRP \$
AC-HID-CARD-ICLASS-PROX-2120BGGMNM	iCLASS + Prox Contactless Smart Card, 2k bits with 2 application areas, plain white with gloss finish, no slot punch (HID #: 2120BGGMNM), Minimum Order 100. Specify programming information for 125kHz Proximity and iCLASS.	11.58
AC-HID-CARD-ICLASS-PROX-2120BG1MNN	iCLASS + Prox Contactless Smart Card, 2k bits with 2 application areas, plain white with gloss finish on front, plain white with magnetic stripe on back, no slot punch (HID #: 2120BG1MNN), Minimum Order 100. Specify programming information for 125kHz Proximity and iCLASS.	12.92
AC-HID-CARD-ICLASS-PROX-2120BGGMVM	COMPOSITE ICLASS PROX 2K/2, PROGRAMMED, F-GLOSS, B-GLOSS, MATCHING, VERT SLOT, MATCH 125K #	11.58
AC-HID-CARD-ICLASS-PROX-3150RGGMNN	COMPOSITE ICLASS PROX SE 2K/2, PROG ICLASS/PROX, F-GLOSS, B-GLOSS, MATCH ICLASS#, NO SLOT, NO PROX #	11.58

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**



## HID Global - Readers & Credentials - 125 kHz Products

### 125 kHz Proximity Card Readers (Stock Items)

Model No.	Description	MSRP \$
AC-HID-READ-MINIPROX	MiniProx Proximity Reader (HID # 5365EKP00)	230.00
AC-HID-READ-THINLINE	ThinLine II Switch Plate Proximity Reader (HID # 5395CK100)	235.00
AC-HID-READ-PROXPRO	ProxPro Proximity Reader (HID # 5355AGN00)	260.00
AC-HID-READ-PROXPRO-KEYPD	ProxPro Proximity Reader with Keypad (HID # 5355AGK00)	410.00
AC-HID-READ-PROXPROII	ProxPro II Proximity Reader (HID # 5455BKN00)	235.00
AC-HID-READ-MAXIPROX	MaxiProx Long Range Proximity Reader (HID # 5375AGN00)	670.00

### 125 kHz Proximity Credentials (Non-stock items)

\*MUST Specify Bit No., Facility Code No., and Start/Stop Number

Model No.	Description	MSRP \$
AC-HID-CARD-PROXCARDII-CL	ProxCARD II Proximity Access Card (Clam Shell), Minimum Order 100 (HID Part Number: 1326LMSMV)	3.50
AC-HID-CARD-DUOPROXII-CL	DuoProx II Graphics Quality PVC, Proximity Access Card, w/ Magnetic Stripe, Minimum Order 100 (HID Part Number: 1336LGGMN)	7.17
AC-HID-FOB-PROXKEYIII-CL	ProxKey III Proximity Access Keyfob, Minimum Order 100 (HID Part Number: 1346LNSMN)	7.00
AC-HID-TAG-PROXPASSII-VEH	ProxPass II Long Range Active Proximity Access Tag for Vehicle Access, Minimum Order 10 (HID Part Number: 1351LBSMN)	40.00
AC-HID-CARD-ISOPROXII-GRPH	ISOProx II Graphics Quality PVC, Proximity Access Card, Minimum Order 100 (HID Part Number: 1386LGGMN)	6.48
AC-HID-TAG-MICROPROX-ADH	MICROPROX TAG, PROG, GRAY, MATCH #, Minimum Order 100 (HID Part Number: 1391LGSMN)	4.73

### Corporate 1000 program

Model No.	Description	MSRP \$
AC-HID-CORP1K-MC-1000	Service fee per card for Corporate 100 card format. (HID Part Number: MC-1000)	0.37

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## HID Global - Readers & Credentials - UHF Credentials

### UHF Cards - work with UHF & iClass SE Readers only (Non-stock items)

Model No.	Description	MSRP \$
AC-HID-CARD-ICLASS-SE-UHF-6014SGGANN	ISO CARD COMPOSITE UHF/ICLASS 32K, PROG, WHITE, UHF LASER MATCHING, 860-960 MHz Application areas 16k/16+16k/1, Minimum Order 100 (HID Part Number: 6014SGGANN)	11.82
AC-HID-CARD-ICLASS-SE-UHF-6013TGGANN	ISO CARD COMPOSITE UHF/ICLASS 32K, PROG, WHITE, UHF LASER MATCHING, 860-960 MHz Application areas 16k/2+16k/1, Minimum Order 100 (HID Part Number: 6013TGGANN)	11.82
AC-HID-CARD-ICLASS-SE-UHF-6011TGGNNN-001	ISO CARD COMPOSITE UHF/ICLASS 16K, PROG, WHITE, NO #, NO SALES ORDER, 860-960 MHz, Minimum Order 100 (HID Part Number: 6011TGGNNN-001)	11.82
AC-HID-CARD-ICLASS-SE-UHF-6011TGGANA	ISO CARD COMPOSITE UHF/ICLASS 16K, PROG, WHITE, LASER MATCHING, 860-960 MHz, Minimum Order 100 (HID Part Number: 6011TGGANA)	12.16

### UHF Card - works with UHF Readers only (Non-stock items)

Model No.	Description	MSRP \$
AC-HID-CARD-ICLASS-UHF-600TGGAN	ISO CARD COMPOSITE UHF, PROG, WHITE, LASER MATCHING, 860-960 MHz, Minimum Order 100 (HID Part Number: 600TGGAN)	9.88

### UHF iCLASS SE U90 Long Range readers (NA/AU) (Non-stock items)

Model No.	Description	MSRP \$
AC-HID-READ-U90-ICLASS-SE-RDRSEU909K00000	RDR, U90, ICLASS, SE REV E, NO PROX, UHF, 902-928 MHZ, STD, WIEGAND, TERM, BK, STD 1 SECURITY	1,162.00

*All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.*

## HID Global - Readers & Credentials - UHF Credentials

### R90 iClass SE Mid Range Readers - 13.56 MHz (Non-stock items)

Model No.	Description	MSRP \$
AC-HID-READ-ICLASS-SE-R90-WG-940NNNTEK2037P	R90 Extended range (up to 18in/45cm) reader; Wiegand; No Prox; iCLASS Seos, SE, SR; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO), Mobile IDs via NFC; Terminal Strip (HID Part #: 940NNNTEK2037P)	663.00
AC-HID-READ-ICLASS-SE-R90-WG-940NTNTEK00000	R90 Extended range (up to 18in/45cm) reader; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Terminal Strip (HID Part #: 940NTNTEK00000)	663.00
AC-HID-READ-ICLASS-SE-R90-WG-940NTNTEK00015	R90 Extended range (up to 18in/45cm) reader; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Terminal Strip (HID Part #: 940NTNTEK00015)	663.00
AC-HID-READ-ICLASS-SE-R90-WG-940NTNTEK0001F	R90 Extended range (up to 18in/45cm) reader; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Terminal Strip (HID Part #: 940NTNTEK0001F)	663.00
AC-HID-READ-ICLASS-SE-R90-WG-940NTNTEK00021	R90 Extended range (up to 18in/45cm) reader; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Terminal Strip (HID Part #: 940NTNTEK00021)	663.00
AC-HID-READ-ICLASS-SE-R90-WG-940NTNTEK00029	R90 Extended range (up to 18in/45cm) reader; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Terminal Strip (HID Part #: 940NTNTEK00029)	663.00
AC-HID-READ-ICLASS-SE-R90-WG-940NTNTEK0002B	R90 Extended range (up to 18in/45cm) reader; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Terminal Strip (HID Part #: 940NTNTEK0002B)	663.00
AC-HID-READ-ICLASS-SE-R90-WG-940NTNTEK0002J	R90 Extended range (up to 18in/45cm) reader; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Terminal Strip (HID Part #: 940NTNTEK0002J)	663.00
AC-HID-READ-ICLASS-SE-R90-WG-940NTNTEK0002Q	R90 Extended range (up to 18in/45cm) reader; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Terminal Strip (HID Part #: 940NTNTEK0002Q)	663.00
AC-HID-READ-ICLASS-SE-R90-WG-940NTNTEK0003V	R90 Extended range (up to 18in/45cm) reader; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Terminal Strip (HID Part #: 940NTNTEK0003V)	663.00
AC-HID-READ-ICLASS-SE-R90-WG-940NTNTEK0005J	R90 Extended range (up to 18in/45cm) reader; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Terminal Strip (HID Part #: 940NTNTEK0005J)	663.00
AC-HID-READ-ICLASS-SE-R90-WG-940NTNTEK00061	R90 Extended range (up to 18in/45cm) reader; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Terminal Strip (HID Part #: 940NTNTEK00061)	663.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## HID Global - Readers & Credentials - UHF Credentials

### R90 iClass SE Mid Range Readers - 13.56 MHz (Non-stock items)

Model No.	Description	MSRP \$
AC-HID-READ-ICLASS-SE-R90-WG-940NTNTEK0006K	R90 Extended range (up to 18in/45cm) reader; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Terminal Strip (HID Part #: 940NTNTEK0006K)	663.00
AC-HID-READ-ICLASS-SE-R90-WG-940NTNTEK0009D	R90 Extended range (up to 18in/45cm) reader; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Terminal Strip (HID Part #: 940NTNTEK0009D)	663.00
AC-HID-READ-ICLASS-SE-R90-WG-940NTNTEK000DG	R90 Extended range (up to 18in/45cm) reader; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Terminal Strip (HID Part #: 940NTNTEK000DG)	663.00
AC-HID-READ-ICLASS-SE-R90-WG-940NTNTEK000JF	R90 Extended range (up to 18in/45cm) reader; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Terminal Strip (HID Part #: 940NTNTEK000JF)	663.00
AC-HID-READ-ICLASS-SE-R90-WG-940NTNTEK000K4	R90 Extended range (up to 18in/45cm) reader; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Terminal Strip (HID Part #: 940NTNTEK000K4)	663.00
AC-HID-READ-ICLASS-SE-R90-WG-940NTPTEK0007V	R90 Extended range (up to 18in/45cm) reader; OSDP; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Terminal Strip (HID Part #: 940NTPTEK0007V)	692.00
AC-HID-READ-ICLASS-SE-R90-WG-940NWTEKE00GD	R90 Extended range (up to 18in/45cm) reader; Wiegand; No Prox; MIFARE Classic and DESFire EV1 (Custom data); Mobile enabled; Terminal Strip (HID Part #: 940NWTEKE00GD)	713.00
AC-HID-READ-ICLASS-SE-R90-WG-940NWTEKE0324	R90 Extended range (up to 18in/45cm) reader; Wiegand; No Prox; MIFARE Classic and DESFire EV1 (Custom data); Mobile enabled; Terminal Strip (HID Part #: 940NWTEKE0324)	713.00

*All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.*

## HID Mobile Readers & Credentials

### Mobile Ready Readers (Non-stock items)

\*Note: Mobile Ready means the readers are ready to have an end users MOB Key loaded on to the reader.

\*Returnable only if NOT configured with a custom key

Model No.	Description	MSRP \$
AC-HID-READ-ICLASS-SE-MOB-WG-900NBNEK20000	R10 Mini-mullion reader; Wiegand; No Prox; iCLASS Seos; Mobile IDs via NFC and Bluetooth Smart; Pigtail (HID Part #: 900NBNEK20000)	218.00
AC-HID-READ-ICLASS-SE-MOB-WG-900NBNEK20000	R10 Mini-mullion reader; Wiegand; No Prox; iCLASS Seos; Mobile IDs via NFC and Bluetooth Smart; Terminal Strip (HID Part #: 900NBNEK20000)	218.00
AC-HID-READ-ICLASS-SE-MOB-WG-920NBNEK20000	R40 Standard wall switch reader; Wiegand; No Prox; iCLASS Seos; Mobile IDs via NFC and Bluetooth Smart; Pigtail (HID Part #: 920NBNEK20000)	323.00
AC-HID-READ-ICLASS-SE-MOB-WG-920NBNEK20000	R40 Standard wall switch reader; Wiegand; No Prox; iCLASS Seos; Mobile IDs via NFC and Bluetooth Smart; Terminal Strip (HID Part #: 920NBNEK20000)	323.00
AC-HID-READ-ICLASS-SE-MOB-WG-921NBNEK20000	RK40 Standard wall switch reader with keypad input; Wiegand; No Prox; iCLASS Seos; Mobile IDs via NFC and Bluetooth Smart; Pigtail (HID Part #: 921NBNEK20000)	528.00
AC-HID-READ-ICLASS-SE-MOB-WG-921NBNEK20000	RK40 Standard wall switch reader with keypad input; Wiegand; No Prox; iCLASS Seos; Mobile IDs via NFC and Bluetooth Smart; Terminal Strip (HID Part #: 921NBNEK20000)	528.00
AC-HID-READ-MCLASS-SE-MOB-WG-910PBNNEK20000	R15 Mullion reader; Wiegand; HID Prox, AWID and EM4102 (32 bits); iCLASS Seos; Mobile IDs via NFC and Bluetooth Smart; Pigtail (HID Part #: 910PBNNEK20000)	360.00
AC-HID-READ-MCLASS-SE-MOB-WG-921PBNNEK20000	RK40 Standard wall switch reader with keypad input; Wiegand; HID Prox, AWID and EM4102 (32 bits); iCLASS Seos; Mobile IDs via NFC and Bluetooth Smart; Pigtail (HID Part #: 921PBNNEK20000 )	565.00
AC-HID-READ-MCLASS-SE-MOB-WG-921PBNNEK20000	RK40 Standard wall switch reader with keypad input; Wiegand; HID Prox, AWID and EM4102 (32 bits); iCLASS Seos; Mobile IDs via NFC and Bluetooth Smart; Terminal Strip (HID Part #: 921PBNNEK20000 )	565.00
AC-HID-READ-MCLASS-SE-MOB-WG-900PBNNEK20000	R10 Mini-mullion reader; Wiegand; HID Prox, AWID and EM4102 (32 bits); iCLASS Seos; Mobile IDs via NFC and Bluetooth Smart; Terminal Strip (HID Part #: 900PBNNEK20000 )	255.00
AC-HID-READ-MCLASS-SE-MOB-WG-900PBNNEK20000	R10 Mini-mullion reader; Wiegand; HID Prox, AWID and EM4102 (32 bits); iCLASS Seos; Mobile IDs via NFC and Bluetooth Smart; Pigtail (HID Part #: 900PBNNEK20000 )	255.00
AC-HID-READ-MCLASS-SE-MOB-WG-920PBNNEK20000	R40 Standard wall switch reader; Wiegand; HID Prox, AWID and EM4102 (32 bits); iCLASS Seos; Mobile IDs via NFC and Bluetooth Smart; Pigtail (HID Part #: 920PBNNEK20000 )	360.00
AC-HID-READ-MCLASS-SE-MOB-WG-920PBNNEK20000	R40 Standard wall switch reader; Wiegand; HID Prox, AWID and EM4102 (32 bits); iCLASS Seos; Mobile IDs via NFC and Bluetooth Smart; Terminal Strip (HID Part #: 920PBNNEK20000 )	360.00
AC-HID-READ-MCLASS-SE-MOB-WG-920PMNNEKMA003	R40 Standard wall switch reader; Wiegand; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile ready; Pigtail (HID Part #: 920PMNNEKMA003)	360.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## HID Mobile Readers & Credentials

### Mobile Ready Readers (Non-stock items)

\*Note: Mobile Ready means the readers are ready to have an end users MOB Key loaded on to the reader.

\*Returnable only if NOT configured with a custom key

Model No.	Description	MSRP \$
AC-HID-READ-MCLASS-SE-MOB-WG-910PMNNEKMA003	R15 Mullion reader; Wiegand; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile ready; Pigtail (HID Part #: 910PMNNEKMA003)	360.00
AC-HID-READ-MCLASS-SE-MOB-WG-920PMNTEKMA003	R40 Standard wall switch reader; Wiegand; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile ready; Terminal Strip (HID Part #: 920PMNTEKMA003)	360.00
AC-HID-READ-MCLASS-SE-MOB-WG-900PMNNEKMA003	R10 Mini-mullion reader; Wiegand; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile ready; Pigtail (HID Part #: 900PMNNEKMA003)	255.00
AC-HID-READ-MCLASS-SE-MOB-WG-921PMNTEKMA004	RK40 Standard wall switch reader with keypad input; Wiegand; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile ready; Terminal Strip (HID Part #: 921PMNTEKMA004)	565.00
AC-HID-READ-MCLASS-SE-MOB-WG-910PMNTEKMA003	R15 Mullion reader; Wiegand; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile ready; Terminal Strip (HID Part #: 910PMNTEKMA003)	360.00
AC-HID-READ-MCLASS-SE-MOB-WG-921PMNNEKMA004	RK40 Standard wall switch reader with keypad input; Wiegand; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile ready; Pigtail (HID Part #: 921PMNNEKMA004)	565.00
AC-HID-READ-MCLASS-SE-MOB-WG-900PMNTEKMA003	R10 Mini-mullion reader; Wiegand; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile ready; Terminal Strip (HID Part #: 900PMNTEKMA003)	255.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## HID Mobile Readers & Credentials

### Mobile Ready OSDP Readers (Non-stock items)

\*Note: Mobile Ready means the readers are ready to have an end users MOB Key loaded on to the reader.

\*Returnable only if NOT configured with a custom key

Model No.	Description	MSRP \$
AC-HID-READ-MCLASS-SE-MOB-OSDP-921PMPTEKMA008	RK40 Standard wall switch reader with keypad input; OSDP; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile ready; Terminal Strip (HID Part #: 921PMPTEKMA008)	565.00
AC-HID-READ-MCLASS-SE-MOB-OSDP-920PMPTEKMA007	R40 Standard wall switch reader; OSDP; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile ready; Terminal Strip (HID Part #: 920PMPTEKMA007)	360.00
AC-HID-READ-ICLASS-SE-MOB-OSDP-921NMPTEKMA006	RK40 Standard wall switch reader with keypad input; OSDP; No Prox; Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile ready; Terminal Strip (HID Part #: 921NMPTEKMA006)	530.00
AC-HID-READ-MCLASS-SE-MOB-OSDP-900PMPTEKMA007	R10 Mini-mullion reader; OSDP; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile ready; Terminal Strip (HID Part #: 900PMPTEKMA007)	255.00
AC-HID-READ-MCLASS-SE-MOB-OSDP-920PMPNEKMA007	R40 Standard wall switch reader; OSDP; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile ready; Pigtail (HID Part #: 920PMPNEKMA007)	360.00
AC-HID-READ-MCLASS-SE-MOB-OSDP-910PMPTEKMA007	R15 Mullion reader; OSDP; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile ready; Terminal Strip (HID Part #: 910PMPTEKMA007)	360.00
AC-HID-READ-ICLASS-SE-MOB-OSDP-920NMPTEKMA005	R40 Standard wall switch reader; OSDP; No Prox; Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile ready; Terminal Strip (HID Part #: 920NMPTEKMA005)	325.00
AC-HID-READ-MCLASS-SE-MOB-OSDP-910PMPNEKMA007	R15 Mullion reader; OSDP; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile ready; Pigtail (HID Part #: 910PMPNEKMA007)	360.00
AC-HID-READ-MCLASS-SE-MOB-OSDP-921PMPNEKMA008	RK40 Standard wall switch reader with keypad input; OSDP; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile ready; Pigtail (HID Part #: 921PMPNEKMA008)	565.00
AC-HID-READ-MCLASS-SE-MOB-OSDP-900PMPNEKMA007	R10 Mini-mullion reader; OSDP; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile ready; Pigtail (HID Part #: 900PMPNEKMA007)	255.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## HID Mobile Readers & Credentials

### Mobile Ready OSDP Readers (Non-stock items)

\*Note: Mobile Ready means the readers are ready to have an end users MOB Key loaded on to the reader.

\*Returnable only if NOT configured with a custom key

Model No.	Description	MSRP \$
AC-HID-READ-ICLASS-SE-MOB-OSDP-910NMPTEKMA005	R15 Mullion reader; OSDP; No Prox; Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile ready; Terminal Strip (HID Part #: 910NMPTEKMA005)	325.00
AC-HID-READ-ICLASS-SE-MOB-OSDP-920NMPNEKMA005	R40 Standard wall switch reader; OSDP; No Prox; Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile ready; Pigtail (HID Part #: 920NMPNEKMA005)	325.00
AC-HID-READ-ICLASS-SE-MOB-OSDP-900NMPNEKMA005	R10 Mini-mullion reader; OSDP; No Prox; Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile ready; Pigtail (HID Part #: 900NMPNEKMA005)	220.00
AC-HID-READ-ICLASS-SE-MOB-OSDP-900NMPTEKMA005	R10 Mini-mullion reader; OSDP; No Prox; Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile ready; Terminal Strip (HID Part #: 900NMPTEKMA005)	220.00
AC-HID-READ-ICLASS-SE-MOB-OSDP-921NMPNEKMA006	RK40 Standard wall switch reader with keypad input; OSDP; No Prox; Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile ready; Pigtail (HID Part #: 921NMPNEKMA006)	530.00
AC-HID-READ-ICLASS-SE-MOB-OSDP-910NMPNEKMA005	R15 Mullion reader; OSDP; No Prox; Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile ready; Pigtail (HID Part #: 910NMPNEKMA005)	325.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**



## HID Mobile Readers & Credentials

### Mobile Enabled Readers (Non-stock items) (Non-Returnable)

\*Note: Mobile Enabled means the readers are Enabled at the factory with the end users MOB Key loaded on to the reader. MOB Key must be provided to Avigilon to order these readers.

\*Require HID Mobile Onboarding process to be completed for first time order (( LINK to Automated

Onboarding: <https://managementservices.hidglobal.com/faces/maUserOnBoardingStart>))

\*Require HID Mobile Credentials to be ordered for first time order

Model No.	Description	MSRP \$
AC-HID-READ-ICLASS-SE-MOB-WG-900NMNNEKEA001	R10 Mini-mullion reader; Wiegand; No Prox; Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Pigtail (HID Part #: 900NMNNEKEA001)	218.00
AC-HID-READ-ICLASS-SE-MOB-WG-910NMNNEKEA001	R15 Mullion reader; Wiegand; No Prox; Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Pigtail (HID Part #: 910NMNNEKEA001)	323.00
AC-HID-READ-ICLASS-SE-MOB-WG-920NMNNEKEA001	R40 Standard wall switch reader; Wiegand; No Prox; Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Pigtail (HID Part #: 920NMNNEKEA001)	323.00
AC-HID-READ-ICLASS-SE-MOB-WG-921NMNNEKEA002	RK40 Standard wall switch reader with keypad input; Wiegand; No Prox; Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Pigtail (HID Part #: 921NMNNEKEA002)	528.00
AC-HID-READ-ICLASS-SE-MOB-WG-900NMNTEKEA001	R10 Mini-mullion reader; Wiegand; No Prox; Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Terminal Strip (HID Part #: 900NMNTEKEA001)	218.00
AC-HID-READ-ICLASS-SE-MOB-WG-910NMNTEKEA001	R15 Mullion reader; Wiegand; No Prox; Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Terminal Strip (HID Part #: 910NMNTEKEA001)	323.00
AC-HID-READ-ICLASS-SE-MOB-WG-920NMNTEKEA001	R40 Standard wall switch reader; Wiegand; No Prox; Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Terminal Strip (HID Part #: 920NMNTEKEA001)	323.00
AC-HID-READ-ICLASS-SE-MOB-WG-921NMNTEKEA002	RK40 Standard wall switch reader with keypad input; Wiegand; No Prox; Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Terminal Strip (HID Part #: 921NMNTEKEA002)	528.00
AC-HID-READ-MCLASS-SE-MOB-WG-900PMNNEKEA003	R10 Mini-mullion reader; Wiegand; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Pigtail (HID Part #: 900PMNNEKEA003)	256.00
AC-HID-READ-MCLASS-SE-MOB-WG-910PMNNEKEA003	R15 Mullion reader; Wiegand; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Pigtail (HID Part #: 910PMNNEKEA003)	361.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## HID Mobile Readers & Credentials

### Mobile Enabled Readers (Non-stock items) (Non-Returnable)

\*Note: Mobile Enabled means the readers are Enabled at the factory with the end users MOB Key loaded on to the reader. MOB Key must be provided to Avigilon to order these readers.

\*Require HID Mobile Onboarding process to be completed for first time order (( LINK to Automated

Onboarding: <https://managedservices.hidglobal.com/faces/maUserOnBoardingStart>))

\*Require HID Mobile Credentials to be ordered for first time order

Model No.	Description	MSRP \$
AC-HID-READ-MCLASS-SE-MOB-WG-920PMNNEKEA003	R40 Standard wall switch reader; Wiegand; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Pigtail (HID Part #: 920PMNNEKEA003)	361.00
AC-HID-READ-MCLASS-SE-MOB-WG-921PMNNEKEA004	RK40 Standard wall switch reader with keypad input; Wiegand; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Pigtail (HID Part #: 921PMNNEKEA004)	565.00
AC-HID-READ-MCLASS-SE-MOB-WG-900PMNTEKEA003	R10 Mini-mullion reader; Wiegand; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Terminal Strip (HID Part #: 900PMNTEKEA003)	256.00
AC-HID-READ-MCLASS-SE-MOB-WG-910PMNTEKEA003	R15 Mullion reader; Wiegand; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Terminal Strip (HID Part #: 910PMNTEKEA003)	361.00
AC-HID-READ-MCLASS-SE-MOB-WG-920PMNTEKEA003	R40 Standard wall switch reader; Wiegand; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Terminal Strip (HID Part #: 920PMNTEKEA003)	361.00
AC-HID-READ-MCLASS-SE-MOB-WG-921PMNTEKEA004	RK40 Standard wall switch reader with keypad input; Wiegand; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Terminal Strip (HID Part #: 921PMNTEKEA004)	565.00
AC-HID-READ-ICLASS-SE-MOB-WG-900NBNEKE0000	R10 Mini-mullion reader; Wiegand; No Prox; iCLASS Seos; Mobile IDs via NFC and Bluetooth Smart; HID Elite and Mobile-Enabled; Pigtail (HID Part #: 900NBNEKE0000)	218.00
AC-HID-READ-ICLASS-SE-MOB-WG-900NBTEKE0000	R10 Mini-mullion reader; Wiegand; No Prox; iCLASS Seos; Mobile IDs via NFC and Bluetooth Smart; HID Elite and Mobile-Enabled; Terminal Strip (HID Part #: 900NBTEKE0000)	218.00
AC-HID-READ-ICLASS-SE-MOB-WG-920NBNEKE0000	R40 Standard wall switch reader; Wiegand; No Prox; iCLASS Seos; Mobile IDs via NFC and Bluetooth Smart; HID Elite and Mobile-Enabled; Pigtail (HID Part #: 920NBNEKE0000)	323.00
AC-HID-READ-ICLASS-SE-MOB-WG-920NBNEKES077	R40 Standard wall switch reader; Wiegand; No Prox; iCLASS Seos; Mobile IDs via NFC and Bluetooth Smart; HID Elite and Mobile-Enabled; Pigtail; Non-standard configuration (HID Part #: 920NBNEKES077)	323.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## HID Mobile Readers & Credentials

### Mobile Enabled Readers (Non-stock items) (Non-Returnable)

\*Note: Mobile Enabled means the readers are Enabled at the factory with the end users MOB Key loaded on to the reader. MOB Key must be provided to Avigilon to order these readers.

\*Require HID Mobile Onboarding process to be completed for first time order (( LINK to Automated

Onboarding: <https://managementservices.hidglobal.com/faces/maUserOnBoardingStart>))

\*Require HID Mobile Credentials to be ordered for first time order

Model No.	Description	MSRP \$
AC-HID-READ-ICLASS-SE-MOB-WG-920NBNTEKE0000	R40 Standard wall switch reader; Wiegand; No Prox; iCLASS Seos; Mobile IDs via NFC and Bluetooth Smart; HID Elite and Mobile-Enabled; Terminal Strip (HID Part #: 920NBNTEKE0000)	323.00
AC-HID-READ-ICLASS-SE-MOB-WG-921NBNNEKE0000	RK40 Standard wall switch reader with keypad input; Wiegand; No Prox; iCLASS Seos; Mobile IDs via NFC and Bluetooth Smart; HID Elite and Mobile-Enabled; Pigtail (HID Part #: 921NBNNEKE0000)	528.00
AC-HID-READ-ICLASS-SE-MOB-WG-921NBNTEKE0000	RK40 Standard wall switch reader with keypad input; Wiegand; No Prox; iCLASS Seos; Mobile IDs via NFC and Bluetooth Smart; HID Elite and Mobile-Enabled; Terminal Strip (HID Part #: 921NBNTEKE0000)	528.00

*All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.*

## HID Mobile Readers & Credentials

### Mobile Enabled OSDP Readers (Non-stock items) (Non-Returnable)

\*Note: Mobile Enabled means the readers are Enabled at the factory with the end users MOB Key loaded on to the reader. MOB Key must be provided to Avigilon to order these readers.

\*Require HID Mobile Onboarding process to be completed for first time order (LINK to Automated

Onboarding: <https://managementservices.hidglobal.com/faces/maUserOnBoardingStart>)

\*Require HID Mobile Credentials to be ordered for first time order

Model No.	Description	MSRP \$
AC-HID-READ-ICLASS-SE-MOB-OSDP-900NMPNEKEA005	R10 Mini-mullion reader; OSDP; No Prox; Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Pigtail (HID Part #: 900NMPNEKEA005)	218.00
AC-HID-READ-ICLASS-SE-MOB-OSDP-910NMPNEKEA005	R15 Mullion reader; OSDP; No Prox; Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Pigtail (HID Part #: 910NMPNEKEA005)	323.00
AC-HID-READ-ICLASS-SE-MOB-OSDP-920NMPNEKEA005	R40 Standard wall switch reader; OSDP; No Prox; Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Pigtail (HID Part #: 920NMPNEKEA005)	323.00
AC-HID-READ-ICLASS-SE-MOB-OSDP-921NMPNEKEA006	RK40 Standard wall switch reader with keypad input; OSDP; No Prox; Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Pigtail (HID Part #: 921NMPNEKEA006)	528.00
AC-HID-READ-ICLASS-SE-MOB-OSDP-900NMPTEKEA005	R10 Mini-mullion reader; OSDP; No Prox; Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Terminal Strip (HID Part #: 900NMPTEKEA005)	218.00
AC-HID-READ-ICLASS-SE-MOB-OSDP-910NMPTEKEA005	R15 Mullion reader; OSDP; No Prox; Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Terminal Strip (HID Part #: 910NMPTEKEA005)	323.00
AC-HID-READ-ICLASS-SE-MOB-OSDP-920NMPTEKEA005	R40 Standard wall switch reader; OSDP; No Prox; Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Terminal Strip (HID Part #: 920NMPTEKEA005)	323.00
AC-HID-READ-ICLASS-SE-MOB-OSDP-921NMPTEKEA006	RK40 Standard wall switch reader with keypad input; OSDP; No Prox; Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Terminal Strip (HID Part #: 921NMPTEKEA006)	528.00
AC-HID-READ-MCLASS-SE-MOB-OSDP-900PMPNEKEA007	R10 Mini-mullion reader; OSDP; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Pigtail (HID Part #: 900PMPNEKEA007)	256.00
AC-HID-READ-MCLASS-SE-MOB-OSDP-910PMPNEKEA007	R15 Mullion reader; OSDP; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Pigtail (HID Part #: 910PMPNEKEA007)	361.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## HID Mobile Readers & Credentials

### Mobile Enabled OSDP Readers (Non-stock items) (Non-Returnable)

\*Note: Mobile Enabled means the readers are Enabled at the factory with the end users MOB Key loaded on to the reader. MOB Key must be provided to Avigilon to order these readers.

\*Require HID Mobile Onboarding process to be completed for first time order (LINK to Automated

Onboarding: <https://managedservices.hidglobal.com/faces/maUserOnBoardingStart>)

\*Require HID Mobile Credentials to be ordered for first time order

Model No.	Description	MSRP \$
AC-HID-READ-MCLASS-SE-MOB-OSDP-920PMPNEKEA007	R40 Standard wall switch reader; OSDP; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Pigtail (HID Part #: 920PMPNEKEA007)	361.00
AC-HID-READ-MCLASS-SE-MOB-OSDP-921PMPNEKEA008	RK40 Standard wall switch reader with keypad input; OSDP; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Pigtail (HID Part #: 921PMPNEKEA008)	565.00
AC-HID-READ-MCLASS-SE-MOB-OSDP-900PMPTEKEA007	R10 Mini-mullion reader; OSDP; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Terminal Strip (HID Part #: 900PMPTEKEA007)	256.00
AC-HID-READ-MCLASS-SE-MOB-OSDP-910PMPTEKEA007	R15 Mullion reader; OSDP; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Terminal Strip (HID Part #: 910PMPTEKEA007)	361.00
AC-HID-READ-MCLASS-SE-MOB-OSDP-920PMPTEKEA007	R40 Standard wall switch reader; OSDP; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Terminal Strip (HID Part #: 920PMPTEKEA007)	361.00
AC-HID-READ-MCLASS-SE-MOB-OSDP-921PMPTEKEA008	RK40 Standard wall switch reader with keypad input; OSDP; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Terminal Strip (HID Part #: 921PMPTEKEA008)	565.00

### Omniquey USB Enrollment Reader (Non-stock items)

Model No.	Description	MSRP \$
AC-HID-READ-OMNIKEY-R54270101	5427 CK standard omnikey USB Enrollment reader, iCLASS Seos®, HID Prox®, iCLASS SE®, MIFARE Classic® and MIFARE® DESFire® EV1; supports NFC (HID Part Number: R54270001)	284.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## HID Mobile Readers & Credentials

### HID Mobile Credentials (Non-stock items) (Non-Returnable)

\*Require HID Mobile Onboarding process for first time order

\*(LINK to Automated Onboarding: <https://managementservices.hidglobal.com/faces/maUserOnBoardingStart>)

Model No.	Description	MSRP \$
AC-HID-CARD-MOB-SEC9X-CRD-E-MKYD	Configuration Card used to personalize and convert a Mobile-Ready reader to a Mobile-Enabled reader. (HID Part #: SEC9X-CRD-E-MKYD)	39.30
AC-HID-CARD-MOB-ADMIN-SEC9X-CRD-MADD	Configuration card which enables the use of the Mobile Configuration App used to adjust Bluetooth range settings on Mobile-Enabled Readers. Require automated onboarding form to be filled. (LINK to Automated Onboarding: <a href="https://managementservices.hidglobal.com/faces/maUserOnBoardingStart">https://managementservices.hidglobal.com/faces/maUserOnBoardingStart</a> ) (HID Part Number: ADMIN-SEC9X-CRD-MADD)	39.30
AC-HID-CARD-ADMIN-SEC9X-CRD-0-005J	Configuration card used to adjust CSN output settings from 32 bit MSB to 56 bit LSB on iCLASS Standard, SE and SEOS readers. (HID #: SEC9X-CRD-0-005J)	36.80

*All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.*

## HID Mobile Readers & Credentials

### HID Seos cards (Non-stock items) (Non-Returnable)

Model No.	Description	MSRP \$
AC-HID-CARD-SEOS-ICLASS-PROX-5106RGGNNN	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, ICLASS SIO PROGRAMMED, PROX HID FORMAT, F-GLOSS, B-GLOSS, NO ICLASS #, NO PROX #, NO SLOT, LAM, Minimum Order 100 (HID Part Number: 5106RGGNNN)	10.14
AC-HID-CARD-SEOS-ICLASS-PROX-5105VGGNNN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD, 16/KG PROX ER PROG, F-GLOSS, B-GLOSS, NO. ICLASS #, NO SLOT, NO PROX #, Minimum Order 100 (HID Part Number: 5105VGGNNN)	12.95
AC-HID-CARD-SEOS-ICLASS-PROX-5105RGGSSN	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS, F-GLOSS, B-GLOSS, SEQ. ICLASS #, NO SLOT, NO PROX #, Minimum Order 100 (HID Part Number: 5105RGGSSN)	12.95
AC-HID-CARD-SEOS-ICLASS-PROX-5105RGGNNS	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, SEQ. PROX #, Minimum Order 100 (HID Part Number: 5105RGGNNS)	12.95
AC-HID-CARD-SEOS-ICLASS-PROX-5105RGGMNN	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS, F-GLOSS, B-GLOSS, MATCH. ICLASS #, NO SLOT, NO PROX #, Minimum Order 100 (HID Part Number: 5105RGGMNN)	12.95
AC-HID-CARD-SEOS-ICLASS-PROX-5105RGGMNM	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS, F-GLOSS, B-GLOSS, MATCH. ICLASS #, NO SLOT, MATCH. PROX #, Minimum Order 100 (HID Part Number: 5105RGGMNM)	12.95
AC-HID-CARD-SEOS-ICLASS-PROX-5105RG1NNM	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS/PROX F-GLOSS, B-GLOSS W/MAG, NO ICLASS #, NO SLOT, MATCH. PROX #, LAM, Minimum Order 100 (HID Part Number: 5105RG1NNM)	14.30
AC-HID-CARD-SEOS-ICLASS-PROX-5105RG1MNN	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS, F-GLOSS, B-GLOSS W/MAG, MATCH. ICLASS #, NO SLOT, MATCH. PROX #, Minimum Order 100 (HID Part Number: 5105RG1MNN)	14.30
AC-HID-CARD-SEOS-ICLASS-PROX-5105RG1MNM	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS, F-GLOSS, B-GLOSS W/MAG, MATCH. ICLASS #, NO SLOT, MATCH. PROX #, LAM, Minimum Order 100 (HID Part Number: 5105RG1MNM)	14.30
AC-HID-CARD-SEOS-ICLASS-PROX-5105PGGNNN	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, NO PROX #, Minimum Order 100 (HID Part Number: 5105PGGNNN)	12.95
AC-HID-CARD-SEOS-ICLASS-PROX-5105PGGMNN	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS, F-GLOSS, B-GLOSS, MATCH. ICLASS #, NO SLOT, NO PROX #, Minimum Order 100 (HID Part Number: 5105PGGMNN)	12.95
AC-HID-CARD-SEOS-5006PGGNN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8 KB MEMORY, PROG., F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, LAM, Minimum Order 100 (HID Part Number: 5006PGGNN)	4.86
AC-HID-CARD-SEOS-5006PGGMN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8 KB MEMORY, PROG., F-GLOSS, B-GLOSS, MATCH. ICLASS #, NO SLOT, LAM, Minimum Order 100 (HID Part Number: 5006PGGMN)	4.86
AC-HID-CARD-SEOS-5005PGGSN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 16 KB MEMORY, PROG., F-GLOSS, B-GLOSS, SEQ. #. ICLASS #, NO SLOT, Minimum Order 100 (HID Part Number: 5005PGGSN)	9.89
AC-HID-CARD-SEOS-5005PGGMN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 16 KB MEMORY, PROG., F-GLOSS, B-GLOSS, MATCH. ICLASS #, NO SLOT, LAM, Minimum Order 100 (HID Part Number: 5005PGGMN)	9.89

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## HID Mobile Readers & Credentials

### HID Seos cards (Non-stock items) (Non-Returnable)

Model No.	Description	MSRP \$
AC-HID-CARD-SEOS-5006PGGSN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8 KB MEMORY, PROG., F-GLOSS, B-GLOSS, SEQ. ICLASS #, NO SLOT, Minimum Order 100 (HID Part Number: 5006PGGSN)	4.86
AC-HID-CARD-SEOS-5006PGGMNT	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8 KB MEMORY, PROG., F-GLOSS, B-GLOSS, MATCH. ICLASS #, NO SLOT, LAM, 10 PACK, Minimum Order 100 (HID Part Number: 5006PGGMNT)	4.86
AC-HID-CARD-SEOS-5006PG1MN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8K, SEOS OS LOADED, PROG., F-GLOSS, B-GLOSS, W/MAG, MATCHING ICLASS #, NO SLOT, Minimum Order 100 (HID Part Number: 5006PG1MN)	6.22
AC-HID-CARD-SEOS-ICLASS-PROX-5106VGGNNN	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, SEOS LOADED, ER PROG., F-GLOSS, B-GLOSS, NO ICLASS #, NO PROX #, NO SLOT, Minimum Order 100 (HID Part Number: 5106VGGNNN)	10.14
AC-HID-CARD-SEOS-ICLASS-PROX-5106RGGMNN	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, MATCH ICLASS #, NO SLOT, NO PROX #, Minimum Order 100 (HID Part Number: 5106RGGMNN)	10.14
AC-HID-CARD-SEOS-ICLASS-PROX-5106RGGMNM	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, MATCH ICLASS #, NO SLOT, MATCH PROX #, Minimum Order 100 (HID Part Number: 5106RGGMNM)	10.14
AC-HID-CARD-SEOS-ICLASS-PROX-5106RG1NNN	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS W/MAG, NO ICLASS #, NO SLOT, NO PROX #, LAM, Minimum Order 100 (HID Part Number: 5106RG1NNN)	11.48
AC-HID-CARD-SEOS-ICLASS-PROX-5106RG1NNM	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS W/MAG, NO ICLASS #, NO SLOT, MATCHING PROX #, LAM, Minimum Order 100 (HID Part Number: 5106RG1NNM)	11.48
AC-HID-CARD-SEOS-ICLASS-PROX-5106RG1MNN	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS W/MAG, MATCHING ICLASS #, NO SLOT, NO PROX #, LAM, Minimum Order 100 (HID Part Number: 5106RG1MNN)	11.48
AC-HID-CARD-SEOS-ICLASS-PROX-5106RG1MNM	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, NO PROX #, LAM, Minimum Order 100 (HID Part Number: 5106RG1MNM)	11.48
AC-HID-CARD-SEOS-ICLASS-PROX-5106PGGNNN	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG. ICLASS, NON PROGRAM PROX, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, NO PROX #, Minimum Order 100 (HID Part Number: 5106PGGNNN)	10.14
AC-HID-CARD-SEOS-ICLASS-PROX-5106PGGMNN	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG. ICLASS, NON PROGRAM PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS #, NO SLOT, NO PROX #, Minimum Order 100 (HID Part Number: 5106PGGMNN)	10.14

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**



## HID Mobile Readers & Credentials

### HID Seos cards (Non-stock items) (Non-Returnable)

Model No.	Description	MSRP \$
AC-HID-CARD-SEOS-ICLASS-PROX-5106PG1MNN	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG. ICLASS , F - GLOSS, B - GLOSS W/MAG, MATCHING ICLASS #, NO SLOT, NO PROX #, LAM, Minimum Order 100 (HID Part Number: 5106PG1MNN)	11.48
AC-HID-CARD-SEOS-5006VGGNN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8K, SEOS LOADED, ER PROG., F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, Minimum Order 100 (HID Part Number: 5006VGGNN)	4.86
AC-HID-CARD-ICLSEOS-ICLASS-PROX-52060PHNGGMNNN	ISO CARD COMPOSITE ICLASS SEOS 8K, ICLASS 2K, PROX, PROG SEOS, PROG STD ICLASS, NO PROX PROG, F-GLOSS, B-GLOSS, MATCH SEOS, NO ICLASS, NO PROX, NO SLOT, Minimum Order 100 (HID Part Number: 52060PHNGGMNNN)	12.85

*All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.*

## Allegion Readers and Credentials

### Schlage (formerly XceedID) - 125kHz Single Frequency Proximity Technology Readers (Stock Items)

\*Compatible with HID® proximity, GE/Casi ProxLite®, XceedID and Schlage credentials, Wiegand Interface, Standard color is black.

Model No.	Description	MSRP \$
AC-ING-READ-XCEEDID-PROX	Schlage (formerly XceedID) - 125 kHz Proximity - Mini Mullion Reader (Allegion Part Number: PR10)	137.00
AC-ING-READ-XCEEDID-PROX-C	Schlage (formerly XceedID) - 125 kHz Proximity - Mini Mullion Crème Reader (Allegion Part Number: PR10-C)	137.00

### Schlage (formerly aptiQ) - 13.56MHz Single Frequency Smart Technology Readers (Stock Item)

\*Compatible with 13.56MHz Schlage and XceedID MIFARE®, aptiQ MIFARE DESFire™ EV1 technology

\*FIPS 201-1 Compliant, Wiegand interface, Standard color is black.

\*CSN functionality is available for iCLASS®, and configurable for Mifare Classic and Mifare DESFire EV1.

Model No.	Description	MSRP \$
AC-ING-READ-APTIQ-MINI-SM10	Schlage (formerly aptiQ™) 13.56 MHz Smart - Mini Mullion Reader (Allegion Part Number: SM10)	137.00

### Schlage (formerly aptiQ) - Multi-Technology: 125kHz Proximity and 13.56MHz Contactless Smart Card Technology Readers

\*Compatible with XceedID, Schlage, HID® proximity, GE/Casi ProxLite® credentials, aptiQ MIFARE DESFire™ EV1 technology, and with most 13.56 MHz credentials

\*FIPS 201-1 Compliant, Wiegand interface, Standard color is black.

\*CSN functionality is available for iCLASS®, and configurable for MIFARE® Classic and MIFARE DESFire™ EV1.

Model No.	Description	MSRP \$
AC-ING-READ-APTIQ-MULL-MT11	Schlage (formerly aptiQ™) Multi-Technology – Mullion Reader (Allegion Part Number: MT11)	279.00
AC-ING-READ-APTIQ-SNG-MT15	Schlage (formerly aptiQ™) Multi-Technology - Single Gang Reader (Allegion Part Number: MT15)	279.00
AC-ING-READ-APTIQ-KEYPD-MTK15	Schlage (formerly aptiQ™) Multi-Technology Keypad - Single Gang Reader (Allegion Part Number: MTK15)	444.00
AC-ING-READ-APTIQ-ENROLL-MT20	Schlage (formerly aptiQ™) MT20 Multi-technology enrollment reader with ENGAGE technology (Allegion Part Number: MT20)	467.00
AC-ALL-READ-APTIQ-WIEGAND-MTMSK15	Schlage (formerly aptiQ™) Multi-Technology with Magnetic Stripe and Keypad - Single Gang Reader - Wiegand (Allegion Part Number: MTMSK15)	679.00
AC-ALL-READ-APTIQ-OSDP-KEYPD-MTK15-485	Schlage (formerly aptiQ™) Multi-Technology Keypad - Single Gang Reader - OSDP (Allegion Part Number: MTK15-485)	447.00
AC-ALL-READ-APTIQ-OSDP-SNG-MT15-485	Schlage (formerly aptiQ™) Multi-Technology - Single Gang Reader - OSDP (Allegion Part Number: MT15-485)	279.00
AC-ALL-READ-APTIQ-OSDP-MULL-MT11-485	Schlage (formerly aptiQ™) Multi-Technology – Mullion Reader - OSDP (Allegion Part Number: MT11-485)	278.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Allegion Readers and Credentials

### Schlage (formerly aptiQ) - Smart Cards using MIFARE DESFire™ EV1 Technology (Non-Stock Items)

\*13.56 MHz smart technology, MIFARE DESFire EV1 Technology, Meets ISO standard 14443A (Minimum order is 100), \*4-6 weeks lead time

\*MUST Specify Bit No., Facility Code No., and Start/Stop Number

Model No.	Description	MSRP \$
AC-ING-CARD-APTIQ-XF8420	Schlage (formerly aptiQ™) Smart Card 2K byte/16k bit Clamshell (Allegion Part Number: XF8420)	5.68
AC-ING-CARD-APTIQ-XF8440	Schlage (formerly aptiQ™) Smart Card 4K byte/32k bit Clamshell (Allegion Part Number: XF8440)	6.40
AC-ING-CARD-APTIQ-XF8480	Schlage (formerly aptiQ™) Smart Card 8K byte/64k bit Clamshell (Allegion Part Number: XF8480)	7.78
AC-ING-CARD-APTIQ-XF8520	Schlage (formerly aptiQ™) Smart Card 2K byte/16k bit ISO Glossy White (Allegion Part Number: XF8520)	6.69
AC-ING-CARD-APTIQ-XF8540	Schlage (formerly aptiQ™) Smart Card 4K byte/32k bit ISO Glossy White (Allegion Part Number: XF8540)	7.43
AC-ING-CARD-APTIQ-XF8580	Schlage (formerly aptiQ™) Smart Card 8K byte/64k bit ISO Glossy White (Allegion Part Number: XF8580)	8.30
AC-ING-CARD-APTIQ-XF8520M1	Schlage (formerly aptiQ™) Smart Card 2K byte/16k bit with Magnetic Stripe ISO Glossy White (Allegion Part Number: XF8520M1)	6.70
AC-ING-CARD-APTIQ-XF8540M1	Schlage (formerly aptiQ™) Smart Card 4K byte/32k bit with Magnetic Stripe ISO Glossy White (Allegion Part Number: XF8540M1)	7.44
AC-ING-CARD-APTIQ-XF8580M1	Schlage (formerly aptiQ™) Smart Card 8K byte/64k bit with Magnetic Stripe ISO Glossy White (Allegion Part Number: XF8580M1)	8.87
AC-ING-CARD-APTIQ-XF8720	Schlage (formerly Schlage (formerly aptiQ™)™) Smart Card 2K byte/16k bit PVC Patch (Allegion Part Number: XF8720)	5.61
AC-ING-CARD-APTIQ-XF8740	Schlage (formerly Schlage (formerly aptiQ™)™) Smart Card 4K byte/32k bit PVC Patch (Allegion Part Number: XF8740)	6.34
AC-ING-CARD-APTIQ-XF8780	Schlage (formerly Schlage (formerly aptiQ™)™) Smart Card 8K byte/64k bit PVC Patch (Allegion Part Number: XF8780)	7.65

### Schlage (formerly aptiQ) - Dual Technology: Proximity and aptiQ™ Smart Cards (Non-Stock Items)

\*MIFARE DESFire EV1 Technology, (Minimum order is 100), \*4-6 weeks lead time

\*MUST Specify Bit No., Facility Code No., and Start/Stop Number

Model No.	Description	MSRP \$
AC-ING-CARD-APTIQ-XF8920	Proximity and Schlage (formerly aptiQ™) Smart Card Combo 2K byte/16k bit ISO Glossy White (Allegion Part Number: XF8920)	9.02
AC-ING-CARD-APTIQ-XF8940	Proximity and Schlage (formerly aptiQ™) Smart Card Combo 4K byte/32k bit ISO Glossy White (Allegion Part Number: XF8940)	9.82
AC-ING-CARD-APTIQ-XF8980	Proximity and Schlage (formerly aptiQ™) Smart Card Combo 8K byte/64k bit ISO Glossy White (Allegion Part Number: XF8980)	11.36

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Allegion Readers and Credentials

### Schlage (formerly aptiQ) - Contactless Smart Cards using MIFARE® (Non-Stock Items)

\*13.56 MHz smart technology, MIFARE Technology, Meets ISO standard 14443A (Minimum order is 100), \*4-6 weeks lead time

\*MUST Specify Bit No., Facility Code No., and Start/Stop Number

Model No.	Description	MSRP \$
AC-ING-CARD-APTIQ-XF9420	MIFARE Smart Card 2.5k bit Clamshell (Allegion Part Number: XF9420)	3.42
AC-ING-CARD-APTIQ-XF9520	MIFARE Smart Card 2.5 k bit ISO Glossy White (Allegion Part Number: XF9520)	4.70
AC-ING-CARD-APTIQ-XF9520MS	MIFARE Smart Card 2.5 k bit with magnetic stripe ISO Glossy White (Allegion Part Number: XF9520MS)	5.28
AC-ING-CARD-APTIQ-XF9551	MIFARE Contactless Smart Card 1k byte/8k bit ISO Glossy White (Allegion Part Number: XF9551)	5.64
AC-ING-CARD-APTIQ-XF9551MS	MIFARE Contactless ISO Glossy Smart Card 1k byte/8k bit & mag stripe (Allegion Part Number: XF9551MS)	6.19
AC-ING-CARD-APTIQ-XF9558	MIFARE Contactless Smart Card 4k byte/32k bit ISO Glossy White (Allegion Part Number: XF9558)	7.84
AC-ING-CARD-APTIQ-XF9558MS	MIFARE Contactless ISO Glossy Smart Card 4k byte/32k bit and mag stripe (Allegion Part Number: XF9558MS)	8.39
AC-ING-CARD-APTIQ-XF9651	MIFARE Smart 1k bit (minimum order is 50) Keytag (Allegion Part Number: XF9651)	5.90
AC-ING-CARD-APTIQ-XF9751	MIFARE Smart Cards 1k byte/8k bit PVC Patch (Allegion Part Number: XF9751)	5.31
AC-ING-CARD-APTIQ-XF9758	MIFARE Smart Cards 4k byte/32k bit PVC Patch (Allegion Part Number: XF9758)	8.00
AC-ALL-SCH-FOB-5652T	Schlage 13.56 MHz smart credential, thin keyfob, MIFARE Plus SE, 2K byte/16Kbit, minimum order quantity: 50 (Allegion Part Number: 5652T)	6.31
AC-ALL-SCH-FOB-9651	Schlage 13.56 MHz smart credential, keyfob, MIFARE Classic, 1K byte/8Kbit, minimum order quantity: 50 (Allegion Part Number: 9651)	6.40
AC-ALL-SCH-FOB-9651T	Schlage 13.56 MHz smart credential, thin keyfob, MIFARE Classic, 1K byte/8Kbit, minimum order quantity: 50 (Allegion Part Number: 9651T)	6.55

### Dual-Technology Proximity and Contactless Smart Cards (Non-Stock Items)

\*MIFARE Technology, (Minimum order is 100), \*4-6 weeks lead time

\*MUST Specify Bit No., Facility Code No., and Start/Stop Number

Model No.	Description	MSRP \$
AC-ING-CARD-APTIQ-XF9951	Proximity and Contactless Smart Card Combo ISO Glossy White 1k byte/8k bit Card (Allegion Part Number: XF9951)	7.14
AC-ING-CARD-APTIQ-XF9958	Proximity and Contactless Smart Card Combo ISO Glossy White 4k byte/32k bit (Allegion Part Number: XF9958)	8.45

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Allegion Readers and Credentials

### Proximity Credentials (Non-Stock Items)

\*125kHz proximity technology.

\*Compatible with most HID Proximity formats up to 37 bits, and with most HID readers

\*Minimum order is 100

\*MUST Specify Bit No., Facility Code No., and Start/Stop Number

Model No.	Description	MSRP \$
AC-ING-CARD-APTIQ-XF7410	Proximity Card Clamshell (Allegion Part Number: XF7410)	2.54
AC-ING-CARD-APTIQ-XF7510	Proximity Card ISO Glossy White (Allegion Part Number: XF7510)	4.29
AC-ING-CARD-APTIQ-XF7510MS	Proximity and Magnetic Stripe Card ISO Glossy White (Allegion Part Number: XF7510MS)	4.81
AC-ING-FOB-APTIQ-XF7610	Proximity Keyfob, minimum order quantity: 50 (Allegion Part Number: XF7610)	4.43
AC-ING-DISK-APTIQ-XF7010	Proximity Sticky Disk (35 mm Disk), minimum order quantity: 50 (Allegion Part Number: XF7010)	4.10

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

### Allegion Schlage AD400 Wireless locks with Cylindrical chassis

Model No.	Description	MSRP \$
AC-SCH-AD400CY70MTSPA626JDRH4B1324710013134	AD-400 networked wireless (900 MHz) - CY Cylindrical ,Function - 70 Classroom/Storeroom-Interior LED Only ,Reader - Multi-Tech (Proximity and Smart) +,Lever - Sparta ,Finish - 626 - Satin Chrome ,Handing - Right Hand (RH) ,Battery - 4 AA Batteries ,Backset & Latch - 13-247 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4", (Commercial Standard),,,Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/14 x 4-7/8" ,BAA - No - Buy American Act (Allegion Part Number:AD-400-CY-70-MT-SPA-626-JD-RH-4B-13-247-10-025-134)	1,772.00
AC-SCH-AD400CY70MTRHO626BDRH4B130491002513/4	AD-400 900 Mhz Wireless, Cylindrical Chassis, Interior LED Only Function, Multi-Tech Reader (Proximity and Smart), Rhodes Lever, Satin Chrome Finish, SFIC cyl Key System (less cylinder), Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8" Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-CY-70-MT-RHO-626-BD-RH-4B-13-049-10-025-1 3/4)	1,829.00
AC-SCH-AD400CY70MTSPA626BDRH4B130491002513/4	AD-400 900 Mhz Wireless, Cylindrical Chassis, Interior LED Only Function, Multi-Tech Reader (Proximity and Smart), Sparta Lever, Satin Chrome Finish, SFIC cyl Key System (less cylinder), Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8" Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-CY-70-MT-SPA-626-BD-RH-4B-13-049-10-025-1 3/4)	1,829.00
AC-SCH-AD400CY70MTRHO626JDRH4B130491002513/4	AD-400 900 Mhz Wireless, Cylindrical Chassis, Interior LED Only Function, Multi-Tech Reader (Proximity and Smart), Rhodes Lever, Satin Chrome Finish, Schlage FSIC 6 Pin Key System (less cylinder), Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8" Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-CY-70-MT-RHO-626-JD-RH-4B-13-049-10-025-1 3/4)	1,800.00
AC-SCH-AD400CY70MTRHO626JDRH8B	AD-400 networked wireless (900 MHz) - CY Cylindrical, Function - 70 Classroom/Storeroom-Interior LED Only, Reader - Multi-Tech (Proximity and Smart), Lever – Rhodes, 626 - Satin Chrome, Key System – JD, Handing - Right Hand (RH), Battery - 8 AA Batteries, Backset & Latch - 13-049 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4" (Commercial Standard), Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/14 x 4-7/8", Door Thickness - 1-3/4" (Commercial Door Standard) BAA - No - Buy American Act (Allegion Schlage Part Number: AD-400-CY-70-MT-RHO-626-JD-RH-8B-13-049-10-025-134)	1,832.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

### Allegion Schlage AD400 Wireless locks with Cylindrical chassis

Model No.	Description	MSRP \$
AC-SCH-AD400CY70MTSPA626JDRH4B130491002513/4	AD-400 900 Mhz Wireless, Cylindrical Chassis, Interior LED Only Function, Multi-Tech Reader (Proximity and Smart), Sparta Lever, Satin Chrome Finish, Schlage FSIC 6 Pin Key System (less cylinder), Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8" Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-CY-70-MT-SPA-626-JD-RH-4B-13-049-10-025-13/4)	1,800.00
AC-SCH-AD400CY70MTRHO626JDLH8B	AD-400 networked wireless (900 MHz) - CY Cylindrical, Function - 70 Classroom/Storeroom-Interior LED Only, Reader - Multi-Tech (Proximity and Smart), Lever - Rhodes, 626 - Satin Chrome, Key System - JD, Handing - Left Hand (LH), Battery - 8 AA Batteries, Backset & Latch - 13-049 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4" (Commercial Standard), Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/14 x 4-7/8", Door Thickness - 1-3/4" (Commercial Door Standard), BAA - No - Buy American Act (Allegion Schlage Part Number: AD-400-CY-70-MT-RHO-626-JD-LH-8B-13-049-10-025-134)	1,832.00
AC-SCH-AD400CY70MTRHO626PDS123RH4B130491002513/4	AD-400 900 Mhz Wireless, Cylindrical Chassis, Interior LED Only Function, Multi-Tech Reader (Proximity and Smart), Rhodes Lever, Satin Chrome Finish, Schlage Standard with Cylinder Key System, Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8" Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-CY-70-MT-RHO-626-PD-S123-RH-4B-13-049-10-025-13/4)	1,829.00
AC-SCH-AD400CY70MTRHO626JDLHR8B	AD-400 networked wireless (900 MHz) - CY Cylindrical, Function - 70 Classroom/Storeroom-Interior LED Only, Reader - Multi-Tech (Proximity and Smart), Lever - Rhodes, 626 - Satin Chrome, Key System - JD, Handing - Left Hand Reverse (LHR), Battery - 8 AA Batteries, Backset & Latch - 13-049 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4" (Commercial Standard), Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/14 x 4-7/8" Door Thickness - 1-3/4" (Commercial Door Standard), BAA - No - Buy American Act. (Allegion Schlage Part Number: AD-400-CY-70-MT-RHO-626-JD-LHR-8B-13-049-10-025-134)	1,832.00
AC-SCH-AD400CY70MTATH626PDS123RH4B130491002513/4	AD-400 900 Mhz Wireless, Cylindrical Chassis, Interior LED Only Function, Multi-Tech Reader (Proximity and Smart), Athens Lever, Satin Chrome Finish, Schlage Standard with Cylinder Key System, Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8" Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-CY-70-MT-ATH-626-PD-S123-RH-4B-13-049-10-025-13/4)	1,829.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

### Allegion Schlage AD400 Wireless locks with Cylindrical chassis

Model No.	Description	MSRP \$
AC-SCH-AD400CY70MTSPA626PDS123RH4B130491002513/4	AD-400 900 Mhz Wireless, Cylindrical Chassis, Interior LED Only Function, Multi-Tech Reader (Proximity and Smart), Sparta Lever, Satin Chrome Finish, Schlage Standard with Cylinder Key System, Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8" Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-CY-70-MT-SPA-626-PD-S123-RH-4B-13-049-10-025-1 3/4)	1,829.00
AC-SCH-AD400CY70MTKRHO626BDRH4B130491002513/4	AD-400 900 Mhz Wireless, Cylindrical Chassis, Interior LED Only Function, Multi-Tech Reader (Proximity and Smart) + Keypad, Rhodes Lever, Satin Chrome Finish, SFIC cyl Key System (less cylinder), Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8" Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-CY-70-MTK-RHO-626-BD-RH-4B-13-049-10-025-1 3/4)	1,882.00
AC-SCH-AD400CY70MTKSPA626BDRH4B130491002513/4	AD-400 900 Mhz Wireless, Cylindrical Chassis, Interior LED Only Function, Multi-Tech Reader (Proximity and Smart) + Keypad, Sparta Lever, Satin Chrome Finish, SFIC cyl Key System (less cylinder), Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8" Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-CY-70-MTK-SPA-626-BD-RH-4B-13-049-10-025-1 3/4)	1,882.00
AC-SCH-AD400CY70MTKRHO626JDRH4B130491002513/4	AD-400 900 Mhz Wireless, Cylindrical Chassis, Interior LED Only Function, Multi-Tech Reader (Proximity and Smart) + Keypad, Rhodes Lever, Satin Chrome Finish, Schlage FSIC 6 Pin Key System (less cylinder), Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8" Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-CY-70-MTK-RHO-626-JD-RH-4B-13-049-10-025-1 3/4)	1,853.00
AC-SCH-AD400CY70MTKSPA626JDRH4B130491002513/4	AD-400 900 Mhz Wireless, Cylindrical Chassis, Interior LED Only Function, Multi-Tech Reader (Proximity and Smart) + Keypad, Sparta Lever, Satin Chrome Finish, Schlage FSIC 6 Pin Key System (less cylinder), Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8" Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-CY-70-MTK-SPA-626-JD-RH-4B-13-049-10-025-1 3/4)	1,853.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.



## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

### Allegion Schlage AD400 Wireless locks with Cylindrical chassis

Model No.	Description	MSRP \$
AC-SCH-AD400CY70MTKRHO626PDS123RH4B130491002513/4	AD-400 900 Mhz Wireless, Cylindrical Chassis, Interior LED Only Function, Multi-Tech Reader (Proximity and Smart) + Keypad, Rhodes Lever, Satin Chrome Finish, Schlage Standard with cylinder Key System, Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8" Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-CY-70-MTK-RHO-626-PD-S123-RH-4B-13-049-10-025-1 3/4)	1,882.00
AC-SCH-AD400CY70MTKSPA626PDS123RH4B130491002513/4	AD-400 900 Mhz Wireless, Cylindrical Chassis, Interior LED Only Function, Multi-Tech Reader (Proximity and Smart) + Keypad, Sparta Lever, Satin Chrome Finish, Schlage Standard with cylinder Key System, Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8" Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-CY-70-MTK-SPA-626-PD-S123-RH-4B-13-049-10-025-1 3/4)	1,882.00
AC-SCH-AD400CY70MSRHO626BDRH4B130491002513/4	AD-400 900 Mhz Wireless, Cylindrical Chassis, Interior LED Only Function, MagStripe (Swipe) Reader, Rhodes Lever, Satin Chrome Finish, SFIC cyl Key System (less cylinder), Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8" Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-CY-70-MS-RHO-626-BD-RH-4B-13-049-10-025-1 3/4)	1,749.00
AC-SCH-AD400CY70MTRHO606BDRH8B	AD-400 networked wireless (900 MHz) - CY Cylindrical, Function - 70 Classroom/Storeroom-Interior LED Only, Reader - Multi-Tech (Proximity and Smart), Lever - Rhodes 606 - Satin Brass, Key System - BD, Handing - Right Hand (RH), Battery - 8 AA Batteries, Backset & Latch - 13-049 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4" (Commercial Standard), Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/14 x 4-7/8", Door Thickness - 1-3/4" (Commercial Door Standard), BAA - No - Buy American Act (Allegion Schlage Part Number: AD-400-CY-70-MT-RHO-606-BD-RH-8B-13-049-10-025-134)	1,972.00
AC-SCH-AD400CY70MSSPA626BDRH4B130491002513/4	AD-400 900 Mhz Wireless, Cylindrical Chassis, Interior LED Only Function, MagStripe (Swipe) Reader, Sparta Lever, Satin Chrome Finish, SFIC cyl Key System (less cylinder), Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8" Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-CY-70-MS-SPA-626-BD-RH-4B-13-049-10-025-1 3/4)	1,749.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

### Allegion Schlage AD400 Wireless locks with Cylindrical chassis

Model No.	Description	MSRP \$
AC-SCH-AD400CY70MSRHO626JDRH4B130491002513/4	AD-400 900 Mhz Wireless, Cylindrical Chassis, Interior LED Only Function, MagStripe (Swipe) Reader, Rhodes Lever, Satin Chrome Finish, Schlage FSIC 6 pin Key System (less cylinder), Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8" Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-CY-70-MS-RHO-626-JD-RH-4B-13-049-10-025-1 3/4)	1,720.00
AC-SCH-AD400CY70MTRHO626BDRH8B	AD-400 networked wireless (900 MHz) - CY Cylindrical, Function - 70 Classroom/Storeroom-Interior LED Only, Reader - Multi-Tech (Proximity and Smart) + Keypad, Lever - Rhodes, 626 - Satin Chrome, Key System - BD, Handing - Right Hand (RH), Battery - 8 AA Batteries, Backset & Latch - 13-049 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4" (Commercial Standard), Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/14 x 4-7/8", Door Thickness - 1-3/4" (Commercial Door Standard), BAA - No - Buy American Act, (Allegion Schlage Part Number: AD-400-CY-70-MTK-RHO-626-BD-RH-8B-13-049-10-025-134)	1,913.00
AC-SCH-AD400CY70MSSPA626JDRH4B130491002513/4	AD-400 900 Mhz Wireless, Cylindrical Chassis, Interior LED Only Function, MagStripe (Swipe) Reader, Sparta Lever, Satin Chrome Finish, Schlage FSIC 6 pin Key System (less cylinder), Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8" Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-CY-70-MS-SPA-626-JD-RH-4B-13-049-10-025-1 3/4)	1,720.00
AC-SCH-AD400CY70MTRHO626BDRH8B	AD-400 networked wireless (900 MHz) - CY Cylindrical, Function - 70 Classroom/Storeroom-Interior LED Only, Reader - Multi-Tech (Proximity and Smart), Lever - Rhodes 626 - Satin Chrome, Key System - BD, Handing - Right Hand (RH), Battery - 8 AA Batteries, Backset & Latch - 13-049 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4" (Commercial Standard), Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/14 x 4-7/8", Door Thickness - 1-3/4" (Commercial Door Standard) BAA - No - Buy American Act (Allegion Schlage Part Number: AD-400-CY-70-MT-RHO-626-BD-RH-8B-13-049-10-025-134)	1,860.00
AC-SCH-AD400CY70MSRHO626PDS123RH4B130491002513/4	AD-400 900 Mhz Wireless, Cylindrical Chassis, Interior LED Only Function, MagStripe (Swipe) Reader, Rhodes Lever, Satin Chrome Finish, Schlage Standard with cylinder Key System, Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8" Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-CY-70-MS-RHO-626-PD-S123-RH-4B-13-049-10-025-1 3/4)	1,749.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

### Allegion Schlage AD400 Wireless locks with Cylindrical chassis

Model No.	Description	MSRP \$
AC-SCH-AD400CY70MTSPA606BDRH8B	AD-400 networked wireless (900 MHz) - CY Cylindrical, Function - 70 Classroom/Storeroom-Interior LED Only, Reader - Multi-Tech (Proximity and Smart), Lever - Sparta, 606 - Satin Brass, Key System - BD, Handing - Right Hand (RH), Battery - 8 AA Batteries, Backset & Latch - 13-049 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4" (Commercial Standard), Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/14 x 4-7/8", Door Thickness - 1-3/4" (Commercial Door Standard), BAA - No - Buy American Act, (Allegion Schlage Part Number: AD-400-CY-70-MT-SPA-606-BD-RH-8B-13-049-10-025-134)	1,973.00
AC-SCH-AD400CY70MSSPA626PDS123RH4B130491002513/4	AD-400 900 Mhz Wireless, Cylindrical Chassis, Interior LED Only Function, MagStripe (Swipe) Reader, Sparta Lever, Satin Chrome Finish, Schlage Standard with cylinder Key System, Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8" Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-CY-70-MS-SPA-626-PD-S123-RH-4B-13-049-10-025-1 3/4)	1,749.00
AC-SCH-AD400CY70MSKRHO626BDRH4B130491002513/4	AD-400 900 Mhz Wireless, Cylindrical Chassis, Interior LED Only Function, MagStripe (Swipe) Reader + Keypad, Rhodes Lever, Satin Chrome Finish, SFIC cyl Key System (less cylinder), Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8" Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-CY-70-MSK-RHO-626-BD-RH-4B-13-049-10-025-1 3/4)	1,803.00
AC-SCH-AD400CY70MSKSPA626BDRH4B130491002513/4	AD-400 900 Mhz Wireless, Cylindrical Chassis, Interior LED Only Function, MagStripe (Swipe) Reader + Keypad, Sparta Lever, Satin Chrome Finish, SFIC cyl Key System (less cylinder), Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8" Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-CY-70-MSK-SPA-626-BD-RH-4B-13-049-10-025-1 3/4)	1,803.00
AC-SCH-AD400CY70MSKRHO626JDRH4B130491002513/4	AD-400 900 Mhz Wireless, Cylindrical Chassis, Interior LED Only Function, MagStripe (Swipe) Reader + Keypad, Rhodes Lever, Satin Chrome Finish, Schlage FSIC 6 Pin Key System (less cylinder), Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8" Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-CY-70-MSK-RHO-626-JD-RH-4B-13-049-10-025-1 3/4)	1,774.00
AC-SCH-AD400CY70MSKSPA626JDRH4B130491002513/4	AD-400 900 Mhz Wireless, Cylindrical Chassis, Interior LED Only Function, MagStripe (Swipe) Reader + Keypad, Sparta Lever, Satin Chrome Finish, Schlage FSIC 6 Pin Key System (less cylinder), Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8" Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-CY-70-MSK-SPA-626-JD-RH-4B-13-049-10-025-1 3/4)	1,774.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

### Allegion Schlage AD400 Wireless locks with Cylindrical chassis

Model No.	Description	MSRP \$
AC-SCH-AD400CY70MSKRHO626PDS123RH4B130491002513/4	AD-400 900 Mhz Wireless, Cylindrical Chassis, Interior LED Only Function, MagStripe (Swipe) Reader + Keypad, Rhodes Lever, Satin Chrome Finish, Schlage Standard with cylinder Key System, Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8" Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-CY-70-MSK-RHO-626-PD-S123-RH-4B-13-049-10-025-1 3/4)	1,803.00
AC-SCH-AD400CY70MSKSPA626PDS123RH4B130491002513/4	AD-400 900 Mhz Wireless, Cylindrical Chassis, Interior LED Only Function, MagStripe (Swipe) Reader + Keypad, Sparta Lever, Satin Chrome Finish, Schlage Standard with cylinder Key System, Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8" Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-CY-70-MSK-SPA-626-PD-S123-RH-4B-13-049-10-025-1 3/4)	1,803.00
AC-SCH-AD400CY40MTRHO626BDRH4B130491002513/4	AD-400 900 Mhz Wireless, Cylindrical Chassis, Privacy Interior Push Button with LED, Multi-Tech Reader (Proximity and Smart), Rhodes Lever, Satin Chrome Finish, BED - Less SFIC Cylinder set for BEST SFIC 6 or 7 pins, Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8" Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-CY-40-MT-RHO-626-BD-RH-4B-13-049-10-025-1 3/4)	1,838.00
AC-SCH-AD400CY40MTRHO626BDLH4B130491002513/4	AD-400 900 Mhz Wireless, Cylindrical Chassis, Privacy Interior Push Button with LED, Multi-Tech Reader (Proximity and Smart), Rhodes Lever, Satin Chrome Finish, BED - Less SFIC Cylinder set for BEST SFIC 6 or 7 pins, Left Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8" Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-CY-40-MT-RHO-626-BD-LH-4B-13-049-10-025-1 3/4)	1,838.00
AC-SCH-AD400CY40MTRHO626BDRHR4B130491002513/4	AD-400 900 Mhz Wireless, Cylindrical Chassis, Privacy Interior Push Button with LED, Multi-Tech Reader (Proximity and Smart), Rhodes Lever, Satin Chrome Finish, BED - Less SFIC Cylinder set for BEST SFIC 6 or 7 pins, Right Hand Reverse Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8" Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-CY-40-MT-RHO-626-BD-RHR-4B-13-049-10-025-1 3/4)	1,838.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

### Allegion Schlage AD400 Wireless locks with Cylindrical chassis

Model No.	Description	MSRP \$
AC-SCH-AD400CY40MTRHO626BDLHR4B130491002513/4	AD-400 900 Mhz Wireless, Cylindrical Chassis, Privacy Interior Push Button with LED, Multi-Tech Reader (Proximity and Smart), Rhodes Lever, Satin Chrome Finish, BED - Less SFIC Cylinder set for BEST SFIC 6 or 7 pins, Left Hand Reverse Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8" Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-CY-40-MT-RHO-626-BD-LHR-4B-13-049-10-025-1 3/4)	1,838.00
AC-SCH-AD400CY70MTRHO626PDS123RHR4B	AD-400 networked wireless (900 MHz) - CY Cylindrical, Function - 70 Classroom/Storeroom-Interior LED Only, Reader - Multi-Tech (Proximity and Smart), Lever - Rhodes, 626 - Satin Chrome, Key System - PD, Keying Type - Everest 29 S, Keyway - S123, Handing - Right Hand Reverse (RHR), Battery - 4 AA Batteries, Backset & Latch - 13-049 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4" (Commercial Standard), Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/14 x 4-7/8", Door Thickness - 1-3/4" (Commercial Door Standard), BAA - No - Buy American Act, (Allegion Schlage Part Number: AD-400-CY-70-MT-RHO-626-PD-S123-RHR-4B-13-049-10-025-134)	1,829.00
AC-SCH-AD400CY70MTKSPA605PDEV29SRH4B130491002513/4	AD-400 900 Mhz Wireless, Cylindrical Chassis, Interior LED Only Function, Multi-Tech Reader (Proximity and Smart) + Keypad, Sparta, Bright Brass, Schlage Standard Cylinder Open Everest 29 S Key System, Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8" Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-CY-70-MTK-SPA-605-PD-EV29S-RH-4B-13-049-10-025-1 3/4)	1,994.00
AC-SCH-AD400CY70MTSPA626LDRH4B	AD-400 networked wireless (900 MHz) - CY Cylindrical, Function - 70 Classroom/Storeroom-Interior LED Only, Reader - Multi-Tech (Proximity and Smart), Lever - Sparta, 626 - Satin Chrome, Key System - LD, Handing - Right Hand (RH), Battery - 4 AA Batteries, Backset & Latch - 13-049 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4" (Commercial Standard), Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/14 x 4-7/8", Door Thickness - 1-3/4" (Commercial Door Standard), BAA - No - Buy American Act, (Allegion Schlage Part Number: AD-400-CY-70-MT-SPA-626-LD-RH-4B-13-049-10-025-134)	1,777.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

### Allegion Schlage AD400 Wireless locks with Cylindrical chassis

Model No.	Description	MSRP \$
AC-SCH-AD400CY60MTSPA626PDEV29SS123RH4B13049100251	900 Mhz Wireless, Cylindrical Chassis, Interior Push Button, Multi-Tech Reader (Proximity and Smart), Sparta, Satin Chrome, Schlage Standard Cylinder Open Everest 29 S Key System, Keyway - S123, Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8" Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-CY-60-MT-SPA-626-PD-EV29S-S123-RH-4B-13-049-10-025-1 3/4)	1,838.00
AC-SCH-AD400CY70MTKSPA626BDLH4B	AD-400 networked wireless (900 MHz) - CY Cylindrical, Function - 70 Classroom/Storeroom-Interior LED Only, Reader - Multi-Tech (Proximity and Smart) + Keypad, Lever - Sparta, 626 - Satin Chrome, Key System - BD, Handing - Left Hand (LH), Battery - 4 AA Batteries, Backset & Latch - 13-049 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4" (Commercial Standard), Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/14 x 4-7/8", Door Thickness - 1-3/4" (Commercial Door Standard), BAA - No - Buy American Act, (Allegion Schlage Part Number: AD-300-CY-70-MTK-RHO-626-PD-S123-RH-13-049-10-025-134)	1,882.00
AC-SCH-AD400CY50MTSPA626BDRH4B130491002513/4	Allegion Schlage AD-400 900 Mhz Wireless, Cylindrical Chassis, Interior Push Button, Multi-Tech Reader (Proximity and Smart), Sparta, Satin Chrome, Key System - BD - Less SFIC cylinder - Schlage, Falcon, Best and other competitive OEM's, Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8" Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-CY-50-MT-SPA-626-BD-RH-4B-13-049-10-025-1 3/4)	1,838.00
AC-SCH-AD400CY70MTKSPA626BDRHR4B	AD-400 networked wireless (900 MHz) - CY Cylindrical, Function - 70 Classroom/Storeroom-Interior LED Only, Reader - Multi-Tech (Proximity and Smart) + Keypad, Lever - Sparta, 626 - Satin Chrome, Key System - BD, Handing - Right Hand Reverse (RHR), Battery - 4 AA Batteries, Backset & Latch - 13-049 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4" (Commercial Standard), Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/14 x 4-7/8", Door Thickness - 1-3/4" (Commercial Door Standard), BAA - No - Buy American Act, (Allegion Schlage Part Number: AD-400-CY-70-MTK-SPA-626-BD-RHR-4B-13-049-10-025-134)	1,882.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

### Allegion Schlage AD400 Wireless locks with Cylindrical chassis

Model No.	Description	MSRP \$
AC-SCH-AD400CY70MTRHO626AMPDS123RH4B13/4	AD-400 900 Mhz Wireless, Cylindrical Chassis, 70 Classroom/Storeroom-Interior LED function, Multi-Tech Reader (Proximity and Smart), Rhodes Lever, Satin Chrome with antimicrobial coating finish, PD key system with Everest 29 S keying type and S123 keyway, Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8" Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-CY-70-MT-RHO-626AM-PD-S123-RH-4B-13-049-10-025-13/4)	1,976.00
AC-SCH-AD400CY70MTRHO643EJDRH4B	AD-400 900 Mhz Wireless, Cylindrical Chassis, Function - 70 Classroom/Storeroom-Interior LED Only, Multi-Tech (Proximity and Smart) Reader, Rhodes Lever, Aged Bronze Finish, JD Key System, Right Hand Handing, 4 AA Batteries, Backset & Latch - 13-049 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4" (Commercial Standard), Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/14 x 4-7/8" , Door Thickness - 1-3/4" (Commercial Door Standard) (Allegion Schlage Part Number: AD-400-CY-70-MT-RHO-643e-JD-RH-4B-13-049-10-025-134)	1,914.00
AC-SCH-AD400CY70MTRHO626LDSARLHR4B1304910025134	AD-400 networked wireless (900 MHz) - CY Cylindrical Function - 70 Classroom/Storeroom-Interior LED Only Reader - Multi-Tech (Proximity and Smart) Lever - Rhodes 626 - Satin Chrome Key System - LD SAR - Sargent 10L, 11L Handing - Left Hand Reverse (LHR) Battery - 4 AA Batteries Backset & Latch - 13-049 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4" (Commercial Standard) Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/14 x 4-7/8" Door Thickness - 1-3/4" (Commercial Door Standard) BAA - No - Buy American Act (Allegion Schlage Part Number: AD-400-CY-70-MT-RHO-626-LDSAR-LHR-4B-13-049-10-025-134)	1,777.00
AC-SCH-AD400CY40MTRHO626LDSARLHR4B1304910025134	AD-400 networked wireless (900 MHz) - CY Cylindrical Function - 40 Privacy-IPB (interior push button) with LED Reader - Multi-Tech (Proximity and Smart) Lever - Rhodes 626 - Satin Chrome Key System - LD SAR - Sargent 10L, 11L Handing - Left Hand Reverse (LHR) Battery - 4 AA Batteries Backset & Latch - 13-049 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4" (Commercial Standard) Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/14 x 4-7/8" Door Thickness - 1-3/4" (Commercial Door Standard) BAA - No - Buy American Act (Allegion Schlage Part Number: AD-400-CY-40-MT-RHO-626-LDSAR-LHR-4B-13-049-10-025-134)	1,786.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

### Allegion Schlage AD400 Wireless locks with Cylindrical chassis

Model No.	Description	MSRP \$
AC-SCH-AD400CY70MTRHO626LDSARRH4B1304910025134	AD-400 networked wireless (900 MHz) - CY Cylindrical Function - 70 Classroom/Storeroom-Interior LED Only Reader - Multi-Tech (Proximity and Smart) Lever - Rhodes 626 - Satin Chrome Key System - LD SAR - Sargent 10L, 11L Handing - Right Hand (RH) Battery - 4 AA Batteries Backset & Latch - 13-049 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4" (Commercial Standard) Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/14 x 4-7/8" Door Thickness - 1-3/4" (Commercial Door Standard) BAA - No - Buy American Act (Allegion Schlage Part Number: AD-400-CY-70-MT-RHO-626-LDSAR-RH-4B-13-049-10-025-134)	1,777.00
AC-SCH-AD400CY70MTATH626LDSARRH4B1304910025158	AD-400 networked wireless (900 MHz) - CY Cylindrical Function - 70 Classroom/Storeroom-Interior LED Only Reader - Multi-Tech (Proximity and Smart) Does NOT read HID iClass Secure SectorLever - Athens 626 - Satin Chrome Key System - LD SAR - Sargent 10L, 11L Handing - Right Hand (RH) Battery - 4 AA Batteries Backset & Latch - 13-049 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4" (Commercial Standard) Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/14 x 4-7/8" Door Thickness - 1-5/8" BAA - No - Buy American Act (Allegion Schlage Part Number: AD-400-CY-70-MT-ATH-626-LDSAR-RH-4B-13-049-10-025-158)	1,777.00
AC-SCH-AD400CY70MTATH643ELDSARRH4B1304910025200	AD-400 networked wireless (900 MHz) - CY Cylindrical Function - 70 Classroom/Storeroom-Interior LED Only Reader - Multi-Tech (Proximity and Smart) Does NOT read HID iClass Secure SectorLever - Athens 643e - Aged Bronze Key System - LD SAR - Sargent 10L, 11L Handing - Right Hand (RH) Battery - 4 AA Batteries Backset & Latch - 13-049 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4" (Commercial Standard) Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/14 x 4-7/8" Door Thickness - 2" BAA - No - Buy American Act (Allegion Schlage Part Number: AD-400-CY-70-MT-ATH-643e-LDSAR-RH-4B-13-049-10-025-200)	1,937.00
AC-SCH-AD400CY70MTATH643ELDSARRH4B1304910025134	AD-400 networked wireless (900 MHz) - CY Cylindrical Function - 70 Classroom/Storeroom-Interior LED Only Reader - Multi-Tech (Proximity and Smart) Does NOT read HID iClass Secure SectorLever - Athens 626 - Satin Chrome Key System - LD SAR - Sargent 10L, 11L Handing - Right Hand (RH) Battery - 4 AA Batteries Backset & Latch - 13-049 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4" (Commercial Standard) Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/14 x 4-7/8" Door Thickness - 1-3/4" (Commercial Door Standard) BAA - No - Buy American Act (Allegion Schlage Part Number: AD-400-CY-70-MT-ATH-626-LDSAR-RH-4B-13-049-10-025-134)	1,891.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.



## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

### Allegion Schlage AD400 Wireless locks with Cylindrical chassis

Model No.	Description	MSRP \$
AC-SCH-AD400CY70MTRHO626LDRH4B1304910025134	AD-400 networked wireless (900 MHz) - CY Cylindrical Function - 70 Classroom/Storeroom-Interior LED Only Reader - Multi-Tech (Proximity and Smart) Lever - Rhodes 626 - Satin Chrome Key System - LD Handing - Right Hand (RH) Battery - 4 AA Batteries Backset & Latch - 13-049 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4" (Commercial Standard) Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/14 x 4-7/8" Door Thickness - 1-3/4" (Commercial Door Standard) BAA - No - Buy American Act (Allegion Schlage Part Number: AD-400-CY-70-MT-RHO-626-LD-RH-4B-13-049-10-025-134)	1,777.00
AC-SCH-AD400CY70MTRHO626JDCO6LH4B	AD-400 networked wireless (900 MHz) - CY Cylindrical Function - 70 Classroom/Storeroom-Interior LED Only Reader - Multi-Tech (Proximity and Smart) Lever - Rhodes 626 - Satin Chrome Key System - JD CO6 - Corbin Russwin 8000 Handing - Left Hand (LH) Battery - 4 AA Batteries Backset & Latch - 13-049 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4" (Commercial Standard) Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/14 x 4-7/8" Door Thickness - 1-3/4" (Commercial Door Standard) BAA - No - Buy American Act (Allegion Schlage Part Number: AD-400-CY-70-MT-RHO-626-JDCO6-LH-4B-13-049-10-025-134)	1,800.00
AC-SCH-AD400CY70MTKRHO612BDRH4B1324710025134	AD-400 networked wireless (900 MHz) - CY Cylindrical Function - 70 Classroom/Storeroom-Interior LED Only Reader - Multi-Tech (Proximity and Smart) + Keypad Lever - Rhodes 612 - Satin Bronze Key System - BD - less SFIC cylinder; all manufacturers Handing - Right Hand (RH) Battery - 4 AA Batteries Backset & Latch - 13-247 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4" (Commercial Standard) Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/14 x 4-7/8" Door Thickness - 1-3/4" (Commercial Door Standard) BAA - No - Buy American Act (Allegion Part Number: AD-400-CY-70-MTK-RHO-612-BD-RH-4B-13-247-10-025-134)	1,994.00
AC-SCH-AD400CY70SIKSPA626BDRH4B1304910025134	AD-400 900 Mhz Wireless, CY Cylindrical Function - 70 Classroom/Storeroom-Interior LED Only Reader - SiK Smart iClass Reader, Lever - Sparta, 626 AM - Satin Chrome Finish, Key System - BD - less SFIC cylinder, Right Hand Handing, 4 AA Batteries Backset & Latch - 13-049 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4" (Commercial Standard) Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/14 x 4-7/8" Door Thickness - 1-3/4" (Commercial Door Standard) BAA - No - Buy American Act (Allegion Part Number: AD-400-CY-70-SIK-SPA-626-BD-RH-4B-13-049-10-025-134)	2,000.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

## Allegion Schlage AD400 Wireless locks with Cylindrical chassis

Model No.	Description	MSRP \$
AC-SCH-AD400CY70MTRHO626PDS123LH4B1324710025134	AD-400 networked wireless (900 MHz) - CY Cylindrical OptionsFunction - 70 Classroom/Storeroom-Interior LED Only Reader - Multi-Tech (Proximity and Smart) Does NOT read HID iClass Secure SectorLever - Rhodes 626 - Satin Chrome Key System - PD Keying Type - Everest 29 S Keyway - S123 Handing - Left Hand (LH) Battery - 4 AA Batteries Backset & Latch - 13-247 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4" (Commercial Standard) Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/14 x 4-7/8" Door Thickness - 1-3/4" (Commercial Door Standard) BAA - No - Buy American Act (Allegion Part) Number:AD-400-CY-70-MT-RHO-626-PD-S123-LH-4B-13-247-10-025-134)	1,829.00
AC-SCH-AD400CY70MTRHO626PDS123RH4B1324710025134	AD-400 networked wireless (900 MHz) - CY Cylindrical OptionsFunction - 70 Classroom/Storeroom-Interior LED Only Reader - Multi-Tech (Proximity and Smart) Does NOT read HID iClass Secure SectorLever - Rhodes 626 - Satin Chrome Key System - PD Keying Type - Everest 29 S Keyway - S123 Handing - Right Hand (RH) Battery - 4 AA Batteries Backset & Latch - 13-247 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4" (Commercial Standard) Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/14 x 4-7/8" Door Thickness - 1-3/4" (Commercial Door Standard) BAA - No - Buy American Act (Allegion Part) Number:AD-400-CY-70-MT-RHO-626-PD-S123-RH-4B-13-247-10-025-134)	1,829.00
AC-SCH-AD400CY70MTRHO626PDS123RHR4B1324710025134	AD-400 networked wireless (900 MHz) - CY Cylindrical OptionsFunction - 70 Classroom/Storeroom-Interior LED Only Reader - Multi-Tech (Proximity and Smart) Lever - Rhodes 626 - Satin Chrome Key System - PD - Schlage conventional KIL cylinder Keying Type - Everest 29 S Keyway - 123 Handing - Right Hand Reverse (RHR) Battery - 4 AA Batteries Backset & Latch - 13-247 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4" (Commercial Standard) Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/14 x 4-7/8" Door Thickness - 1-3/4" (Commercial Door Standard) BAA - No - Buy American Act (Allegion Part) Number:AD-400-CY-70-MT-RHO-626-PD-S-123-RHR-4B-13-247-10-025-134)	1,829.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

### Allegion Schlage AD400 Wireless locks with Cylindrical chassis

Model No.	Description	MSRP \$
AC-SCH-AD-400-CY-50MTRHO626RDS123RH4B1324710025134	AD-400 networked wireless (900 MHz) - CY Cylindrical OptionsFunction - 50 Office-IPB (interior push button) with LED Reader - Multi-Tech (Proximity and Smart) Lever - Rhodes 626 - Satin Chrome Key System - RD - Schlage FSIC cylinder Keying Type - Everest 29 S Keyway - 123 Handing - Right Hand (RH) Battery - 4 AA Batteries Backset & Latch - 13-247 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4" (Commercial Standard) Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/14 x 4-7/8" Door Thickness - 1-3/4" (Commercial Door Standard) BAA - No - Buy American Act (Allegion Part Number: AD-400-CY-50-MT-RHO-626-RD-S-123-RH-4B-13-247-10-025-134)	1,868.00
AC-SCH-AD400CY70MTSPA626JDRH4B1324710025134	AD-400 networked wireless (900 MHz), CY Cylindrical, 70 Classroom/Storeroom-Interior LED only, Multi-Tech (Proximity and Smart), Sparta Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Right Hand (RH), 4 AA Batteries, 13-247 - 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 10-025 with 1-3/16" Standard Lip; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-CY-70-MT-SPA-626-JD-RH-4B-13-247-10-025-134)	1,800.00
AC-SCH-AD400CY70MTSPA626JDLH4B1324710025134	AD-400 networked wireless (900 MHz), CY Cylindrical, 70 Classroom/Storeroom-Interior LED only, Multi-Tech (Proximity and Smart), Sparta Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Left Hand (LH), 4 AA Batteries, 13-247 - 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 10-025 with 1-3/16" Standard Lip; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-CY-70-MT-SPA-626-JD-LH-4B-13-247-10-025-134)	1,800.00
AC-SCH-AD400CY70MTSPA643EJDRHR4B1324710025134	AD-400 networked wireless (900 MHz), CY Cylindrical, 70 Classroom/Storeroom-Interior LED only, Multi-Tech (Proximity and Smart), Sparta Lever, Aged Bronze finish, Cylinder Type: JD less Schlage 6-pin, Right Hand Reverse (RHR), 4 AA Batteries, 13-247 - 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 10-025 with 1-3/16" Standard Lip; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-CY-70-MT-SPA-643e-JD-RHR-4B-13-247-10-025-134)	1,914.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

### Allegion Schlage AD400 Wireless locks with Cylindrical chassis

Model No.	Description	MSRP \$
AC-SCH-AD400CY40MTRHO626LDRH4B1324710025134	AD-400 networked wireless (900 MHz) - CY CylindricalFunction - 40 Privacy-IPB (interior push button) with LEDReader - Multi-Tech (Proximity and Smart)Lever - Rhodes626 - Satin ChromeKey System - LD - less Schlage/Falcon 6-pin, conventional KIL cylinderHanding - Right Hand (RH)Battery - 4 AA BatteriesBackset & Latch - 13-247 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4" (Commercial Standard)Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/14 x 4-7/8"Door Thickness - 1-3/4" (Commercial Door Standard)BAA - No - Buy American Act(Allegion Schlage Part Number AD-400-CY-40-MT-RHO-626-LD-RH-4B-13-247-10-025-134)	1,786.00
AC-SCH-AD400CY70MTSPA643EJDRH4B1324710025134	AD-400 networked wireless (900 MHz), CY Cylindrical, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Sparta Lever, Aged Bronze finish, Cylinder Type: JD less Schlage 6-pin, Right Hand (RH), 4 AA Batteries, 13-247 - 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 10-025 with 1-3/16" Standard Lip; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-CY-70-MT-SPA-643e-JD-RH-4B-13-247-10-025-134)	1,914.00
AC-SCH-AD400CY70MTSPA643EJDLH4B1324710025134	AD-400 networked wireless (900 MHz), CY Cylindrical, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Sparta Lever, Aged Bronze finish, Cylinder Type: JD less Schlage 6-pin, Left Hand (LH), 4 AA Batteries, 13-247 - 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 10-025 with 1-3/16" Standard Lip; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-CY-70-MT-SPA-643e-JD-LH-4B-13-247-10-025-134)	1,914.00
AC-SCH-AD400CY70MTRHO626PDS123LH4B1324743001100251	AD-400 networked wireless (900 MHz), Cylindrical chassis, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Rhodes Lever, Satin Chrome finish, Cylinder Type: PD conventional KIL cylinder, Everest 29 S - 123, Left Hand (LH), 4 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 5" extension link for deadlatch, 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-CY-70-MT-RHO-626-PD-S-123-LH-4B-13-247-43-001-10-025-134)	1,856.00
AC-SCH-AD400CY50MTRHO626JDRH4B1324710025134	AD-400 networked wireless (900 MHz), Cylindrical chassis, 50 Office-IPB (interior push button) with LED, Multi-Tech (Proximity and Smart), Rhodes Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Right Hand (RH), 4 AA Batteries, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-CY-50-MT-RHO-626-JD-RH-4B-13-247-10-025-134)	1,809.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

### Allegion Schlage AD400 Wireless locks with Cylindrical chassis

Model No.	Description	MSRP \$
AC-SCH-AD400CY50MTRHO626JDLH4B1324710025134	AD-400 networked wireless (900 MHz), Cylindrical chassis, 50 Office-IPB (interior push button) with LED, Multi-Tech (Proximity and Smart), Rhodes Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Left Hand (LH), 4 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-CY-50-MT-RHO-626-JD-LH-4B-13-247-10-025-134)	1,809.00
AC-SCH-AD400CY50MTRHO626PDS123RH4B1324710025134	AD-400 networked wireless (900 MHz), Cylindrical chassis, 50 Office-IPB (interior push button) with LED, Multi-Tech (Proximity and Smart), Rhodes Lever, Satin Chrome finish, Cylinder Type: PD conventional KIL cylinder, Everest 29 S - 123, Right Hand (RH), 4 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-CY-50-MT-RHO-626-PD-S-123-RH-4B-13-247-10-025-134)	1,838.00
AC-SCH-AD400CY70MTRHO619BDLH4B1324710025134	AD-400 networked wireless (900 MHz), Cylindrical chassis, 70 Classroom/Storeroom-Interior LED only, Multi-Tech (Proximity and Smart), Rhodes Lever, Satin Nickel finish, Cylinder Type: BD less SFIC cylinder for all manufacturers, Left Hand (LH), 4 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-CY-70-MT-RHO-619-BD-LH-4B-13-247-10-025-134)	1,942.00
AC-SCH-AD400CY70MTATH626JD CO6LH4B1324710025134	AD-400 networked wireless (900 MHz), Cylindrical chassis, 70 Classroom/Storeroom-Interior LED only, Multi-Tech (Proximity and Smart), Athens Lever, Satin Chrome finish, Left Hand (LH), 4 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-CY-70-MT-ATH-626-JD CO6-LH-4B-13-247-10-025-134)	1,800.00
AC-SCH-AD400CY70MTKSPA626JDLH4B1324710025134	AD-400 networked wireless (900 MHz), Cylindrical chassis, 70 Classroom/Storeroom-Interior LED only, Multi-Tech (Proximity and Smart) + Keypad, Sparta Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Left Hand (LH), 4 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-CY-70-MTK-SPA-626-JD-LH-4B-13-247-10-025-134)	1,853.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

### Allegion Schlage AD400 Wireless locks with Cylindrical chassis

Model No.	Description	MSRP \$
AC-SCH-AD400CY70MTRHO626BDLHR4B1324710025134	AD-400 networked wireless (900 MHz), Cylindrical chassis, 70 Classroom/Storeroom-Interior LED only, Multi-Tech (Proximity and Smart), Rhodes Lever, Satin Chrome finish, Cylinder Type: BD less SFIC cylinder for all manufacturers, Left Hand Reverse (LHR), 4 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-CY-70-MT-RHO-626-BD-LHR-4B-13-247-10-025-134)	1,829.00
AC-SCH-AD400CY50MTRHO626PDS123LH4B1324710025134	AD-400 networked wireless (900 MHz), Cylindrical chassis, 50 Office-IPB (interior push button) with LED, Multi-Tech (Proximity and Smart), Rhodes Lever, Satin Chrome finish, Cylinder Type: PD conventional KIL cylinder, Everest 29 S - 123, Left Hand (LH), 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-CY-50-MT-RHO-626-PD-S123-LH-4B-13-247-10-025-134)	1,838.00
AC-SCH-AD400CY50MTRHO626LDLH4B1324710025134	AD-400 networked wireless (900 MHz), Cylindrical chassis, 50 Office-IPB (interior push button) with LED, Multi-Tech (Proximity and Smart), Rhodes Lever, Satin Chrome finish, Cylinder Type: LD less Schlage/Falcon 6-pin; conventional KIL cylinder, Left Hand (LH), 4 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-CY-50-MT-RHO-626-LD-LH-4B-13-247-10-025-134)	1,786.00
AC-SCH-AD400CY50MTRHO643EBDLH4B1324710025134	AD-400 networked wireless (900 MHz), Cylindrical chassis, 50 Office-IPB (interior push button) with LED, Multi-Tech (Proximity and Smart) + Keypad, Rhodes Lever, Aged Bronze finish, Cylinder Type: BD less SFIC cylinder for all manufacturers, Left Hand (LH), 4 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-CY-50-MTK-RHO-643e-BD-LH-4B-13-247-10-025-134)	2,002.00
AC-SCH-AD400CY50MTRHO643EBDRH4B1324710025134	AD-400 networked wireless (900 MHz), Cylindrical chassis, 50 Office-IPB (interior push button) with LED, Multi-Tech (Proximity and Smart) + Keypad, Rhodes Lever, Aged Bronze finish, Cylinder Type: BD less SFIC cylinder for all manufacturers, Right Hand (RH), 4 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-CY-50-MTK-RHO-643e-BD-RH-4B-13-247-10-025-134)	2,002.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

### Allegion Schlage AD400 Wireless locks with Cylindrical chassis

Model No.	Description	MSRP \$
AC-SCH-AD400CY50MTRHO643EBDRH4B1324710025134	AD-400 networked wireless (900 MHz), Cylindrical chassis, 50 Office-IPB (interior push button) with LED, Multi-Tech (Proximity and Smart) + Keypad, Rhodes Lever, Aged Bronze finish, Cylinder Type: BD less SFIC cylinder for all manufacturers, Right Hand (RH), 4 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-CY-50-MT-RHO-643e-BD-RH-4B-13-247-10-025-134)	1,950.00
AC-SCH-AD400CY50MTRHO626LDRH4B1324710025134	AD-400 networked wireless (900 MHz), Cylindrical chassis, 50 Office-IPB (interior push button) with LED, Multi-Tech (Proximity and Smart), Rhodes Lever, Satin Chrome finish, Cylinder Type: LD less Schlage/Falcon 6-pin; conventional KIL cylinder, Right Hand (RH), 4 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-CY-50-MT-RHO-626-LD-RH-4B-13-247-10-025-134)	1,786.00
AC-SCH-AD400CY50MTRHO626LDRH4B1324710025134	AD-400 networked wireless (900 MHz), Cylindrical chassis, 50 Office-IPB (interior push button) with LED, Multi-Tech (Proximity and Smart) + Keypad, Rhodes Lever, Satin Chrome finish, Cylinder Type: LD less Schlage/Falcon 6-pin; conventional KIL cylinder, Right Hand (RH), 4 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-CY-50-MTK-RHO-626-LD-RH-4B-13-247-10-025-134)	1,839.00
AC-SCH-AD400CY50MTRHO626LDLH4B1324710025134	AD-400 networked wireless (900 MHz), Cylindrical chassis, 50 Office-IPB (interior push button) with LED, Multi-Tech (Proximity and Smart) + Keypad, Rhodes Lever, Satin Chrome finish, Cylinder Type: LD less Schlage/Falcon 6-pin; conventional KIL cylinder, Left Hand (LH), 4 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-CY-50-MTK-RHO-626-LD-LH-4B-13-247-10-025-134)	1,839.00
AC-SCH-AD400CY70MTSPA626BDLH8B1324710025134	AD-400 networked wireless (900 MHz), Cylindrical chassis, 70 Classroom/Storeroom-Interior LED only, Multi-Tech (Proximity and Smart), Sparta Lever, Satin Chrome finish, Cylinder Type: BD less SFIC cylinder for all manufacturers, Left Hand (LH), 8 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard)	1,860.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

### Allegion Schlage AD400 Wireless locks with Cylindrical chassis

Model No.	Description	MSRP \$
AC-SCH-AD400CY60MTSPA626BDLH8B1324710025134	AD-400 networked wireless (900 MHz), Cylindrical chassis, 60 Apartment-IPB (interior push button) with LED, Multi-Tech (Proximity and Smart), Sparta Lever, Satin Chrome finish, Cylinder Type: BD less SFIC cylinder for all manufacturers, Left Hand (LH), 8 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard)	1,869.00
AC-SCH-AD400CY70SIKRHO626PDLH4B1324710025134	AD-400 networked wireless (900 MHz), Cylindrical chassis, 70 Classroom/Storeroom-Interior LED only, Smart Technology iClass Compatible Reader + Keypad, Rhodes Lever, Satin Chrome finish, Cylinder Type: PD conventional KIL cylinder, Left Hand (LH), 4 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard)	2,000.00
AC-SCH-AD400CY70SIKRHO626PDRH4B1324710025134	AD-400 networked wireless (900 MHz), Cylindrical chassis, 70 Classroom/Storeroom-Interior LED only, Smart Technology iClass Compatible Reader + Keypad, Rhodes Lever, Satin Chrome finish, Cylinder Type: PD conventional KIL cylinder, Right Hand (RH), 4 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard)	2,000.00
AC-SCH-AD400CY70KPRHOPDS123LH4B1324710025134	AD-400 networked wireless (900 MHz), Cylindrical chassis, 70 Classroom/Storeroom-Interior LED only, Keypad, Rhodes Lever, Satin Chrome finish, Cylinder Type: PD conventional KIL cylinder, Everest 29 S - 123, Left Hand (LH), 4 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard)	1,668.00
AC-SCH-AD400CY50MTSPA626BDLH8B1324710025134	AD-400 networked wireless (900 MHz), Cylindrical chassis, 50 Office-IPB (interior push button) with LED, Multi-Tech (Proximity and Smart), Sparta Lever, Satin Chrome finish, Cylinder Type: BD less SFIC cylinder for all manufacturers, Left Hand (LH), 8 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard)	1,869.00
AC-SCH-AD400CY70MTSPA626PDS123RH8B1324710025234	AD-400 networked wireless (900 MHz), Cylindrical chassis, 70 Classroom/Storeroom-Interior LED only, Multi-Tech (Proximity and Smart), Sparta Lever, Satin Chrome finish, Cylinder Type: PD conventional KIL cylinder, Everest 29 S - 123, Right Hand (RH), 8 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 2-3/4" Door thickness (Allegion Schlage Part #: AD-400-CY-70-MT-SPA-626-PD-S-123-RH-8B-13-247-10-025-234)	1,909.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.



## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

### Allegion Schlage AD400 Wireless locks with Cylindrical chassis

Model No.	Description	MSRP \$
AC-SCH-AD400CY70MTRHO626PDC123LH4B1324710025134	AD-400 networked wireless (900 MHz), Cylindrical chassis, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Rhodes Lever, Satin Chrome finish, Cylinder Type: PD conventional KIL cylinder, Left Hand (LH), 4 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-CY-70-MT-RHO-626-PD-C-123-LH-4B-13-247-10-025-134)	1,828.00
AC-SCH-AD400CY70MTKATH643EPDS123RH4B1324710025134	AD-400 networked wireless (900 MHz), Cylindrical chassis, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart) + Keypad, Athens Lever, Aged Bronze finish, Cylinder Type: PD conventional KIL cylinder, Everest 29 S - 123, Right Hand (RH), 4 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-CY-70-MTK-ATH-643e-PD-S-123-RH-4B-13-247-10-025-134)	2,028.00
AC-SCH-AD400CY70MTRHO626LDLH4B1324710025134	AD-400 networked wireless (900 MHz), Cylindrical chassis, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Rhodes Lever, Satin Chrome finish, Cylinder Type: LD less Schlage/Falcon 6-pin; conventional KIL cylinder, Left Hand (LH), 4 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-CY-70-MT-RHO-626-LD-LH-4B-13-247-10-025-134)	1,777.00
AC-SCH-AD400CY70MTRHO626LDRHR8B1324710025134	AD-400 networked wireless (900 MHz), Cylindrical chassis, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Rhodes Lever, Satin Chrome finish, Cylinder Type: LD less Schlage/Falcon 6-pin; conventional KIL cylinder, Right Hand Reverse (RHR), 8 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-CY-70-MT-RHO-626-LD-RHR-8B-13-247-10-025-134)	1,809.00
AC-SCH-AD400CY70MTSPA626RDRHR4B1324710025134	AD-400 networked wireless (900 MHz), Cylindrical chassis, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Sparta Lever, Satin Chrome finish, Cylinder Type: RD Schlage 6-Pin Everest 29 S123 standard, Right Hand Reverse (RHR), 4 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-CY-70-MT-SPA-626-RD-RHR-4B-13-247-10-025-134)	1,860.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

### Allegion Schlage AD400 Wireless locks with Cylindrical chassis

Model No.	Description	MSRP \$
AC-SCH-AD400CY70MTSPA626RDLHR4B1324710025134	AD-400 networked wireless (900 MHz), Cylindrical chassis, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Sparta Lever, Satin Chrome finish, Cylinder Type: RD Schlage 6-Pin Everest 29 S123 standard, Left Hand Reverse (LHR), 4 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-CY-70-MT-SPA-626-RD-LHR-4B-13-247-10-025-134)	1,860.00
AC-SCH-AD400CY70MTSPA612JDLH4B1324710025134	AD-400 networked wireless (900 MHz), Cylindrical chassis, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Sparta Lever, Satin Bronze, Cylinder Type: JD less Schlage 6-pin, Left Hand (LH), 4 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-CY-70-MT-SPA-612-JD-LH-4B-13-247-10-025-134)	1,914.00
AC-SCH-AD400CY70MTRHO626LDRHR4B1324710025134	AD-400 networked wireless (900 MHz), Cylindrical chassis, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Rhodes Lever, Satin Chrome finish, Cylinder Type: LD less Schlage/Falcon 6-pin; conventional KIL cylinder, Right Hand Reverse (RHR), 4 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-CY-70-MT-RHO-626-LD-RHR-4B-13-247-10-025-134)	1,777.00
AC-SCH-AD400CY70MTRHO626JDLH4B1324710025134	AD-400 networked wireless (900 MHz), Cylindrical chassis, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Rhodes Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Left Hand (LH), 4 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-CY-70-MT-RHO-626-JD-LH-4B-13-247-10-025-134)	1,800.00
AC-SCH-AD400CY70MTRHO626LDLHR4B1324710025134	AD-400 networked wireless (900 MHz), Cylindrical chassis, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Rhodes Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Left Hand Reverse (LHR), 4 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-CY-70-MT-RHO-626-LD-LHR-4B-13-247-10-025-134)	1,777.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

### Allegion Schlage AD400 Wireless locks with Cylindrical chassis

Model No.	Description	MSRP \$
AC-SCH-AD400CY70MTSPA605JDLH4B1324710025134	AD-400 networked wireless (900 MHz), Cylindrical chassis, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Rhodes Lever, Bright Brass finish, Cylinder Type: JD less Schlage 6-pin, Left Hand (LH), 4 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-CY-70-MT-SPA-605-JD-LH-4B-13-247-10-025-134)	1,914.00
AC-SCH-AD400CY70MTRHO626JDMEDLH4B1324710025134	AD-400 networked wireless (900 MHz), Cylindrical chassis, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Rhodes Lever, Satin Chrome finish, Cylinder Type: less Medeco 0201, 6 Pin FSIC cylinder, Left Hand (LH), 4 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-CY-70-MT-RHO-626-JDMED-LH-4B-13-247-10-025-134)	1,800.00
AC-SCH-AD400CY70SIRHO626BDLH4B1324710025134	AD-400 networked wireless (900 MHz), Cylindrical chassis, 70 Classroom/Storeroom-Interior LED only , Smart Technology iClass Compatible Reader, Rhodes Lever, Satin Chrome finish, Cylinder Type: BD less SFIC cylinder for all manufacturers, Left Hand (LH), 4 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-CY-70-Si-RHO-626-BD-LH-4B-13-247-10-025-134)	1,950.00
AC-SCH-AD400CY70SISPA626JDRH4B1324710025134	AD-400 networked wireless (900 MHz), Cylindrical chassis, 70 Classroom/Storeroom, Smart Technology iClass Compatible Reader, Sparta Lever, Satin Chrome finish, Cylinder Type: JD Less Cylinder, Schlage, 6 Pin FSIC, Right Hand (RH), 4 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-CY-70-Si-SPA-626-JD-RH-4B-13-247-10-025-134)	1,922.00
AC-SCH-AD400CY70MTSPA626PDLH4B1324710025134	AD-400 networked wireless (900 MHz), Cylindrical chassis, 70 Classroom/Storeroom, Multi-Technology Proximity and Smart Card Compatible Reader, Sparta Lever, Satin Chrome finish, Cylinder Type: PD With Cylinder, Schlage- (Everest 29 S123, 6 Pin KIL standard), Left Hand (LH), 4 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-CY-70-Si-SPA-626-PD-LH-4B-13-247-10-025-134)	1,829.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

## Allegion Schlage AD400 Wireless locks with Cylindrical chassis

Model No.	Description	MSRP \$
AC-SCH-AD400CY70SIKRHO626AMPDLH4B1324710025134	AD-400 networked wireless (900 MHz), Cylindrical chassis, 70 Classroom/Storeroom, Smart Technology iClass Compatible Reader, Rhodes Lever, Satin Chrome Antimicrobial finish, Cylinder Type: PD With Cylinder, Schlage- (Everest 29 S123, 6 Pin KIL standard), Left Hand (LH), 4 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-CY-70-SIK-RHO-626AM-PD-LH-4B-13-247-10-025-134)	2,147.00
AC-SCH-AD400CY70SIKRHO626AMPDRH4B1324710025134	AD-400 networked wireless (900 MHz), Cylindrical chassis, 70 Classroom/Storeroom, Smart Technology iClass Compatible Reader, Rhodes Lever, Satin Chrome Antimicrobial finish, Cylinder Type: PD With Cylinder, Schlage- (Everest 29 S123, 6 Pin KIL standard), Right Hand (RH), 4 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-CY-70-SIK-RHO-626AM-PD-RH-4B-13-247-10-025-134)	2,147.00
AC-SCH-AD400CY50MTSPA626JDRH4B1324710025134	AD-400 networked wireless (900 MHz), Cylindrical chassis, 50 Office, Multi-Technology Proximity and Smart Card Compatible Reader, Sparta Lever, Satin Chrome, Cylinder Type: JD Less Cylinder, Schlage, 6 Pin FSIC, Right Hand (RH), 4 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-CY-50-MT-SPA-626-JD-RH-4B-13-247-10-025-134)	1,809.00
AC-SCH-AD400CY70MTRHO626LDSARSS123LH4B132471002513	AD-400 networked wireless (900 MHz), Cylindrical chassis, 70 Classroom/Storeroom, Multi-Technology Proximity and Smart Card Compatible Reader, Rhodes Lever, Satin Chrome Antimicrobial finish, Cylinder Type: LDSAR Less Cylinder, Sargent (10L + 11L), 6 Pin KIL, Everest 29 S, Left Hand (LH), 4 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-CY-70-MT-RHO-626-LDSAR-S-S123-LH-4B-13-247-10-025-134)	1,777.00
AC-SCH-AD400CY70MTSPA626LDRH4B1324710025134	AD-400 networked wireless (900 MHz), Cylindrical chassis, 70 Classroom/Storeroom, Multi-Technology Proximity and Smart Card Compatible Reader, Sparta Lever, Satin Chrome finish, Cylinder Type: PD With Cylinder, Schlage- (Everest 29 S123, 6 Pin KIL standard), Right Hand (RH), 4 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-CY-70-SI-SPA-626-PD-RH-4B-13-247-10-025-134)	1,777.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

## Allegion Schlage AD400 Wireless locks with Cylindrical chassis

Model No.	Description	MSRP \$
AC-SCH-AD400CY70MTATH626LDLH4B1324710025134	AD-400 networked wireless (900 MHz), Exit trim chassis with rim/concealed vertical rod or cable, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Athens Lever, Satin Chrome finish, Cylinder Type: LD less Schlage/Falcon 6-pin; conventional KIL cylinder, Left Hand (LH), 4 AA Batteries, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-CY-70-MT-ATH-626-LD-LH-4B-13-247-10-025-134)	1,777.00
AC-SCH-AD400CY70MTSPA626JDLH	AD-400 networked wireless (900 MHz) - CY Cylindrical ,Function - 70 Classroom/Storeroom-Interior LED Only ,Reader - Multi-Tech (Proximity and Smart) +,Lever - Sparta ,Finish - 626 - Satin Chrome ,Handing - Left Hand (LH) ,Battery - 4 AA Batteries ,Backset & Latch - 13-247 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4",Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/4 x 4-7/8" ,Door Thickness - 1-3/4" (Commercial Door Standard) ,BAA - No - Buy American Act ,Cylinder Type - JD - less Schlage 6-pin FSIC cylinder ,(Allegion Part Number: AD-400-CY-70-MT-SPA-626-JD-LH-4B-13-247-10-025-134)	1,748.00
AC-SCH-AD400CY70MTSPA626JDRH	AD-400 networked wireless (900 MHz) - CY Cylindrical ,Function - 70 Classroom/Storeroom-Interior LED Only ,Reader - Multi-Tech (Proximity and Smart) +,Lever - Sparta ,Finish - 626 - Satin Chrome ,Handing - Right Hand (RH) ,Battery - 4 AA Batteries ,Backset & Latch - 13-247 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4", (Commercial Standard),Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/4 x 4-7/8" ,Door Thickness - 1-3/4" (Commercial Door Standard) ,BAA - No - Buy American Act ,(Allegion Part Number: AD-400-CY-70-MT-SPA-626-JD-RH-4B-13-247-10-025-134)	1,748.00
AC-SCH-AD400CY70SIRHO626BDLHR4B1405110013138	AD-400 networked wireless (900 MHz) - CY Cylindrical ,Function - 70 Classroom/Storeroom-Interior LED Only ,Reader - Si - Smart Technology iClass compatible +,Lever - Rhodes ,Finish - 626 - Satin Chrome ,Handing - Left Hand Reverse (LHR) ,Battery - 4 AA Batteries ,Backset & Latch - 14-051 - 2 3/8" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4" (Residential,Strike Plate - 10-013 - 1-1/8" Lip. Square Corner. T-strike. Box. 1-1/8 x 2-3/4" ,Door Thickness - 1-3/8" (Residential Door Standard) +,BAA - No - Buy American Act ,Cylinder Type - BD - less SFIC cylinder; all manufacturers ,(Allegion Part Number: AD-400-CY-70-Si-RHO-626-BD-LHR-4B-14-051-10-013-138)	1,940.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

### Allegion Schlage AD400 Wireless locks with Cylindrical chassis

Model No.	Description	MSRP \$
AC-SCH-AD400CY70SIRHO626BDRH4B1324710025134	AD-400 networked wireless (900 MHz) - CY Cylindrical , Options Function - 70 Classroom/Storeroom-Interior LED Only, Reader - Si - Smart Technology iClass compatible , Lever - Rhodes, Finish - 626 - Satin Chrome, Handing - Right Hand (RH), Battery - 4 AA Batteries, Backset & Latch - 13-247 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4" (Commercial Standard), Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/14 x 4-7/8", Door Thickness - 1-3/4" (Commercial Door Standard), BAA - No - Buy American Act, Cylinder Type - BD - less SFIC cylinder; all manufacturers (Allegion Part Number: AD-400-CY-70-Si-RHO-626-BD-RH-4B-13-247-10-025-134 )	1,893.00
AC-SCH-AD400CY70MTSPA626JDLH4B1324710013134	AD-400 networked wireless (900 MHz) - CY Cylindrical , Function - 70 Classroom/Storeroom-Interior LED Only , Reader - Multi-Tech (Proximity and Smart) +, Lever - Sparta , Finish - 626 - Satin Chrome , Handing - Left Hand (LH) , Battery - 4 AA Batteries , Backset & Latch - 13-247 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4", (Commercial Standard) , , Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/14 x 4-7/8" , BAA - No - Buy American Act (Allegion Part Number: AD-400-CY-70-MT-SPA-626-JD-LH-4B-13-247-10-025-134)	1,748.00
AC-SCH-AD400CY70MTATH626BDLH4B1324710025134	AD-400 networked wireless (900 MHz) - CY Cylindrical , Function - 70 Classroom/Storeroom-Interior LED Only , Reader - Multi-Tech (Proximity and Smart) +, Lever - Athens , Finish - 626 - Satin Chrome , Handing - Left Hand (LH) , Battery - 4 AA Batteries , Backset & Latch - 13-247 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4", (Commercial Standard) , , Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/14 x 4-7/8" , BAA - No - Buy American Act (Allegion Part Number: AD-400-CY-70-MT-ATH-626-BD-LH-4B-13-247-10-025-134)	1,829.00
AC-SCH-AD400CY70MTSPA626JDLHR4B1324710025134	AD-400 networked wireless (900 MHz) - CY Cylindrical , Function - 70 Classroom/Storeroom-Interior LED Only , Reader - Multi-Tech (Proximity and Smart) +, Lever - Sparta , Finish - 626 - Satin Chrome , Handing - Left Hand Reverse (LHR) , Battery - 4 AA Batteries , Backset & Latch - 13-247 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4", (Commercial Standard) , , Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/14 x 4-7/8" , Door Thickness - 1-3/4" (Commercial Door Standard) , BAA - No - Buy American Act , Cylinder Type - JD - less Schlage 6-pin FSIC cylinder (, (Allegion Part Number: AD-400-CY-70-MT-SPA-626-JD-LHR-4B-13-247-10-025-134)	1,801.00
AC-SCH-AD400CY70MTSPA626JDRHR4B1324710025134	AD-400 networked wireless (900 MHz) - CY Cylindrical , Function - 70 Classroom/Storeroom-Interior LED Only , Reader - Multi-Tech (Proximity and Smart) +, Lever - Athens , Finish - 626 - Satin Chrome , Handing - Left Hand (LH) , Battery - 4 AA Batteries , Backset & Latch - 13-247 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4", (Commercial Standard), Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/14 x 4-7/8" , Door Thickness - 1-3/4" (Commercial Door Standard) , BAA - No - Buy American Act , Cylinder Type - BD - less SFIC cylinder; all manufacturers (Allegion Part Number: AD-400-CY-70-MT-ATH-626-BD-LH-4B-13-247-10-025-134)	1,785.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

## Allegion Schlage AD400 Wireless locks with Cylindrical chassis

Model No.	Description	MSRP \$
AC-SCH-AD400CY70MTRHO606BDLH4B1324710025134	AD-400 networked wireless (900 MHz) - CY Cylindrical ,Function - 70 Classroom/Storeroom-Interior LED Only ,Reader - Multi-Tech (Proximity and Smart) +,Lever - Rhodes ,Finish - 606 - Satin Brass +,Handing - Left Hand (LH) ,Battery - 4 AA Batteries ,Backset & Latch - 13-247 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4", (Commercial Standard), ,0,Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/14 x 4-7/8" ,(Allegion Part Number: BAA - No - Buy American Act (Allegion Part Number:AD-400-CY-70-MT-RHO-606-BD-LH-4B-13-247-10-025-134)	1,942.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

## Allegion Schlage AD400 Wireless locks with Mortis Chassis

Model No.	Description	MSRP \$
AC-SCH-AD400MS70MTATH626BDLH4B0966310072134	AD-400 networked wireless (900 MHz) - MS Mortise ,Function - 70 Classroom/Storeroom-Interior LED Only ,Reader - Multi-Tech (Proximity and Smart) +,Lever - Athens ,Finish - 626 - Satin Chrome ,Handing - Left Hand (LH) ,Battery - 4 AA Batteries ,Armor Front - 09-663 - 1 1/4" Wide Square Corner, Latch for MS ,Strike Plate - 10-072 with 1-3/16" standard lip ,Door Thickness - 1-3/4" (Commercial Door Standard) ,BAA - No - Buy American Act ,Cylinder Type - BD - less SFIC cylinder; all manufacturers (Allegion Part Number:AD-400-MS-70-MT-ATH-626-BD-LH-4B-09-663-10-072-134)	2,051.00
AC-SCH-AD400MS70MTRHO626BDLH4B0966310072175	AD-400 networked wireless (900 MHz) - MS Mortise ,Function - 70 Classroom/Storeroom-Interior LED Only ,Reader - Multi-Tech (Proximity and Smart) +,Lever - Rhodes ,Finish - 626 - Satin Chrome ,Handing - Left Hand (LH) ,Battery - 4 AA Batteries ,Armor Front - 09-663 - 1 1/4" Wide Square Corner, Latch for MS ,Strike Plate - 10-072 with 1-3/16" standard lip ,Door Thickness - 1-3/4" (Commercial Door Standard) ,BAA - No - Buy American Act ,Cylinder Type - BD - less SFIC cylinder; all manufacturers (Allegion Part Number:AD-400-MS-70-MT-RHO-626-BD-LH-4B-09-663-10-072-134)	2,051.00
AC-SCH-AD400MS70MTRHO626BDRH4B096631007213/4	AD-400 900 Mhz Wireless, Mortise Chassis, Interior LED Only Function, Multi-Tech Reader (Proximity and Smart), Rhodes Lever, Satin Chrome Finish, SFIC cyl Key System (less cylinder), Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, 1-1/14" x 4-7/8", Square Corner, box Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-MS-70-MT-RHO-626-BD-RH-4B-09-663-10-072-1 3/4)	2,051.00
AC-SCH-AD400MS70MTSPA626BDRH4B096631007213/4	AD-400 900 Mhz Wireless, Mortise Chassis, Interior LED Only Function, Multi-Tech Reader (Proximity and Smart), Sparta Lever, Satin Chrome Finish, SFIC cyl Key System (less cylinder), Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, 1-1/14" x 4-7/8", Square Corner, box Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-MS-70-MT-SPA-626-BD-RH-4B-09-663-10-072-1 3/4)	2,051.00
AC-SCH-AD400MS70MTRHO643ELDSARLH4B	AD-400 networked wireless (900 MHz) - MS Mortise, Function - 70 Classroom/Storeroom-Interior LED Only, Reader - Multi-Tech (Proximity and Smart), Lever - Rhodes, 643e - Aged Bronze, Key System - LD SAR - Sargent 10L, 11L, Handing - Left Hand (LH), Battery - 4 AA Batteries, Armor Front - 09-663 - 1 1/4" Wide Square Corner, Latch for MS Strike Plate - 10-072 with 1-3/16" standard lip, Door Thickness - 1-3/4" (Commercial Door Standard), BAA - No - Buy American Act. (Allegion Schlage Part Number: AD-400-MS-70-MT-RHO-643e-LDSAR-LH-4B-09-663-10-072-134)	2,111.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.



## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

### Allegion Schlage AD400 Wireless locks with Mortis Chassis

Model No.	Description	MSRP \$
AC-SCH-AD400MS70MTRHO626JDRH4B096631007213/4	AD-400 900 Mhz Wireless, Mortise Chassis, Interior LED Only Function, Multi-Tech Reader (Proximity and Smart), Rhodes Lever, Satin Chrome Finish, Schlage FSIC 6 Pin Key System (less cylinder), Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, 1-1/14" x 4-7/8", Square Corner, box Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-MS-70-MT-RHO-626-JD-RH-4B-09-663-10-072-1 3/4)	2,022.00
AC-SCH-AD400MS70MTSPA626JDRH4B096631007213/4	AD-400 900 Mhz Wireless, Mortise Chassis, Interior LED Only Function, Multi-Tech Reader (Proximity and Smart), Sparta Lever, Satin Chrome Finish, Schlage FSIC 6 Pin Key System (less cylinder), Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, 1-1/14" x 4-7/8", Square Corner, box Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-MS-70-MT-SPA-626-JD-RH-4B-09-663-10-072-1 3/4)	2,022.00
AC-SCH-AD400MS70MTRHO626PDS123RH4B096631007213/4	AD-400 900 Mhz Wireless, Mortise Chassis, Interior LED Only Function, Multi-Tech Reader (Proximity and Smart), Rhodes Lever, Satin Chrome Finish, Schlage Standard with Cylinder Key System, Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, 1-1/14" x 4-7/8", Square Corner, box Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-MS-70-MT-RHO-626-PD-S123-RH-4B-09-663-10-072-1 3/4)	2,051.00
AC-SCH-AD400MS70MTSPA626PDS123RH4B096631007213/4	AD-400 900 Mhz Wireless, Mortise Chassis, Interior LED Only Function, Multi-Tech Reader (Proximity and Smart), Sparta Lever, Satin Chrome Finish, Schlage Standard with Cylinder Key System, Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, 1-1/14" x 4-7/8", Square Corner, box Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-MS-70-MT-SPA-626-PD-S123-RH-4B-09-663-10-072-1 3/4)	2,051.00
AC-SCH-AD400MS70MTRHO626BDRH8B	AD-400 networked wireless (900 MHz) - MS Mortise, Function - 70 Classroom/Storeroom-Interior LED Only, Reader - Multi-Tech (Proximity and Smart), Lever - Rhodes, 626 - Satin Chrome, Key System - BD, Handing - Right Hand (RH), Battery - 8 AA Batteries, Armor Front - 09-663 - 1 1/4" Wide Square Corner, Latch for MS, Strike Plate - 10-072 with 1-3/16" standard lip, Door Thickness - 1-3/4" (Commercial Door Standard), BAA - No - Buy American Act, (Allegion Schlage Part Number: AD-400-MS-70-MT-RHO-626-BD-RH-8B-09-663-10-072-134)	2,082.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

## Allegion Schlage AD400 Wireless locks with Mortis Chassis

Model No.	Description	MSRP \$
AC-SCH-AD400MS70MTKRHO626BDRH4B096631007213/4	AD-400 900 Mhz Wireless, Mortise Chassis, Interior LED Only Function, Multi-Tech Reader (Proximity and Smart) + Keypad, Rhodes Lever, Satin Chrome Finish, SFIC cyl Key System (less cylinder), Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, 1-1/14" x 4-7/8", Square Corner, box Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-MS-70-MTK-RHO-626-BD-RH-4B-09-663-10-072-1 3/4)	2,103.00
AC-SCH-AD400MS70MTKSPA626BDRH4B096631007213/4	AD-400 900 Mhz Wireless, Mortise Chassis, Interior LED Only Function, Multi-Tech Reader (Proximity and Smart) + Keypad, Sparta Lever, Satin Chrome Finish, SFIC cyl Key System (less cylinder), Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, 1-1/14" x 4-7/8", Square Corner, box Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-MS-70-MTK-SPA-626-BD-RH-4B-09-663-10-072-1 3/4)	2,103.00
AC-SCH-AD400MS70MTKRHO626JDRH4B096631007213/4	AD-400 900 Mhz Wireless, Mortise Chassis, Interior LED Only Function, Multi-Tech Reader (Proximity and Smart) + Keypad, Rhodes Lever, Satin Chrome Finish, Schlage FSIC 6 Pin Key System (less cylinder), Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, 1-1/14" x 4-7/8", Square Corner, box Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-MS-70-MTK-RHO-626-JD-RH-4B-09-663-10-072-1 3/4)	2,074.00
AC-SCH-AD400MS70MTKSPA626JDRH4B096631007213/4	AD-400 900 Mhz Wireless, Mortise Chassis, Interior LED Only Function, Multi-Tech Reader (Proximity and Smart) + Keypad, Sparta Lever, Satin Chrome Finish, Schlage FSIC 6 Pin Key System (less cylinder), Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, 1-1/14" x 4-7/8", Square Corner, box Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-MS-70-MTK-SPA-626-JD-RH-4B-09-663-10-072-1-3/4)	2,074.00
AC-SCH-AD400MS70MTKRHO626PDS123RH4B096631007213/4	AD-400 900 Mhz Wireless, Mortise Chassis, Interior LED Only Function, Multi-Tech Reader (Proximity and Smart) + Keypad, Rhodes Lever, Satin Chrome Finish, Schlage Standard with cylinder Key System, Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, 1-1/14" x 4-7/8", Square Corner, box Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-MS-70-MTK-RHO-626-PD-S123-RH-4B-09-663-10-072-1 3/4)	2,103.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

### Allegion Schlage AD400 Wireless locks with Mortis Chassis

Model No.	Description	MSRP \$
AC-SCH-AD400MS70MTKSPA626PDS123RH4B096631007213/4	AD-400 900 Mhz Wireless, Mortise Chassis, Interior LED Only Function, Multi-Tech Reader (Proximity and Smart) + Keypad, Sparta Lever, Satin Chrome Finish, Schlage Standard with cylinder Key System, Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, 1-1/14" x 4-7/8", Square Corner, box Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-MS-70-MTK-SPA-626-PD-S123-RH-4B-09-663-10-072-1 3/4)	2,103.00
AC-SCH-AD400MS70MSRHO626BDRH4B096631007213/4	AD-400 900 Mhz Wireless, Mortise Chassis, Interior LED Only Function, MagStripe (Swipe) Reader, Rhodes Lever, Satin Chrome Finish, SFIC cyl Key System (less cylinder), Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, 1-1/14" x 4-7/8", Square Corner, box Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-MS-70-MS-RHO-626-BD-RH-4B-09-663-10-072-1 3/4)	1,970.00
AC-SCH-AD400MS70MSSPA626BDRH4B096631007213/4	AD-400 900 Mhz Wireless, Mortise Chassis, Interior LED Only Function, MagStripe (Swipe) Reader, Sparta Lever, Satin Chrome Finish, SFIC cyl Key System (less cylinder), Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, 1-1/14" x 4-7/8", Square Corner, box Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-MS-70-MS-SPA-626-BD-RH-4B-09-663-10-072-1 3/4)	1,970.00
AC-SCH-AD400MS70MSRHO626JDRH4B096631007213/4	AD-400 900 Mhz Wireless, Mortise Chassis, Interior LED Only Function, MagStripe (Swipe) Reader, Rhodes Lever, Satin Chrome Finish, Schlage FSIC 6 pin Key System (less cylinder), Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, 1-1/14" x 4-7/8", Square Corner, box Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-MS-70-MS-RHO-626-JD-RH-4B-09-663-10-072-1 3/4)	1,942.00
AC-SCH-AD400MS70MTRHO643EBDRH8B	AD-400 networked wireless (900 MHz) - MS Mortise, Function - 70 Classroom/Storeroom-Interior LED Only, Reader - Multi-Tech (Proximity and Smart), Lever - Rhodes, 643e - Aged Bronze, Key System - BD, Handing - Right Hand (RH), Battery - 8 AA Batteries, Armor Front - 09-663 - 1 1/4" Wide Square Corner, Latch for MS, Strike Plate - 10-072 with 1-3/16" standard lip, Door Thickness - 1-3/4" (Commercial Door Standard), BAA - No - Buy American Act, (Allegion Schlage Part Number: AD-400-MS-70-MT-RHO-643e-BD-RH-8B-09-663-10-072-134)	2,195.00
AC-SCH-AD400MS70MSSPA626JDRH4B096631007213/4	AD-400 900 Mhz Wireless, Mortise Chassis, Interior LED Only Function, MagStripe (Swipe) Reader, Sparta Lever, Satin Chrome Finish, Schlage FSIC 6 pin Key System (less cylinder), Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, 1-1/14" x 4-7/8", Square Corner, box Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-MS-70-MS-SPA-626-JD-RH-4B-09-663-10-072-1 3/4)	1,942.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

## Allegion Schlage AD400 Wireless locks with Mortis Chassis

Model No.	Description	MSRP \$
AC-SCH-AD400MS70MSRHO626PDS123RH4B096631007213/4	AD-400 900 Mhz Wireless, Mortise Chassis, Interior LED Only Function, MagStripe (Swipe) Reader, Rhodes Lever, Satin Chrome Finish, Schlage Standard with cylinder Key System, Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, 1-1/14" x 4-7/8", Square Corner, box Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-MS-70-MS-RHO-626-PD-S123-RH-4B-09-663-10-072-1 3/4)	1,970.00
AC-SCH-AD400MS70MSSPA626PDS123RH4B096631007213/4	AD-400 900 Mhz Wireless, Mortise Chassis, Interior LED Only Function, MagStripe (Swipe) Reader, Sparta Lever, Satin Chrome Finish, Schlage Standard with cylinder Key System, Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, 1-1/14" x 4-7/8", Square Corner, box Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-MS-70-MS-SPA-626-PD-S123-RH-4B-09-663-10-072-1 3/4)	1,970.00
AC-SCH-AD400MS70MSKRHO626BDRH4B096631007213/4	AD-400 900 Mhz Wireless, Mortise Chassis, Interior LED Only Function, MagStripe (Swipe) Reader + Keypad, Rhodes Lever, Satin Chrome Finish, SFIC cyl Key System (less cylinder), Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, 1-1/14" x 4-7/8", Square Corner, box Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-MS-70-MSK-RHO-626-BD-RH-4B-09-663-10-072-1 3/4)	2,024.00
AC-SCH-AD400MS70MSKSPA626BDRH4B096631007213/4	AD-400 900 Mhz Wireless, Mortise Chassis, Interior LED Only Function, MagStripe (Swipe) Reader + Keypad, Sparta Lever, Satin Chrome Finish, SFIC cyl Key System (less cylinder), Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, 1-1/14" x 4-7/8", Square Corner, box Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-MS-70-MSK-SPA-626-BD-RH-4B-09-663-10-072-1 3/4)	2,024.00
AC-SCH-AD400MS70MSKRHO626JDRH4B096631007213/4	AD-400 900 Mhz Wireless, Mortise Chassis, Interior LED Only Function, MagStripe (Swipe) Reader + Keypad, Rhodes Lever, Satin Chrome Finish, Schlage FSIC 6 Pin Key System (less cylinder), Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, 1-1/14" x 4-7/8", Square Corner, box Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-MS-70-MSK-RHO-626-JD-RH-4B-09-663-10-072-1 3/4)	1,995.00
AC-SCH-AD400MS70MSKSPA626JDRH4B096631007213/4	AD-400 900 Mhz Wireless, Mortise Chassis, Interior LED Only Function, MagStripe (Swipe) Reader + Keypad, Sparta Lever, Satin Chrome Finish, Schlage FSIC 6 Pin Key System (less cylinder), Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, 1-1/14" x 4-7/8", Square Corner, box Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-MS-70-MSK-SPA-626-JD-RH-4B-09-663-10-072-1 3/4)	1,995.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

### Allegion Schlage AD400 Wireless locks with Mortis Chassis

Model No.	Description	MSRP \$
AC-SCH-AD400MS70MSKRHO626PDS123RH4B096631007213/4	AD-400 900 Mhz Wireless, Mortise Chassis, Interior LED Only Function, MagStripe (Swipe) Reader + Keypad, Rhodes Lever, Satin Chrome Finish, Schlage Standard with cylinder Key System, Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, 1-1/14" x 4-7/8", Square Corner, box Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-MS-70-MSK-RHO-626-PD-S123-RH-4B-09-663-10-072-1 3/4)	2,024.00
AC-SCH-AD400MS40MTRHO626BDRH4B096631007213/4	AD-400 900 Mhz Wireless, Mortise Chassis, Privacy Interior Push Button with LED, Multi-Tech Reader (Proximity and Smart), Rhodes Lever, Satin Chrome Finish, BD - Less SFIC Cylinder set for BEST SFIC 6 or 7 pin, Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, 1-1/14" x 4-7/8", Square Corner, box Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-MS-40-MT-RHO-626-BD-RH-4B-09-663-10-072-1 3/4)	2,059.00
AC-SCH-AD400MS40MTRHO626BDLH4B096631007213/4	AD-400 900 Mhz Wireless, Mortise Chassis, Privacy Interior Push Button with LED, Multi-Tech Reader (Proximity and Smart), Rhodes Lever, Satin Chrome Finish, BD - Less SFIC Cylinder set for BEST SFIC 6 or 7 pin, Left Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, 1-1/14" x 4-7/8", Square Corner, box Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-MS-40-MT-RHO-626-BD-LH-4B-09-663-10-072-1 3/4)	2,059.00
AC-SCH-AD400MS40MTRHO626BDRHR4B096631007213/4	AD-400 900 Mhz Wireless, Mortise Chassis, Privacy Interior Push Button with LED, Multi-Tech Reader (Proximity and Smart), Rhodes Lever, Satin Chrome Finish, BD - Less SFIC Cylinder set for BEST SFIC 6 or 7 pin, Right Hand Reverse Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, 1-1/14" x 4-7/8", Square Corner, box Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-MS-40-MT-RHO-626-BD-RHR-4B-09-663-10-072-1 3/4)	2,059.00
AC-SCH-AD400MS40MTRHO626BDLHR4B096631007213/4	AD-400 900 Mhz Wireless, Mortise Chassis, Privacy Interior Push Button with LED, Multi-Tech Reader (Proximity and Smart), Rhodes Lever, Satin Chrome Finish, BD - Less SFIC Cylinder set for BEST SFIC 6 or 7 pin, Left Hand Reverse Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, 1-1/14" x 4-7/8", Square Corner, box Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-MS-40-MT-RHO-626-BD-LHR-4B-09-663-10-072-1 3/4)	2,059.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

## Allegion Schlage AD400 Wireless locks with Mortis Chassis

Model No.	Description	MSRP \$
AC-SCH-AD400MS70MSKSPA626PDS123RH4B096631007213/4	AD-400 900 Mhz Wireless, Mortise Chassis, Interior LED Only Function, MagStripe (Swipe) Reader + Keypad, Sparta Lever, Satin Chrome Finish, Schlage Standard with cylinder Key System, Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, 1-1/14" x 4-7/8", Square Corner, box Strike Plate, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-MS-70-MSK-SPA-626-PD-S123-RH-4B-09-663-10-072-1 3/4)	2,024.00
AC-SCH-AD400MS70MTRHO626LDLHR4B	AD-400 900 Mhz Wireless, Mortise Chassis Function - 70 Classroom/Storeroom-Interior LED Only, Multi-Tech (Proximity and Smart) Reader, Rhodes Lever, Satin Chrome Finish, LD Key System, Left Hand Handing, 4 AA Batteries, Armor Front - 09-663 - 1 1/4" Wide Square Corner, Latch for MS, Strike Plate - 10-072 - 1 3/16" Lip. Square Corner. Box. 1-1/4 x 4-7/8", Door Thickness - 1 3/4" (Commercial Door Standard) (Allegion Schlage Part Number: AD-400-MS-70-MT-RHO-626-LD-LHR-4B-09-663-10-072-1 3/4)	1,998.00
AC-SCH-AD400MS70MTRHO626PDS123LH4B	AD-400 networked wireless (900 MHz) - MS Mortise, Function - 70 Classroom/Storeroom-Interior LED Only, Reader - Multi-Tech (Proximity and Smart), Lever - Rhodes, 626 - Satin Chrome, Key System - PD, Keying Type - Everest 29 S, Keyway - S123, Handing - Left Hand (LH), Battery - 4 AA Batteries, Armor Front - 09-663 - 1 1/4" Wide Square Corner, Latch for MS, Strike Plate - 10-072 with 1-3/16" standard lip, Door Thickness - 1-3/4" (Commercial Door Standard), BAA - No - Buy American Act, (Allegion Schlage Part Number: AD-400-MS-70-MT-RHO-626-PD-S123-LH-4B-09-663-10-072-134 )	2,051.00
AC-SCH-AD400MS70MTRHO626LDRHR4B	AD-400 900 Mhz Wireless, Mortise Chassis Function - 70 Classroom/Storeroom-Interior LED Only, Multi-Tech (Proximity and Smart) Reader, Rhodes Lever, Satin Chrome Finish, LD Key System, Right Hand Handing, 4 AA Batteries, Armor Front - 09-663 - 1 1/4" Wide Square Corner, Latch for MS, Strike Plate - 10-072 - 1 3/16" Lip. Square Corner. Box. 1-1/4 x 4-7/8", Door Thickness - 1 3/4" (Commercial Door Standard) (Allegion Schlage Part Number: AD-400-MS-70-MT-RHO-626-LD-RHR-4B-09-663-10-072-1 3/4)	1,998.00
AC-SCH-AD400MS70MTRHO643ELDSARRH4B	AD-400 networked wireless (900 MHz) - MS Mortise, Function - 70 Classroom/Storeroom-Interior LED Only, Reader - Multi-Tech (Proximity and Smart), Lever - Rhodes, 643e - Aged Bronze, Key System - LD SAR - Sargent 10L, 11L, Handing - Right Hand (RH), Battery - 4 AA Batteries, Armor Front - 09-663 - 1 1/4" Wide Square Corner, Latch for MS Strike Plate - 10-072 with 1-3/16" standard lip, Door Thickness - 1-3/4" (Commercial Door Standard), BAA - No - Buy American Act. (Allegion Schlage Part Number: AD-400-MS-70-MT-RHO-643e-LDSAR-RH-4B-09-663-10-072-134)	2,111.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

## Allegion Schlage AD400 Wireless locks with Mortis Chassis

Model No.	Description	MSRP \$
AC-SCH-AD400MS50MTRHO626JDRH4B0966310072134	AD-400 networked wireless (900 MHz) - MS Mortise Function - 50 Office-IPB (interior push button) with LED Reader - Multi-Tech (Proximity and Smart) Does NOT read HID iClass Secure SectorLever - Rhodes 626 - Satin Chrome Key System - JD Handing - Right Hand (RH) Battery - 4 AA Batteries Armor Front - 09-663 - 1 1/4" Wide Square Corner, Latch for MS Strike Plate - 10-072 with 1-3/16" standard lip Door Thickness - 1-3/4" (Commercial Door Standard) BAA - No - Buy American Act (Allegion Schlage Part Number: AD-400-MS-50-MT-RHO-626-JD-RH-4B-09-663-10-072-134)	2,030.00
AC-SCH-AD400MS50MTKRHO626JDRH4B0966310072134	AD-400 networked wireless (900 MHz) - MS Mortise Function - 50 Office-IPB (interior push button) with LED Reader - Multi-Tech (Proximity and Smart) + Keypad Does NOT read HID iClass Secure SectorLever - Rhodes 626 - Satin Chrome Key System - JD Handing - Right Hand (RH) Battery - 4 AA Batteries Armor Front - 09-663 - 1 1/4" Wide Square Corner, Latch for MS Strike Plate - 10-072 with 1-3/16" standard lip Door Thickness - 1-3/4" (Commercial Door Standard) BAA - No - Buy American Act (Allegion Schlage Part Number: AD-400-MS-50-MTK-RHO-626-JD-RH-4B-09-663-10-072-134)	2,083.00
AC-SCH-AD400MS70LLTLR626AMBDRH4B0966310072134	AD-400 networked wireless (900 MHz) - MS Mortise Function - 70 Classroom/Storeroom-Interior LED Only Reader - Less Reader Lever - Tubular 626AM - Satin Chrome with Antimicrobial Coating Key System - BD - less SFIC cylinder; all manufacturers Handing - Right Hand (RH) Battery - 4 AA Batteries Armor Front - 09-663 - 1 1/4" Wide Square Corner, Latch for MS Strike Plate - 10-072 with 1-3/16" standard lip Door Thickness - 1-3/4" (Commercial Door Standard) BAA - No - Buy American Act (Allegion Part Number: AD-400-MS-70-LLL-TLR-626AM-BD-RH-4B-09-663-10-072-134)	1,601.00
AC-SCH-AD400MS70SIKTLR626AMBDRH4B0966310072134	AD-400 900 Mhz Wireless, MS Mortise Function - 70 Classroom/Storeroom-Interior LED Only Reader - SiK Smart iClass Reader, Lever - Tubular 626AM - Satin Chrome Finish, Key System - BD - less SFIC cylinder, Right Hand Handing, 4 AA Batteries, 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4", 1-3/16" Lip, 1-1/14" x 4-7/8", Square Corner, box Strike Plate, 1 3/4" Door Thickness (Allegion Part Number: AD400-MS-70-SIK-TLR-626-AM-BD-RH-4B-09-663-10-072-1)	2,368.00
AC-SCH-AD400MS70MTSPA626JDLH4B0966310072134	AD-400 networked wireless (900 MHz), MS Mortise, 70 Classroom/Storeroom-Interior LED only, Multi-Tech (Proximity and Smart), Sparta Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Left Hand (LH), 4 AA Batteries, 09-663 - 1 1/4" Wide Square Corner, Latch for MS, 10-072 with 1-3/16" Standard Lip, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-MS-70-MT-SPA-626-JD-LH-4B-09-663-10-072-134)	2,022.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

### Allegion Schlage AD400 Wireless locks with Mortis Chassis

Model No.	Description	MSRP \$
AC-SCH-AD400MS70MTSPA626BDRH8B0966310072134	AD-400 networked wireless (900 MHz), MS Mortise, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Sparta Lever, Satin Chrome finish, Cylinder Type: BD less SFIC cylinder; all manufacturers, Right Hand (RH), 8 AA Batteries, 09-663 - 1 1/4" Wide Square Corner, Latch for MS, 10-072 with 1-3/16" Standard Lip, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-MS-70-MT-SPA-626-BD-RH-8B-09-663-10-072-134)	2,082.00
AC-SCH-AD400MS70MTSPA626BDLH8B0966310072134	AD-400 networked wireless (900 MHz), MS Mortise, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Sparta Lever, Satin Chrome finish, Cylinder Type: BD less SFIC cylinder; all manufacturers, Left Hand (LH), 8 AA Batteries, 09-663 - 1 1/4" Wide Square Corner, Latch for MS, 10-072 with 1-3/16" Standard Lip, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-MS-70-MT-SPA-626-BD-LH-8B-09-663-10-072-134)	2,082.00
AC-SCH-AD400MS70MTRHO626BDRHR8B0966310072134	AD-400 networked wireless (900 MHz), MS Mortise, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Rhodes Lever, Satin Chrome finish, Cylinder Type: BD less SFIC cylinder; all manufacturers, Right Hand Reverse (RHR), 8 AA Batteries, 09-663 - 1 1/4" Wide Square Corner, Latch for MS, 10-072 with 1-3/16" Standard Lip, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-MS-70-MT-RHO-626-BD-RHR-8B-09-663-10-072-134)	2,082.00
AC-SCH-AD400MS70MTSPA626JDRH4B0966310072134	AD-400 networked wireless (900 MHz), MS Mortise, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Sparta Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Right Hand (RH), 4 AA Batteries, 09-663 - 1 1/4" Wide Square Corner, Latch for MS, 10-072 with 1-3/16" Standard Lip, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-MS-70-MT-SPA-626-JD-RH-4B-09-663-10-072-134)	2,022.00
AC-SCH-AD400MS50MTSPA626JDLH4B0966310072134	AD-400 networked wireless (900 MHz), MS Mortise, 50 Office-IPB (interior push button) with LED, Multi-Tech (Proximity and Smart), Sparta Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Left Hand (LH), 4 AA Batteries, 09-663 - 1 1/4" Wide Square Corner, Latch for MS, 10-072 with 1-3/16" Standard Lip, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-MS-50-MT-SPA-626-JD-LH-4B-09-663-10-072-134)	2,030.00
AC-SCH-AD400MS50MTSPA626JDRH4B0966310072134	AD-400 networked wireless (900 MHz), MS Mortise, 50 Office-IPB (interior push button) with LED, Multi-Tech (Proximity and Smart), Sparta Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Right Hand (RH), 4 AA Batteries, 09-663 - 1 1/4" Wide Square Corner, Latch for MS, 10-072 with 1-3/16" Standard Lip, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-MS-50-MT-SPA-626-JD-RH-4B-09-663-10-072-134)	2,030.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.



## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

### Allegion Schlage AD400 Wireless locks with Mortis Chassis

Model No.	Description	MSRP \$
AC-SCH-AD400MS50MTSPA626JDRHR4B0966310072134	AD-400 networked wireless (900 MHz), MS Mortise, 50 Office-IPB (interior push button) with LED, Multi-Tech (Proximity and Smart), Sparta Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Right Hand Reverse (RHR), 4 AA Batteries, 09-663 - 1 1/4" Wide Square Corner, Latch for MS, 10-072 with 1-3/16" Standard Lip, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-MS-50-MT-SPA-626-JD-RHR-4B-09-663-10-072-134)	2,030.00
AC-SCH-AD400MS70MTSPA626JDRHR4B0966310072134	AD-400 networked wireless (900 MHz), MS Mortise, 70 Classroom/Storeroom-Interior LED only, Multi-Tech (Proximity and Smart), Sparta Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Right Hand Reverse (RHR), 4 AA Batteries, 09-663 - 1 1/4" Wide Square Corner, Latch for MS, 10-072 with 1-3/16" Standard Lip, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-MS-70-MT-SPA-626-JD-RHR-4B-09-663-10-072-134)	2,022.00
AC-SCH-AD400MS40MTKSPA626JDLH4B0966310072134	AD-400 networked wireless (900 MHz), MS Mortise, 40 Privacy-IPB (interior push button) with LED, Multi-Tech (Proximity and Smart) + Keypad, Sparta Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Left Hand (LH), 4 AA Batteries, 09-663 - 1 1/4" Wide Square Corner, Latch for MS, 10-072 with 1-3/16" Standard Lip, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-MS-40-MTK-SPA-626-JD-LH-4B-09-663-10-072-134)	2,083.00
AC-SCH-AD400MS50MTSPA626JDLHR4B0966310072134	AD-400 networked wireless (900 MHz), MS Mortise, 50 Office-IPB (interior push button) with LED, Multi-Tech (Proximity and Smart), Sparta Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Left Hand Reverse (LHR), 4 AA Batteries, 09-663 - 1 1/4" Wide Square Corner, Latch for MS, 10-072 with 1-3/16" Standard Lip, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-MS-50-MT-SPA-626-JD-LHR-4B-09-663-10-072-134)	2,030.00
AC-SCH-AD400MS70MTSPA626JDLHR4B0966310072134	AD-400 networked wireless (900 MHz), MS Mortise, 70 Classroom/Storeroom-Interior LED only, Multi-Tech (Proximity and Smart), Sparta Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Left Hand Reverse (LHR), 4 AA Batteries, 09-663 - 1 1/4" Wide Square Corner, Latch for MS, 10-072 with 1-3/16" Standard Lip, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-MS-70-MT-SPA-626-JD-LHR-4B-09-663-10-072-134)	2,022.00
AC-SCH-AD400MS40MTSPA626JDRH4B0966310072134	AD-400 networked wireless (900 MHz), MS Mortise, 40 Privacy-IPB (interior push button) with LED, Multi-Tech (Proximity and Smart), Sparta Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Right Hand (RH), 4 AA Batteries, 09-663 - 1 1/4" Wide Square Corner, Latch for MS, 10-072 with 1-3/16" Standard Lip, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-MS-40-MT-SPA-626-JD-RH-4B-09-663-10-072-134)	2,030.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

## Allegion Schlage AD400 Wireless locks with Mortis Chassis

Model No.	Description	MSRP \$
AC-SCH-AD400MS40MTSPA626JDLH4B0966310072134	AD-400 networked wireless (900 MHz), MS Mortise, 40 Privacy-IPB (interior push button) with LED, Multi-Tech (Proximity and Smart), Sparta Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Left Hand (LH), 4 AA Batteries, 09-663 - 1 1/4" Wide Square Corner, Latch for MS, 10-072 with 1-3/16" Standard Lip, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-MS-40-MT-SPA-626-JD-LH-4B-09-663-10-072-134)	2,030.00
AC-SCH-AD400MS50MTRHO626JDLH4B0966310072134	AD-400 networked wireless (900 MHz), Mortise chassis, 50 Office-IPB (interior push button) with LED, Multi-Tech (Proximity and Smart), Rhodes Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Left Hand (LH), 4 AA Batteries, 1 1/4" Wide Square Corner, Latch for MS, 1-3/16" Standard Lip Strike Plate, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-MS-50-MT-RHO-626-JD-LH-4B-09-663-10-072-134)	2,030.00
AC-SCH-AD400MS70MTRHO626JDLHR4B0966310072134	AD-400 networked wireless (900 MHz), Mortise chassis, 70 Classroom/Storeroom-Interior LED only, Multi-Tech (Proximity and Smart), Rhodes Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Left Hand Reverse (LHR), 4 AA Batteries, 1 1/4" Wide Square Corner, Latch for MS, 1-3/16" Standard Lip Strike Plate, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-MS-70-MT-RHO-626-JD-LHR-4B-09-663-10-072-134)	2,022.00
AC-SCH-AD400MS50MTTLR626LDSARLH4B-37015XL11821	AD-400 networked wireless (900 MHz), Mortise chassis, 50 Office-IPB (interior push button) with LED, Multi-Tech (Proximity and Smart), Tubular Lever, Satin Chrome finish, Cylinder Type: LD SAR less Sargent 10L or 11L conventional KIL cylinder, Left Hand (LH), 4 AA Batteries, 1 1/4" Wide Square Corner, Latch for MS, 1-3/16" Standard Lip Strike Plate, Strike Frame Reinforcer, One hole for latching functions, LH & RHR doors Lip 1-3/16", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-MS-50-MT-TLR-626-LDSAR-LH-4B-09-663-10-072-37-015-XL11-821-134)	2,018.00
AC-SCH-AD400MS70MTRHO643ELDSARRH4B0966310072134	AD-400 networked wireless (900 MHz), Mortise chassis, 70 Classroom/Storeroom-Interior LED only, Multi-Tech (Proximity and Smart) + Keypad, Rhodes Lever, Aged Bronze finish, Cylinder Type: LD SAR less Sargent 10L or 11L conventional KIL cylinder, Right Hand (RH), 4 AA Batteries, 1 1/4" Wide Square Corner, Latch for MS, 1-3/16" Standard Lip Strike Plate, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-MS-70-MTK-RHO-643e-LDSAR-RH-4B-09-663-10-072-134)	2,164.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

## Allegion Schlage AD400 Wireless locks with Mortis Chassis

Model No.	Description	MSRP \$
AC-SCH-AD400MS70MTKRHO643ELDSARLH4B0966310072134	AD-400 networked wireless (900 MHz), Mortise chassis, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart) + Keypad, Rhodes Lever, Aged Bronze finish, Cylinder Type: LD SAR less Sargent 10L or 11L conventional KIL cylinder, Left Hand (LH), 4 AA Batteries, 1 1/4" Wide Square Corner, Latch for MS, 1-3/16" Standard Lip Strike Plate, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-MS-70-MTK-RHO-643e-LDSAR-LH-4B-09-663-10-072-134)	2,164.00
AC-SCH-AD400MS70MTKRHO643ELDSARLH4B0966310072212	AD-400 networked wireless (900 MHz), Mortise chassis, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart) + Keypad, Rhodes Lever, Aged Bronze finish, Cylinder Type: LD SAR less Sargent 10L or 11L conventional KIL cylinder, Left Hand (LH), 4 AA Batteries, 1 1/4" Wide Square Corner, Latch for MS, 1-3/16" Standard Lip Strike Plate, 2-1/2" Door thickness (Allegion Schlage Part #: AD-400-MS-70-MTK-RHO-643e-LDSAR-LH-4B-09-663-10-072-212)	2,211.00
AC-SCH-AD400MS70MTSPA643EJDLH4B0966310072134	AD-400 networked wireless (900 MHz), Mortise chassis, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Sparta Lever, Aged Bronze finish, Cylinder Type: JD less Schlage 6-pin, Left Hand (LH), 4 AA Batteries, 1 1/4" Wide Square Corner, Latch for MS, 1-3/16" Standard Lip Strike Plate, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-MS-70-MT-SPA-643e-JD-LH-4B-09-663-10-072-134)	2,134.00
AC-SCH-AD400MS70MTRHO626JDMEDLH4B0966310072134	AD-400 networked wireless (900 MHz), Mortise chassis, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Rhodes Lever, Satin Chrome finish, Cylinder Type: less Medeco 0201, 6 Pin FSIC cylinder, Left Hand (LH), 4 AA Batteries, 1 1/4" Wide Square Corner, Latch for MS, 1-3/16" Standard Lip Strike Plate, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-MS-70-MT-RHO-626-JDMED-LH-4B-09-663-10-072-134)	2,022.00
AC-SCH-AD400MS70MTRHO626PDC123LH4B0966310072134	AD-400 networked wireless (900 MHz), Mortise chassis, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Rhodes Lever, Satin Chrome finish, Cylinder Type: PD conventional KIL cylinder, Left Hand (LH), 4 AA Batteries, 1 1/4" Wide Square Corner, Latch for MS, 1-3/16" Standard Lip Strike Plate, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-MS-70-MT-RHO-626-PD-C-123-LH-4B-09-663-10-072-134)	2,051.00
AC-SCH-AD400MS70MTKRHO643ELDSARLH4B0966310072214	AD-400 networked wireless (900 MHz), Mortise chassis, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart) + Keypad, Rhodes Lever, Aged Bronze finish, Cylinder Type: LD SAR less Sargent 10L or 11L conventional KIL cylinder, Left Hand (LH), 4 AA Batteries, 1 1/4" Wide Square Corner, Latch for MS, 1-3/16" Standard Lip Strike Plate, 1-3/4" (Commercial Door Standard)	2,211.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

## Allegion Schlage AD400 Wireless locks with Mortis Chassis

Model No.	Description	MSRP \$
AC-SCH-AD400MS50SIATH605PDS123LH4B0966310072134	AD-400 networked wireless (900 MHz), Mortise chassis, 50 Office-IPB (interior push button) with LED, Smart Technology iClass Compatible Reader, Athens Lever, Bright Brass finish, Cylinder Type: PD conventional KIL cylinder, Everest 29 S - 123, Left Hand (LH), 4 AA Batteries, 1 1/4" Wide Square Corner, Latch for MS, 1-3/16" Standard Lip Strike Plate, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-MS-50-SI-ATH-605-PD-S-123-LH-4B-09-663-10-072-134)	2,293.00
AC-SCH-AD400MS50SIKATH605PDS123LH4B0966310072134	AD-400 networked wireless (900 MHz), Mortise chassis, 50 Office-IPB (interior push button) with LED, Smart Technology iClass Compatible Reader + Keypad, Athens Lever, Bright Brass finish, Cylinder Type: PD conventional KIL cylinder, Everest 29 S - 123, Left Hand (LH), 4 AA Batteries, 1 1/4" Wide Square Corner, Latch for MS, 1-3/16" Standard Lip Strike Plate, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-MS-50-SiK-ATH-605-PD-S-123-LH-4B-09-663-10-072-134)	2,342.00
AC-SCH-AD400MS70MTTLR626LDSARLH4B0966310072134	AD-400 networked wireless (900 MHz) - MS Mortise ,Function - 70 Classroom/Storeroom-Interior LED Only ,Reader - Multi-Tech (Proximity and Smart) + ,Lever - Tubular ,Finish - 626 - Satin Chrome ,Handing - Left Hand (LH) ,Battery - 4 AA Batteries ,Armor Front - 09-663 - 1 1/4" Wide Square Corner, Latch for MS ,Strike Plate - 10-072 with 1-3/16" standard lip ,Door Thickness - 1-3/4" (Commercial Door Standard) ,BAA - No - Buy American Act ,Cylinder Type - LD SAR - less Sargent 10L or 11L conventional KIL cylinder ,(Allegion Part Number: AD-400-MS-70-MT-TLR-626-LDSAR-LH-4B-09-663-10-072-134)	1,940.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

## Allegion Schlage AD400 Wireless locks with Mortis Deadbolt Chassis

Model No.	Description	MSRP \$
AC-SCH-AD400MD40MTRHO626BDRH4B	AD-400 networked wireless (900 MHz) - MD mortise deadbolt, Function - 40 Privacy-IPB (interior push button) with LED, Reader - Multi-Tech (Proximity and Smart), Lever - Rhodes, 626 - Satin Chrome, Key System - BD, Handing - Right Hand (RH), Battery - 4 AA Batteries, Armor Front - 09-666 - 1 1/4" Wide Square Corner, Latch x Deadbolt for MD, Strike Plate - 10-072 with 1-3/16" standard lip, Door Thickness - 1-3/4" (Commercial Door Standard), BAA - No - Buy American Act. (Allegion Schlage Part Number: AD-400-MD-40-MT-RHO-626-BD-RH-4B-09-666-10-072-134)	2,089.00
AC-SCH-AD400MD60MTRHO626RDRHR4B	Allegion Schlage AD-400 900 Mhz Wireless, Mortise with Deadbolt, 60 Apartment-IPB (interior push button) with LED, Multi-Tech Reader (Proximity and Smart), Rhodes, Satin Chrome, Key System - RD - Keying Type - Everest D - letter of authorization required, Handing - Right Hand Reverse (RHR), 4 AA Batteries, Armor Front - 09-666 - 1 1/4" Wide Square Corner, Latch x Deadbolt for MD, Strike Plate - 10-072 - 1 1/3" Lip. Square Corner. Box. 1-1/4 x 4-7/8", Door Thickness - 1 3/4" (Commercial Door Standard) (Allegion Schlage Part Number: AD-400-MD-60-MT-RHO-626-RD-RHR-4B-09-666-10-072-1 3/4)	2,120.00
AC-SCH-AD400MD60MTRHO626PDS123RH4B	AD-400 networked wireless (900 MHz) - MD mortise deadbolt, Function - 40 Privacy-IPB (interior push button) with LED, Reader - Multi-Tech (Proximity and Smart), Lever - Rhodes, 626 - Satin Chrome, Key System - PD, Handing - Right Hand (RH), Battery - 4 AA Batteries, Armor Front - 09-666 - 1 1/4" Wide Square Corner, Latch x Deadbolt for MD, Strike Plate - 10-072 with 1-3/16" standard lip, Door Thickness - 1-3/4" (Commercial Door Standard), BAA - No - Buy American Act. (Allegion Schlage Part Number: AD-400-MD-60-MT-RHO-626-PD-S123-RH-4B-09-666-10-072-134)	2,089.00
AC-SCH-AD400MD60MTRHO626PDS123LH4B	AD-400 networked wireless (900 MHz) - MD mortise deadbolt, Function - 60 Apartment-IPB (interior push button) with LED, Reader - Multi-Tech (Proximity and Smart), Lever - Rhodes, 626 - Satin Chrome, Key System - PD, Keying Type - Everest 29 S, Keyway - S123, Handing - Left Hand (LH), Battery - 4 AA Batteries, Armor Front - 09-666 - 1 1/4" Wide Square Corner, Latch x Deadbolt for MD, Strike Plate - 10-072 with 1-3/16" standard lip, Door Thickness - 1-3/4" (Commercial Door Standard), BAA - No - Buy American Act. (Allegion Schlage Part Number: AD-400-MD-60-MT-RHO-626-PD-S123-LH-4B-09-666-10-072-134)	2,089.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

## Allegion Schlage AD400 Wireless locks with Mortis Deadbolt Chassis

Model No.	Description	MSRP \$
AC-SCH-AD400MD60MTSPA626LDRH4B	AD-400 networked wireless (900 MHz) - MD mortise deadbolt, Function - 60 Apartment-IPB (interior push button) with LED, Reader - Multi-Tech (Proximity and Smart), Lever - Sparta, 626 - Satin Chrome, Key System - LD, Handing - Right Hand (RH), Battery - 4 AA Batteries, Armor Front - 09-666 - 1 1/4" Wide Square Corner, Latch x Deadbolt for MD, Strike Plate - 10-072 with 1-3/16" standard lip, Strike Plate - 37-015 - Strike Frame Reinforcer, Door Thickness - 1-3/4" (Commercial Door Standard), BAA - No - Buy American Act, (Allegion Schlage Part Number: AD-400-MD-60-MT-SPA-626-LD-RH-4B-09-666-10-072 37-015-134 )	2,037.00
AC-SCH-AD400MD40MTKRHO626JDRH4B0966610072134	AD-400 networked wireless (900 MHz) - MD mortise deadbolt Function - 40 Privacy-IPB (interior push button) with LED Reader - Multi-Tech (Proximity and Smart) + Keypad Lever - Rhodes 626 - Satin Chrome Key System - JD Handing - Right Hand (RH) Battery - 4 AA Batteries Armor Front - 09-666 - 1 1/4" Wide Square Corner, Latch x Deadbolt for MD Strike Plate - 10-072 with 1-3/16" standard lip Door Thickness - 1-3/4" (Commercial Door Standard) BAA - No - Buy American Act (Allegion Schlage Part Number: AD-400-MD-40-MTK-RHO-626-JD-RH-4B-09-666-10-072-134)	2,113.00
AC-SCH-AD400MD40MTRHO626JDRH4B0966610072134	AD-400 networked wireless (900 MHz) - MD mortise deadbolt Function - 40 Privacy-IPB (interior push button) with LED Reader - Multi-Tech (Proximity and Smart) Does NOT read HID iClass Secure Sector Lever - Rhodes 626 - Satin Chrome Key System - JD Handing - Right Hand (RH) Battery - 4 AA Batteries Armor Front - 09-666 - 1 1/4" Wide Square Corner, Latch x Deadbolt for MD Strike Plate - 10-072 with 1-3/16" standard lip Door Thickness - 1-3/4" (Commercial Door Standard) BAA - No - Buy American Act (Allegion Schlage Part Number: AD-400-MD-40-MT-RHO-626-JD-RH-4B-09-666-10-072-134)	2,060.00
AC-SCH-AD400MD60MTSPA626BDRH4B0967210072100134	AD-400 networked wireless (900 MHz), Mortise deadbolt chassis, 60 Apartment-IPB (interior push button) with LED, Multi-Tech (Proximity and Smart), Sparta Lever, Satin Chrome finish, Cylinder Type: BD less SFIC cylinder for all manufacturers, Right Hand (RH), 4 AA Batteries, 1 1/16" Wide Square Corner, Latch x Deadbolt for MD, 1" Non-standard Lip Strike Plate, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-MD-60-MT-SPA-626-BD-RH-4B-09-672-10-072-100-134)	2,089.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

## Allegion Schlage AD400 Wireless locks with Exit Trim Rim/Concealed Chassis

Model No.	Description	MSRP \$
AC-SCH-AD400993R70MTRHO626BDRHR4B13/4	AD-400 900 Mhz Wireless, Exit Trim Rim Chassis, Interior LED Only Function, Multi-Tech Reader (Proximity and Smart), Rhodes Lever, Satin Chrome Finish, SFIC cyl Key System (less cylinder), Right Hand Reverse Handing, 4 AA Batteries, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-993R-70-MT-RHO-626-BD-RHR-4B-1 3/4)	2,107.00
AC-SCH-AD400993R70MTSPA626BDRHR4B13/4	AD-400 900 Mhz Wireless, Exit Trim Rim Chassis, Interior LED Only Function, Multi-Tech Reader (Proximity and Smart), Sparta Lever, Satin Chrome Finish, SFIC cyl Key System (less cylinder), Right Hand Reverse Handing, 4 AA Batteries, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-993R-70-MT-SPA-626-BD-RHR-4B-1 3/4)	2,107.00
AC-SCH-AD400993R70MTRHO626JDRHR4B13/4	AD-400 900 Mhz Wireless, Exit Trim Rim Chassis, Interior LED Only Function, Multi-Tech Reader (Proximity and Smart), Rhodes Lever, Satin Chrome Finish, Schlage FSIC 6 Pin Key System (less cylinder), Right Hand Reverse Handing, 4 AA Batteries, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-993R-70-MT-RHO-626-JD-RHR-4B-1 3/4)	2,081.00
AC-SCH-AD400993R70MTSPA626JDRHR4B1-3/4	AD-400 900 Mhz Wireless, Exit Trim Rim Chassis, Interior LED Only Function, Multi-Tech Reader (Proximity and Smart), Sparta Lever, Satin Chrome Finish, Schlage FSIC 6 Pin Key System (less cylinder), Right Hand Reverse Handing, 4 AA Batteries, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-993R-70-MT-SPA-626-JD-RHR-4B-1 3/4)	2,079.00
AC-SCH-AD400993R70MTRHO626PDS123RHR4B1-3/4	AD-400 900 Mhz Wireless, Exit Trim Rim Chassis, Interior LED Only Function, Multi-Tech Reader (Proximity and Smart), Rhodes Lever, Satin Chrome Finish, Schlage Standard with Cylinder Key System, Right Hand Reverse Handing, 4 AA Batteries, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-993R-70-MT-RHO-626-PD-S123-RHR-4B-1 3/4)	2,107.00
AC-SCH-AD400993R70MTSPA626PDS123RHR4B1-3/4	AD-400 900 Mhz Wireless, Exit Trim Rim Chassis, Interior LED Only Function, Multi-Tech Reader (Proximity and Smart), Sparta Lever, Satin Chrome Finish, Schlage Standard with Cylinder Key System, Right Hand Reverse Handing, 4 AA Batteries, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-993R-70-MT-SPA-626-PD-S123-RHR-4B-1 3/4)	2,107.00
AC-SCH-AD400993R70MTKRHO626BDRHR4B1-3/4	AD-400 900 Mhz Wireless, Exit Trim Rim Chassis, Interior LED Only Function, Multi-Tech Reader (Proximity and Smart) + Keypad, Rhodes Lever, Satin Chrome Finish, SFIC cyl Key System (less cylinder), Right Hand Reverse Handing, 4 AA Batteries, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-993R-70-MTK-RHO-626-BD-RHR-4B-1 3/4)	2,160.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

### Allegion Schlage AD400 Wireless locks with Exit Trim Rim/Concealed Chassis

Model No.	Description	MSRP \$
AC-SCH-AD400993R70MTKSPA626BDRHR4B1-3/4	AD-400 900 Mhz Wireless, Exit Trim Rim Chassis, Interior LED Only Function, Multi-Tech Reader (Proximity and Smart) + Keypad, Sparta Lever, Satin Chrome Finish, SFIC cyl Key System (less cylinder), Right Hand Reverse Handing, 4 AA Batteries, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-993R-70-MTK-SPA-626-BD-RHR-4B-1 3/4)	2,160.00
AC-SCH-AD400993R70MTKRHO626JDRHR4B1-3/4	AD-400 900 Mhz Wireless, Exit Trim Rim Chassis, Interior LED Only Function, Multi-Tech Reader (Proximity and Smart) + Keypad, Rhodes Lever, Satin Chrome Finish, Schlage FSIC 6 Pin Key System (less cylinder), Right Hand Reverse Handing, 4 AA Batteries, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-993R-70-MTK-RHO-626-JD-RHR-4B-1 3/4)	2,131.00
AC-SCH-AD400993R70MTKSPA626JDRHR4B1-3/4	AD-400 900 Mhz Wireless, Exit Trim Rim Chassis, Interior LED Only Function, Multi-Tech Reader (Proximity and Smart) + Keypad, Sparta Lever, Satin Chrome Finish, Schlage FSIC 6 Pin Key System (less cylinder), Right Hand Reverse Handing, 4 AA Batteries, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-993R-70-MTK-SPA-626-JD-RHR-4B-1 3/4)	2,131.00
AC-SCH-AD400993R70MTKRHO626PDS123RHR4B1-3/4	AD-400 900 Mhz Wireless, Exit Trim Rim Chassis, Interior LED Only Function, Multi-Tech Reader (Proximity and Smart) + Keypad, Rhodes Lever, Satin Chrome Finish, Schlage Standard with cylinder Key System, Right Hand Reverse Handing, 4 AA Batteries, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-993R-70-MTK-RHO-626-PD-S123-RHR-4B-1 3/4)	2,160.00
AC-SCH-AD400993R70MTKSPA626PDS123RHR4B1-3/4	AD-400 900 Mhz Wireless, Exit Trim Rim Chassis, Interior LED Only Function, Multi-Tech Reader (Proximity and Smart) + Keypad, Sparta Lever, Satin Chrome Finish, Schlage Standard with cylinder Key System, Right Hand Reverse Handing, 4 AA Batteries, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-993R-70-MTK-SPA-626-PD-S123-RHR-4B-1 3/4)	2,160.00
AC-SCH-AD400993R70MTRHO605BDRHR8B	AD-400 networked wireless (900 MHz) - 993R exit trim - rim/concealed vertical rod or cable, Function - 70, Classroom/Storeroom-Interior LED Only, Reader - Multi-Tech (Proximity and Smart), Lever - Rhodes, 605 - Bright Brass, Key System - BD, Handing - Right Hand Reverse (RHR), Battery - 8 AA Batteries, Door Thickness - 1-3/4" (Commercial Door Standard), BAA - No - Buy American Act, (Allegion Schlage Part Number: AD-400-993R-70-MT-RHO-605-BD-RHR-8B-134)	2,252.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.



## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

## Allegion Schlage AD400 Wireless locks with Exit Trim Rim/Concealed Chassis

Model No.	Description	MSRP \$
AC-SCH-AD400993R70MTRHO626BDLHR8B	AD-400 networked wireless (900 MHz) - 993R exit trim - rim/concealed vertical rod or cable, Function - 70 Classroom/Storeroom-Interior LED Only, Reader - Multi-Tech (Proximity and Smart), Lever - Rhodes, 626 - Satin Chrome, Key System - BD, Handing - Left Hand Reverse (LHR), Battery - 8 AA Batteries, Door Thickness - 1-3/4" (Commercial Door Standard) BAA - No - Buy American Act, (Allegion Schlage Part Number: AD-400-993R-70-MT-RHO-626-BD-LHR-8B-134)	2,138.00
AC-SCH-AD400993R70MSRHO626BDRHR4B1-3/4	AD-400 900 Mhz Wireless, Exit Trim Rim Chassis, Interior LED Only Function, MagStripe (Swipe) Reader, Rhodes Lever, Satin Chrome Finish, SFIC cyl Key System (less cylinder), Right Hand Reverse Handing, 4 AA Batteries, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-993R-70-MS-RHO-626-BD-RHR-4B-1 3/4)	2,027.00
AC-SCH-AD400993R70MSSPA626BDRHR4B1-3/4	AD-400 900 Mhz Wireless, Exit Trim Rim Chassis, Interior LED Only Function, MagStripe (Swipe) Reader, Sparta Lever, Satin Chrome Finish, SFIC cyl Key System (less cylinder), Right Hand Reverse Handing, 4 AA Batteries, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-993R-70-MS-SPA-626-BD-RHR-4B-1 3/4)	2,027.00
AC-SCH-AD400993R70MTRHO626BDRHR8B	AD-400 networked wireless (900 MHz) - 993R exit trim - rim/concealed vertical rod or cable, Function - 70 Classroom/Storeroom-Interior LED Only, Reader - Multi-Tech (Proximity and Smart), Lever - Rhodes, 626 - Satin Chrome, Key System - BD, Handing - Right Hand Reverse (RHR), Battery - 8 AA Batteries, Door Thickness - 1-3/4" (Commercial Door Standard), BAA - No - Buy American Act (Allegion Schlage Part Number: AD-400-993R-70-MT-RHO-626-BD-RHR-8B-134)	2,138.00
AC-SCH-AD400993R70MSRHO626JDRHR4B1-3/4	AD-400 900 Mhz Wireless, Exit Trim Rim Chassis, Interior LED Only Function, MagStripe (Swipe) Reader, Rhodes Lever, Satin Chrome Finish, Schlage FSIC 6 pin Key System (less cylinder), Right Hand Reverse Handing, 4 AA Batteries, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-993R-70-MS-RHO-626-JD-RHR-4B-1 3/4)	1,998.00
AC-SCH-AD400993R70MSSPA626JDRHR4B1-3/4	AD-400 900 Mhz Wireless, Exit Trim Rim Chassis, Interior LED Only Function, MagStripe (Swipe) Reader, Sparta Lever, Satin Chrome Finish, Schlage FSIC 6 pin Key System (less cylinder), Right Hand Reverse Handing, 4 AA Batteries, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-993R-70-MS-SPA-626-JD-RHR-4B-1 3/4)	1,998.00
AC-SCH-AD400993R70MSRHO626PDS123RHR4B1-3/4	AD-400 900 Mhz Wireless, Exit Trim Rim Chassis, Interior LED Only Function, MagStripe (Swipe) Reader, Rhodes Lever, Satin Chrome Finish, Schlage Standard with cylinder Key System, Right Hand Reverse Handing, 4 AA Batteries, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-993R-70-MS-RHO-626-PD-S123-RHR-4B-1 3/4)	2,027.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

## Allegion Schlage AD400 Wireless locks with Exit Trim Rim/Concealed Chassis

Model No.	Description	MSRP \$
AC-SCH-AD400993R70MSSPA626PDS123RHR4B1-3/4	AD-400 900 Mhz Wireless, Exit Trim Rim Chassis, Interior LED Only Function, MagStripe (Swipe) Reader, Sparta Lever, Satin Chrome Finish, Schlage Standard with cylinder Key System, Right Hand Reverse Handing, 4 AA Batteries, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-993R-70-MS-SPA-626-PD-S123-RHR-4B-1 3/4)	2,027.00
AC-SCH-AD400993R70MSKRHO626BDRHR4B1-3/4	AD-400 900 Mhz Wireless, Exit Trim Rim Chassis, Interior LED Only Function, MagStripe (Swipe) Reader + Keypad, Rhodes Lever, Satin Chrome Finish, SFIC cyl Key System (less cylinder), Right Hand Reverse Handing, 4 AA Batteries, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-993R-70-MSK-RHO-626-BD-RHR-4B-1 3/4)	2,081.00
AC-SCH-AD400993R70MSKSPA626BDRHR4B1-3/4	AD-400 900 Mhz Wireless, Exit Trim Rim Chassis, Interior LED Only Function, MagStripe (Swipe) Reader + Keypad, Sparta Lever, Satin Chrome Finish, SFIC cyl Key System (less cylinder), Right Hand Reverse Handing, 4 AA Batteries, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-993R-70-MSK-SPA-626-BD-RHR-4B-1 3/4)	2,081.00
AC-SCH-AD400993R70MSKRHO626JDRHR4B1-3/4	AD-400 900 Mhz Wireless, Exit Trim Rim Chassis, Interior LED Only Function, MagStripe (Swipe) Reader + Keypad, Rhodes Lever, Satin Chrome Finish, Schlage FSIC 6 Pin Key System (less cylinder), Right Hand Reverse Handing, 4 AA Batteries, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-993R-70-MSK-RHO-626-JD-RHR-4B-1 3/4)	2,052.00
AC-SCH-AD400993R70MSKSPA626JDRHR4B1-3/4	AD-400 900 Mhz Wireless, Exit Trim Rim Chassis, Interior LED Only Function, MagStripe (Swipe) Reader + Keypad, Sparta Lever, Satin Chrome Finish, Schlage FSIC 6 Pin Key System (less cylinder), Right Hand Reverse Handing, 4 AA Batteries, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-993R-70-MSK-SPA-626-JD-RHR-4B-1 3/4)	2,052.00
AC-SCH-AD400993R70MSKRHO626PDS123RHR4B1-3/4	AD-400 900 Mhz Wireless, Exit Trim Rim Chassis, Interior LED Only Function, MagStripe (Swipe) Reader + Keypad, Rhodes Lever, Satin Chrome Finish, Schlage Standard with cylinder Key System, Right Hand Reverse Handing, 4 AA Batteries, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-993R-70-MSK-RHO-626-PD-S123-RHR-4B-1 3/4)	2,081.00
AC-SCH-AD400993R70MSKSPA626PDS123RHR4B1-3/4	AD-400 900 Mhz Wireless, Exit Trim Rim Chassis, Interior LED Only Function, MagStripe (Swipe) Reader + Keypad, Sparta Lever, Satin Chrome Finish, Schlage Standard with cylinder Key System, Right Hand Reverse Handing, 4 AA Batteries, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-993R-70-MSK-SPA-626-PD-S123-RHR-4B-1 3/4)	2,081.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

## Allegion Schlage AD400 Wireless locks with Exit Trim Rim/Concealed Chassis

Model No.	Description	MSRP \$
AC-SCH-AD400993R40MTRHO626BDRHR4B13/4	AD-400 900 Mhz Wireless, Exit Trim Chassis - Rim - Concealed Vertical Rod, Privacy Interior Push Button with LED, Multi-Tech Reader (Proximity and Smart), Rhodes Lever, Satin Chrome Finish, BD - Less SFIC Cylinder set for BEST SFIC 6 or 7 pin, Right Hand Reverse Handing, 4 AA Batteries, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-993R-40-MT-RHO-626-BD-RHR-4B-1 3/4)	2,116.00
AC-SCH-AD400993R40MTRHO626BDLHR4B13/4	AD-400 900 Mhz Wireless, Exit Trim Chassis - Rim - Concealed Vertical Rod, Privacy Interior Push Button with LED, Multi-Tech Reader (Proximity and Smart), Rhodes Lever, Satin Chrome Finish, BD - Less SFIC Cylinder set for BEST SFIC 6 or 7 pin, Left Hand Reverse Handing, 4 AA Batteries, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-993R-40-MT-RHO-626-BD-LHR-4B-1 3/4)	2,116.00
AC-SCH-AD400993R40MTRHO612BDRHR4B13/4	AD-400 900 Mhz Wireless, Exit Trim Chassis - Rim - Concealed Vertical Rod, Privacy Interior Push Button with LED, Multi-Tech Reader (Proximity and Smart), Rhodes Lever, Satin Bronze Finish, BD - Less SFIC Cylinder set for BEST SFIC 6 or 7 pin, Right Hand Reverse Handing, 4 AA Batteries, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-993R-40-MT-RHO-612-BD-RHR-4B-1 3/4)	2,228.00
AC-SCH-AD400993R70MTRHO626JDCO6RHR4B13/4	AD-400 900 Mhz Wireless, Exit Trim Rim Chassis, Interior LED Only Function, Multi-Tech Reader (Proximity and Smart) + Keypad, Rhodes Lever, Satin Chrome Finish, JDCO6 - Corbin Russwin FSIC 6 Pin cylinder Key System, Right Hand Reverse Handing, 4 AA Batteries, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-993R-70-MT-RHO-626-JDCO6-RHR-4B-1 3/4)	2,079.00
AC-SCH-AD400993R70MTRHO626JDCO6LHR4B13/4	AD-400 900 Mhz Wireless, Exit Trim Rim Chassis, Interior LED Only Function, Multi-Tech Reader (Proximity and Smart) + Keypad, Rhodes Lever, Satin Chrome Finish, JDCO6 - Corbin Russwin FSIC 6 Pin cylinder Key System, Left Hand Reverse Handing, 4 AA Batteries, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-993R-70-MT-RHO-626-JDCO6-LHR-4B-1 3/4)	2,079.00
AC-SCH-AD400993R70MTRHO626PDS123LHR4B	AD-400 networked wireless (900 MHz) - 993R exit trim - rim/concealed vertical rod or cable, Function - 70 Classroom/Storeroom-Interior LED Only, Reader - Multi-Tech (Proximity and Smart), Lever - Rhodes, 626 - Satin Chrome, Key System - PD, Keying Type - Everest 29 S, Keyway - S123, Handing - Left Hand Reverse (LHR), Battery - 4 AA Batteries, Door Thickness - 1-3/4" (Commercial Door Standard), BAA - No - Buy American Act, (Allegion Schlage Part Number: AD-400-993R-70-MT-RHO-626-PD-S123-LHR-4B-134)	2,107.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

## Allegion Schlage AD400 Wireless locks with Exit Trim Rim/Concealed Chassis

Model No.	Description	MSRP \$
AC-SCH-AD400993R70MTSPA626BDLHR4B13/4	Allegion Schlage AD-400 900 Mhz Wireless, 993R Exit Trim - Rim/Concealed Vertical Rod (HM only/Concealed Vertical Cable, 70 Classroom/Storeroom-Interior LED Only, Multi-Tech Reader (Proximity and Smart), Sparta, Satin Chrome, Key System - BD - Less SFIC cylinder -Schlage, Falcon, Best and other competitive OEM's, Handing - Left Hand Reverse (LHR), 4 AA Batteries, Door Thickness - 1 3/4" (Commercial Door Standard) (Allegion Schlage Part Number: AD-400-993R-70-MT-SPA-626-BD-LHR-4B-1 3/4)	2,107.00
AC-SCH-AD400993R70MTATH626JDRHR4B13/4	Allegion Schlage AD-400 900 Mhz Wireless, 993R Exit Trim - Rim/Concealed Vertical Rod (HM only/Concealed Vertical Cable, 70 Classroom/Storeroom-Interior LED Only, Multi-Tech Reader (Proximity and Smart), Athens, Satin Chrome, Key System - JD - Schlage FSIC 6 Pin, Falcon, Best and other competitive OEM's, Handing - Right Hand Reverse (RHR), 4 AA Batteries, Door Thickness - 1 3/4" (Commercial Door Standard) (Allegion Schlage Part Number: AD-400-993R-70-MT-ATH-626-JD-RHR-4B-1 3/4)	2,079.00
AC-SCH-AD400993R70MTSPA626JDLHR4B13/4	Allegion Schlage AD-400 900 Mhz Wireless, 993R Exit Trim - Rim/Concealed Vertical Rod (HM only/Concealed Vertical Cable, 70 Classroom/Storeroom-Interior LED Only, Multi-Tech Reader (Proximity and Smart), Sparta, Satin Chrome, Key System - JD - Schlage FSIC 6 Pin, Falcon, Best and other competitive OEM's, Handing - Left Hand Reverse (LHR), 4 AA Batteries, Door Thickness - 1 3/4" (Commercial Door Standard) (Allegion Schlage Part Number: AD-400-993R-70-MT-SPA-626-JD-LHR-4B-1 3/4)	2,079.00
AC-SCH-AD400993R50MTRHO626JDRHR4B134	AD-400 networked wireless (900 MHz) - 993R exit trim - rim/concealed vertical rod or cable Function - 50 Office-IPB (interior push button) with LED Reader - Multi-Tech (Proximity and Smart) Does NOT read HID iClass Secure SectorLever - Rhodes 626 - Satin Chrome Key System - JD Handing - Right Hand Reverse (RHR) Battery - 4 AA Batteries Door Thickness - 1-3/4" (Commercial Door Standard) BAA - No - Buy American Act (Allegion Schlage Part Number: AD-400-993R-50-MT-RHO-626-JD-RHR-4B-134)	2,087.00
AC-SCH-AD400993R50MTKRHO626JDRHR4B134	AD-400 networked wireless (900 MHz) - 993R exit trim - rim/concealed vertical rod or cable Function - 50 Office-IPB (interior push button) with LED Reader - Multi-Tech (Proximity and Smart) + Keypad Does NOT read HID iClass Secure SectorLever - Rhodes 626 - Satin Chrome Key System - JD Handing - Right Hand Reverse (RHR) Battery - 4 AA Batteries Door Thickness - 1-3/4" (Commercial Door Standard) BAA - No - Buy American Act (Allegion Schlage Part Number: AD-400-993R-50-MTK-RHO-626-JD-RHR-4B-134)	2,139.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

## Allegion Schlage AD400 Wireless locks with Exit Trim Rim/Concealed Chassis

Model No.	Description	MSRP \$
AC-SCH-AD400993R70MTRHO643EBDRHR8B134	AD-400 networked wireless (900 MHz) - 993R exit trim - rim/concealed vertical rod or cable Function - 70 Classroom/Storeroom-Interior LED Only Reader - Multi-Tech (Proximity and Smart) Does NOT read HID iClass Secure SectorLever - Rhodes 643e - Aged Bronze Key System - BD Handing - Right Hand Reverse (RHR) Battery - 8 AA Batteries Door Thickness - 1-3/4" (Commercial Door Standard) BAA - No - Buy American Act (Allegion Schlage Part Number: AD-400-993R-70-MT-RHO-643e-BD-RHR-8B-134)	2,252.00
AC-SCH-AD400993R70MTRHO643ELDRHR4B134	AD-400 networked wireless (900 MHz) - 993R exit trim - rim/concealed vertical rod or cable Function - 70 Classroom/Storeroom-Interior LED Only Reader - Multi-Tech (Proximity and Smart) Does NOT read HID iClass Secure SectorLever - Rhodes 643e - Aged Bronze Key System - LD Handing - Right Hand Reverse (RHR) Battery - 4 AA Batteries Door Thickness - 1-3/4" (Commercial Door Standard) BAA - No - Buy American Act (Allegion Schlage Part Number: AD-400-993R-70-MT-RHO-643e-LD-RHR-4B-134)	2,168.00
AC-SCH-AD400993R70MTRHO626LDRHR4B134	AD-400 networked wireless (900 MHz) - 993R exit trim - rim/concealed vertical rod or cable Function - 70 Classroom/Storeroom-Interior LED Only Reader - Multi-Tech (Proximity and Smart) Lever - Rhodes 626 - Satin Chrome Key System - LD Handing - Right Hand Reverse (RHR) Battery - 4 AA Batteries Door Thickness - 1-3/4" (Commercial Door Standard) BAA - No - Buy American Act (Allegion Schlage Part Number: AD-400-993R-70-MT-RHO-626-LD-RHR-4B-134)	2,055.00
AC-SCH-AD400993R70MTRHO626PDS123RHR4B134	AD-400 networked wireless (900 MHz) - 993R exit trim - rim/concealed vertical rod or cable OptionsFunction - 70 Classroom/Storeroom-Interior LED Only Reader - Multi-Tech (Proximity and Smart) + Keypad Lever - Rhodes 626 - Satin Chrome Key System - PD - Schlage conventional KIL cylinder Keying Type - Everest 29 S Keyway - 123 Handing - Right Hand Reverse (RHR) Battery - 4 AA Batteries Door Thickness - 1-3/4" (Commercial Door Standard) BAA - No - Buy American Act (Allegion Part Number: AD-400-993R-70-MTK-RHO-626-PD-S-123-RHR-4B-134)	2,160.00
AC-SCH-AD-400-993R-50-MT-RHO-626-RD-S123-RHR-4B134	AD-400 networked wireless (900 MHz) - 993R exit trim - rim/concealed vertical rod or cable OptionsFunction - 50 Office-IPB (interior push button) with LED Reader - Multi-Tech (Proximity and Smart) Lever - Rhodes 626 - Satin Chrome Key System - RD - Schlage FSIC cylinder Keying Type - Everest 29 S Keyway - 123 Handing - Right Hand Reverse (RHR) Battery - 4 AA Batteries Door Thickness - 1-3/4" (Commercial Door Standard) BAA - No - Buy American Act (Allegion Part Number: AD-400-993R-50-MT-RHO-626-RD-S-123-RHR-4B-134)	2,116.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

### Allegion Schlage AD400 Wireless locks with Exit Trim Rim/Concealed Chassis

Model No.	Description	MSRP \$
AC-SCH-AD400993R70MTRHO643EPDS123LHR4B134	AD-400 networked wireless (900 MHz), 993R exit trim - rim/concealed vertical rod or cable, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Rhodes Lever, Aged Bronze finish, Cylinder Type: PD conventional KIL cylinder, Everest 29 S - 123, Left Hand Reverse (LHR), 4 AA Batteries, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-993R-70-MT-RHO-643e-PD-S-123-LHR-4B-134)	2,220.00
AC-SCH-AD400993R70MTSPA643ELDRHR4B134	AD-400 networked wireless (900 MHz), 993R exit trim - rim/concealed vertical rod or cable, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Sparta Lever, Aged Bronze finish, Cylinder Type: LD less Schlage/Falcon 6-pin; conventional KIL cylinder, Right Hand Reverse (RHR), 4 AA Batteries, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-993R-70-MT-SPA-643e-LD-RHR-4B-134)	2,168.00
AC-SCH-AD-400-993R-70-MT-RHO-626-PDS123LHR4B214	AD-400 networked wireless (900 MHz) - 993R exit trim - rim/concealed vertical rod or cable OptionsFunction - 70 Classroom/Storeroom-Interior LED Only Reader - Multi- Tech (Proximity and Smart) Does NOT read HID iClass Secure SectorLever - Rhodes 626 - Satin Chrome Key System - PD Keying Type - Everest 29 S Keyway - S123 Handing - Left Hand Reverse (LHR) Battery - 4 AA Batteries BAA - No - Buy American Act AD-400-993R-70-MT-RHO-626-PD-S123-LHR-4B-214)	2,155.00
AC-SCH-AD-400-993R-70-MT-RHO-626-PDS123RHR4B218	AD-400 networked wireless (900 MHz) - 993R exit trim - rim/concealed vertical rod or cable OptionsFunction - 70 Classroom/Storeroom-Interior LED Only Reader - Multi- Tech (Proximity and Smart) Lever - Rhodes 626 - Satin Chrome Key System - PD - Schlage conventional KIL cylinder Keying Type - Everest 29 S Keyway - 123 Handing - Right Hand Reverse (RHR) Battery - 4 AA Batteries Door Thickness - 2-1/8" BAA - No - Buy American Act (Allegion Part Number:AD-400-993R-70-MT-RHO-626-PD-S-123-RHR-4B-218)	2,155.00
AC-SCH-AD400993R70MTSPA643ELDLHR4B134	AD-400 networked wireless (900 MHz), 993R exit trim - rim/concealed vertical rod or cable, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Sparta Lever, Aged Bronze finish, Cylinder Type: LD less Schlage/Falcon 6-pin; conventional KIL cylinder, Left Hand Reverse (LHR), 4 AA Batteries, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-993R-70-MT-SPA-643e-LD-LHR-4B-134)	2,168.00
AC-SCH-AD400993R70MTSPA643EBDRHR4B134	AD-400 networked wireless (900 MHz), 993R exit trim - rim/concealed vertical rod or cable, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Sparta Lever, Aged Bronze finish, Cylinder Type: BD less SFIC cylinder; all manufacturers, Right Hand Reverse (RHR), 4 AA Batteries, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-993R-70-MT-SPA-643e-BD-RHR-4B-134)	2,220.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

### Allegion Schlage AD400 Wireless locks with Exit Trim Rim/Concealed Chassis

Model No.	Description	MSRP \$
AC-SCH-AD-400-993R-70-MT-RHO-626-PDS123LHR4B200	AD-400 networked wireless (900 MHz) - 993R exit trim - rim/concealed vertical rod or cable OptionsFunction - 70 Classroom/Storeroom-Interior LED Only Reader - Multi-Tech (Proximity and Smart) Does NOT read HID iClass Secure SectorLever - Rhodes 626 - Satin Chrome Key System - PD Keying Type - Everest 29 S Keyway - S123 Handing - Left Hand Reverse (LHR) Battery - 4 AA Batteries BAA - No - Buy American Act (Allegion Part Number: AD-400-993R-70-MT-RHO-626-PD-S123-LHR-4B-200)	2,155.00
AC-SCH-AD-400-993R-70-MT-RHO-626-PDS123RHR4B214	AD-400 networked wireless (900 MHz) - 993R exit trim - rim/concealed vertical rod or cable OptionsFunction - 70 Classroom/Storeroom-Interior LED Only Reader - Multi-Tech (Proximity and Smart) Does NOT read HID iClass Secure SectorLever - Rhodes 626 - Satin Chrome Key System - PD Keying Type - Everest 29 S Keyway - S123 Handing - Right Hand Reverse (RHR) Battery - 4 AA Batteries BAA - No - Buy American Act AD-400-993R-70-MT-RHO-626-PD-S123-RHR-4B-214)	2,155.00
AC-SCH-AD400993R70MTRHO626BDRHR8B134	AD-400 networked wireless (900 MHz), 993R exit trim - rim/concealed vertical rod or cable, 70 Classroom/Storeroom-Interior LED only, Multi-Tech (Proximity and Smart), Rhodes Lever, Satin Chrome finish, Cylinder Type: BD less SFIC cylinder; all manufacturers, Right Hand Reverse (RHR), 8 AA Batteries, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-993R-70-MT-RHO-626-BD-RHR-8B-134)	2,138.00
AC-SCH-AD400993R70MTSPA626BDRHR8B134	AD-400 networked wireless (900 MHz), 993R exit trim - rim/concealed vertical rod or cable, 70 Classroom/Storeroom-Interior LED only, Multi-Tech (Proximity and Smart), Sparta Lever, Satin Chrome finish, Cylinder Type: BD less SFIC cylinder; all manufacturers, Right Hand Reverse (RHR), 8 AA Batteries, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-993R-70-MT-SPA-626-BD-RHR-8B-134)	2,138.00
AC-SCH-AD400993R70MTSPA626BDLHR8B134	AD-400 networked wireless (900 MHz), 993R exit trim - rim/concealed vertical rod or cable, 70 Classroom/Storeroom-Interior LED only, Multi-Tech (Proximity and Smart), Sparta Lever, Satin Chrome finish, Cylinder Type: BD less SFIC cylinder; all manufacturers, Left Hand Reverse (LHR), 8 AA Batteries, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-993R-70-MT-SPA-626-BD-LHR-8B-134)	2,138.00
AC-SCH-AD400993R50MTSPA626JDRHR4B134	AD-400 networked wireless (900 MHz), 993R exit trim - rim/concealed vertical rod or cable, 50 Office-IPB (interior push button) with LED, Multi-Tech (Proximity and Smart), Sparta Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Right Hand Reverse (RHR), 4 AA Batteries, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-993R-50-MT-SPA-626-JD-RHR-4B-134)	2,087.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

## Allegion Schlage AD400 Wireless locks with Exit Trim Rim/Concealed Chassis

Model No.	Description	MSRP \$
AC-SCH-AD400993R70MTSPA626JDRHR4B13	AD-400 networked wireless (900 MHz), 993R exit trim - rim/concealed vertical rod or cable, 70 Classroom/Storeroom-Interior LED only, Multi-Tech (Proximity and Smart), Sparta Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Right Hand Reverse (RHR), 4 AA Batteries, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-993R-70-MT-SPA-626-JD-RHR-4B-134)	2,079.00
AC-SCH-AD400993R70MTSPA626JDLHR4B134	AD-400 networked wireless (900 MHz), 993R exit trim - rim/concealed vertical rod or cable, 70 Classroom/Storeroom-Interior LED only, Multi-Tech (Proximity and Smart), Sparta Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Left Hand Reverse (LHR), 4 AA Batteries, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-993R-70-MT-SPA-626-JD-LHR-4B-134)	2,079.00
AC-SCH-AD400993R50MTSPA626JDLHR4B134	AD-400 networked wireless (900 MHz), 993R exit trim - rim/concealed vertical rod or cable, 50 Office-IPB (interior push button) with LED, Multi-Tech (Proximity and Smart), Sparta Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Left Hand Reverse (LHR), 4 AA Batteries, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-993R-50-MT-SPA-626-JD-LHR-4B-134)	2,087.00
AC-SCH-AD400993R50MTRHO626JDLHR4B134	AD-400 networked wireless (900 MHz), Exit trim chassis with rim/concealed vertical rod or cable, 50 Office-IPB (interior push button) with LED, Multi-Tech (Proximity and Smart), Rhodes Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Left Hand Reverse (LHR), 4 AA Batteries, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-993R-50-MT-RHO-626-JD-LHR-4B-134)	2,087.00
AC-SCH-AD400993R70MTSPA626JDRHR4B134	AD-400 networked wireless (900 MHz), Exit trim chassis with rim/concealed vertical rod or cable, 70 Classroom/Storeroom-Interior LED only, Multi-Tech (Proximity and Smart), Sparta Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Right Hand Reverse (RHR), 4 AA Batteries, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-993R-70-MT-SPA-626-JD-RHR-4B-134)	2,079.00
AC-SCH-AD400993R50MTRHO626PDS123RHR4B134	AD-400 networked wireless (900 MHz), Exit trim chassis with rim/concealed vertical rod or cable, 50 Office-IPB (interior push button) with LED, Multi-Tech (Proximity and Smart), Rhodes Lever, Satin Chrome finish, Cylinder Type: PD conventional KIL cylinder, Everest 29 S - 123, Right Hand Reverse (RHR), 4 AA Batteries, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-993R-50-MT-RHO-626-PD-S-123-RHR-4B-134)	2,116.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.



## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

## Allegion Schlage AD400 Wireless locks with Exit Trim Rim/Concealed Chassis

Model No.	Description	MSRP \$
AC-SCH-AD400993R70MTATH626LDRHR4B134	AD-400 networked wireless (900 MHz), Exit trim chassis with rim/concealed vertical rod or cable, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Athens Lever, Satin Chrome finish, Cylinder Type: LD less Schlage/Falcon 6-pin; conventional KIL cylinder, Right Hand Reverse (RHR), 4 AA Batteries, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-993R-70-MT-ATH-626-LD-RHR-4B-134)	2,055.00
AC-SCH-AD400993R70MTTLR626BDRHR4B134	AD-400 networked wireless (900 MHz), Exit trim chassis with rim/concealed vertical rod or cable, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Tubular Lever, Satin Chrome finish, Cylinder Type: BD less SFIC cylinder for all manufacturers, Right Hand Reverse (RHR), 4 AA Batteries, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-993R-70-MT-TLR-626-BD-RHR-4B-134)	2,107.00
AC-SCH-AD400993R70MTRHO626JDLHR4B134	AD-400 networked wireless (900 MHz), Exit trim chassis with rim/concealed vertical rod or cable, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Rhodes Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Left Hand Reverse (LHR), 4 AA Batteries, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-993R-70-MT-RHO-626-JD-LHR-4B-134)	2,079.00
AC-SCH-AD400993R70MTKRHO626JDLHR4B134	AD-400 networked wireless (900 MHz), Exit trim chassis with rim/concealed vertical rod or cable, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart) + Keypad, Rhodes Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Left Hand Reverse (LHR), 4 AA Batteries, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-993R-70-MTK-RHO-626-JD-LHR-4B-134)	2,131.00
AC-SCH-AD400993R70MTSPA626RDLHR4B134	AD-400 networked wireless (900 MHz), Exit trim chassis with rim/concealed vertical rod or cable, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Sparta Lever, Satin Chrome finish, Cylinder Type: RD Schlage 6-Pin Everest 29 S123 standard, Left Hand Reverse (LHR), 4 AA Batteries, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-993R-70-MT-SPA-626-RD-LHR-4B-134)	2,138.00
AC-SCH-AD400993R70MTSPA643EJDLHR4B134	AD-400 networked wireless (900 MHz), Exit trim chassis with rim/concealed vertical rod or cable, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Sparta Lever, Aged Bronze finish, Cylinder Type: JD less Schlage 6-pin, Left Hand Reverse (LHR), 4 AA Batteries, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-993R-70-MT-SPA-643e-JD-LHR-4B-134)	2,192.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

## Allegion Schlage AD400 Wireless locks with Exit Trim Rim/Concealed Chassis

Model No.	Description	MSRP \$
AC-SCH-AD400993R70MTRHO643EJDLHR4B134	AD-400 networked wireless (900 MHz), Exit trim chassis with rim/concealed vertical rod or cable, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Rhodes Lever, Aged Bronze finish, Cylinder Type: JD less Schlage 6-pin, Left Hand Reverse (LHR), 4 AA Batteries, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-993R-70-MT-RHO-643e-JD-LHR-4B-134)	2,192.00
AC-SCH-AD400993R70MTRHO626JDMEDLHR4B134	AD-400 networked wireless (900 MHz), Exit trim chassis with rim/concealed vertical rod or cable, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Rhodes Lever, Satin Chrome finish, Cylinder Type: less Medeco 0201, 6 Pin FSIC cylinder, Left Hand Reverse (LHR), 4 AA Batteries, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-993R-70-MT-RHO-626-JDMED-LHR-4B-134)	2,079.00
AC-SCH-AD400993R70MTRHO626PDC123RHR4B134	AD-400 networked wireless (900 MHz), Exit trim chassis with rim/concealed vertical rod or cable, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Rhodes Lever, Satin Chrome finish, Cylinder Type: PD conventional KIL cylinder, Right Hand Reverse (RHR), 4 AA Batteries, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-993R-70-MT-RHO-626-PD-C-123-RHR-4B-134)	2,107.00
AC-SCH-AD400993R70MTATH643ELDRHR4B134	AD-400 networked wireless (900 MHz), Exit trim chassis with rim/concealed vertical rod or cable, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Athens Lever, Aged Bronze finish, Cylinder Type: LD less Schlage/Falcon 6-pin; conventional KIL cylinder, Right Hand Reverse (RHR), 4 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard)	2,168.00
AC-SCH-AD400993R70KPRHO626PDS123LHR4B134	AD-400 networked wireless (900 MHz), Exit trim chassis with rim/concealed vertical rod or cable, 70 Classroom/Storeroom-Interior LED only , Keypad, Rhodes Lever, Satin Chrome finish, Cylinder Type: PD conventional KIL cylinder, Everest 29 S - 123, Left Hand Reverse (LHR), 4 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard)	1,946.00
AC-SCH-AD400993R70MTATH626JDMEDRHR4B134	AD-400 networked wireless (900 MHz), Exit trim chassis with rim/concealed vertical rod or cable, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Athens Lever, Satin Chrome finish, Cylinder Type: less Medeco 0201, 6 Pin FSIC cylinder, Right Hand Reverse (RHR), 4 AA Batteries, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-993R-70-MT-ATH-626-JDMED-RHR-4B-134)	2,079.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

### Allegion Schlage AD400 Wireless locks with Exit Trim Rim/Concealed Chassis

Model No.	Description	MSRP \$
AC-SCH-AD400993R70MTRHO626JDMEDRHR4B134	AD-400 networked wireless (900 MHz), Exit trim chassis with rim/concealed vertical rod or cable, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Rhodes Lever, Satin Chrome finish, Cylinder Type: less Medeco 0201, 6 Pin FSIC cylinder, Right Hand Reverse (RHR), 4 AA Batteries, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-993R-70-MT-RHO-626-JDMED-RHR-4B-134)	2,079.00
AC-SCH-AD400993R70MTSPA626JDMEDLHR4B134	AD-400 networked wireless (900 MHz), Exit trim chassis with rim/concealed vertical rod or cable, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Sparta Lever, Satin Chrome finish, Cylinder Type: less Medeco 0201, 6 Pin FSIC cylinder, Left Hand Reverse (LHR), 4 AA Batteries, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-993R-70-MT-SPA-626-JDMED-LHR-4B-134)	2,079.00
AC-SCH-AD400993R70MTSPA626JDMEDRHR4B134	AD-400 networked wireless (900 MHz), Exit trim chassis with rim/concealed vertical rod or cable, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Sparta Lever, Satin Chrome finish, Cylinder Type: less Medeco 0201, 6 Pin FSIC cylinder, Right Hand Reverse (RHR), 4 AA Batteries, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-993R-70-MT-SPA-626-JDMED-RHR-4B-134)	2,079.00
AC-SCH-AD400993R70MTATH612PDS123LHR4B134	AD-400 networked wireless (900 MHz), Exit trim chassis with rim/concealed vertical rod or cable, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Athens Lever, Satin Bronze, Cylinder Type: PD Schlage conventional KIL, Left Hand Reverse (LHR), 4 AA Batteries, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-993R-70-MT-ATH-612-PD-S-123-LHR-4B-134)	2,220.00
AC-SCH-AD400993R70MTATH622BDS123LHR4B134	AD-400 networked wireless (900 MHz) - 993R exit trim - rim/concealed vertical rod or cable ,Function - 70 Classroom/Storeroom-Interior LED Only ,Reader - Multi-Tech (Proximity and Smart) +,Lever - Athens ,Finish - 626 - Satin Chrome ,Handing - Left Hand Reverse (LHR) ,Battery - 4 AA Batteries ,Door Thickness - 1-3/4" (Commercial Door Standard) ,BAA - No - Buy American Act ,(Allegion Part Number:AD-400-993R-70-MT-ATH-626-BD-LHR-4B-134)	2,155.00
AC-SCH-AD400993R70MTATH626BDLHR4B134	AD-400 networked wireless (900 MHz) - 993R exit trim - rim/concealed vertical rod or cable ,Function - 70 Classroom/Storeroom-Interior LED Only ,Reader - Multi-Tech (Proximity and Smart) +,Lever - Athens ,Finish - 626 - Satin Chrome ,Handing - Left Hand Reverse (LHR) ,Battery - 4 AA Batteries ,Door Thickness - 1-3/4" (Commercial Door Standard) ,BAA - No - Buy American Act ,Cylinder Type - BD - less SFIC cylinder; all manufacturers (Allegion Part Number:AD-400-993R-70-MT-ATH-626-BD-LHR-4B-134)	2,107.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

## Allegion Schlage AD400 Wireless locks with Exit Trim Rim/Concealed Chassis

Model No.	Description	MSRP \$
AC-SCH-AD400993R70MTSPA626PDS123LHR4B134	AD-400 networked wireless (900 MHz) - 993R exit trim - rim/concealed vertical rod or cable ,Function - 70 Classroom/Storeroom-Interior LED Only ,Reader - Multi-Tech (Proximity and Smart) +,Lever - Sparta ,Finish - 626 - Satin Chrome ,Handing - Left Hand Reverse (LHR) ,Battery - 4 AA Batteries ,Door Thickness - 1-3/4" (Commercial Door Standard) ,BAA - No - Buy American Act ,Cylinder Type - PD - Schlage conventional KIL cylinder ,Keying Type - Everest 29 S ,Product Catalog Number Total Price,(Allegion Part Number:AD-400-993R-70-MT-SPA-626-PD-S123-LHR-4B-134)	2,107.00
AC-SCH-AD400993R70MTSPA605JDLHR4B134	AD-400 networked wireless (900 MHz) - 993R exit trim - rim/concealed vertical rod or cable ,Function - 70 Classroom/Storeroom-Interior LED Only ,Reader - Multi-Tech (Proximity and Smart) +,Lever - Sparta ,Finish - 605 - Bright Brass +,Handing - Left Hand Reverse (LHR) ,Battery - 4 AA Batteries ,Door Thickness - 1-3/4" (Commercial Door Standard) ,BAA - No - Buy American Act ,Cylinder Type - JD - less Schlage 6-pin FSIC cylinder,(Allegion Part Number:AD-400-993R-70-MT-SPA-605-JD-LHR-4B-134)	2,192.00
AC-SCH-AD400993R70MTSPA605JDRHR4B134	AD-400 networked wireless (900 MHz) - 993R exit trim - rim/concealed vertical rod or cable ,Function - 70 Classroom/Storeroom-Interior LED Only ,Reader - Multi-Tech (Proximity and Smart) +,Lever - Sparta ,Finish - 605 - Bright Brass +,Handing - Right Hand Reverse (RHR) ,Battery - 4 AA Batteries ,Door Thickness - 1-3/4" (Commercial Door Standard) ,BAA - No - Buy American Act ,Cylinder Type - JD - less Schlage 6-pin FSIC cylinder (Allegion Part Number:AD-400-993R-70-MT-SPA-605-JD-RHR-4B-134)	2,192.00
AC-SCH-AD400993R70MTRHO626BDLHR4B134	AD-400 networked wireless (900 MHz) - 993R exit trim - rim/concealed vertical rod or cable ,Function - 70 Classroom/Storeroom-Interior LED Only ,Reader - Multi-Tech (Proximity and Smart) +,Lever - Rhodes ,Finish - 626 - Satin Chrome ,Handing - Left Hand Reverse (LHR) ,Battery - 4 AA Batteries ,Door Thickness - 1-3/4" (Commercial Door Standard) ,BAA - No - Buy American Act ,Cylinder Type - BD - less SFIC cylinder; all manufacturers A(Allegion Part Number:AD-400-993R-70-MT-RHO-626-BD-LHR-4B-134)	2,107.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

## Allegion Schlage AD400 Wireless locks with Exit Trim Surface Vertical Rod Chassis

Model No.	Description	MSRP \$
AC-SCH-AD400993S40MTRHO626BDRHR4B13/4	AD-400 900 Mhz Wireless, Exit Trim Chassis - Surface Vertical Rod, Privacy Interior Push Button with LED, Multi-Tech Reader (Proximity and Smart), Rhodes Lever, Satin Chrome Finish, BD - Less SFIC Cylinder set for BEST SFIC 6 or 7 pin, Right Hand Reverse Handing, 4 AA Batteries, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-993S-40-MT-RHO-626-BD-RHR-4B-1 3/4)	2,140.00
AC-SCH-AD400993S70MTRHO626PDS123RHR4B	AD-400 networked wireless (900 MHz) - 993S Exit Trim - Surface Vertical Rod, Function - 70 Classroom/Storeroom-Interior LED Only, Reader - Multi-Tech (Proximity and Smart), Lever - Rhodes, 626 - Satin Chrome, Key System - PD, Keying Type - Everest 29 S, Keyway - S123, Handing - Right Hand Reverse (RHR), Battery - 4 AA Batteries, Door Thickness - 1-3/4" (Commercial Door Standard), BAA - No - Buy American Act, (Allegion Schlage Part Number: AD-400-993S-70-MT-RHO-626-PD-S123-RHR-4B-134)	2,132.00
AC-SCH-AD400993S70MTRHO626JDRHR4B	AD-400 networked wireless (900 MHz) - 993S Exit Trim - Surface Vertical Rod Function - 70 Classroom/Storeroom-Interior LED Only Reader - Multi-Tech (Proximity and Smart) Lever - Rhodes 626 - Satin Chrome Key System - JD Handing - Right Hand Reverse (RHR) Battery - 4 AA Batteries Door Thickness - 1-3/4" (Commercial Door Standard) BAA - No - Buy American Act BAA - Less RX Switch (Allegion Schlage Part Number: AD-400-993S-70-MT-RHO-626-JD-RHR-4B-134 LRX)	2,103.00
AC-SCH-AD400993S70MTKRHO626PDS123RHR4B134	AD-400 networked wireless (900 MHz) - 993S Exit Trim - Surface Vertical Rod OptionsFunction - 70 Classroom/Storeroom-Interior LED Only Reader - Multi-Tech (Proximity and Smart) + Keypad Lever - Rhodes 626 - Satin Chrome Key System - PD - Schlage conventional KIL cylinder Keying Type - Everest 29 S Keyway - 123 Handing - Right Hand Reverse (RHR) Battery - 4 AA Batteries Door Thickness - 1-3/4" (Commercial Door Standard) BAA - No - Buy American Act (Allegion Part Number:AD-400-993S-70-MTK-RHO-626-PD-S-123-RHR-4B-134)	2,185.00
AC-SCH-AD-400-993S-70-MT-RHO-626-RD-S123-RHR-4B134	AD-400 networked wireless (900 MHz) - 993S Exit Trim - Surface Vertical Rod OptionsFunction - 70 Classroom/Storeroom-Interior LED Only Reader - Multi-Tech (Proximity and Smart) Lever - Rhodes Finish - 626 - Satin Chrome Key System - RD - Schlage FSIC cylinder Keying Type - Everest 29 S Keyway - 123 Handing - Right Hand Reverse (RHR) Battery - 4 AA Batteries Door Thickness - 1-3/4" (Commercial Door Standard) BAA - No - Buy American ActDoor Thickness - 1-3/4" (Commercial Door Standard) (Allegion Part Number:AD-400-993S-70-MT-RHO-626-RD-S-123-RHR-4B-134)	2,163.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

## Allegion Schlage AD400 Wireless locks with Exit Trim Surface Vertical Rod Chassis

Model No.	Description	MSRP \$
AC-SCH-AD400993S50MTRHO626JDRHR4B134	AD-400 networked wireless (900 MHz), 993S exit trim - surface vertical rod, 50 Office-IPB (interior push button) with LED, Multi-Tech (Proximity and Smart), Rhodes Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Right Hand Reverse (RHR), 4 AA Batteries, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-993S-50-MT-RHO-626-JD-RHR-4B-134)	2,113.00
AC-SCH-AD-400-993S-40-MT-RHO-626-BD-LHR-4B-134	AD-400 networked wireless (900 MHz) - 993S Exit Trim - Surface Vertical Rod Function - 40 Privacy-IPB (interior push button) with LED Reader - Multi-Tech (Proximity and Smart) Does NOT read HID iClass Secure Sector Lever - Rhodes 626 - Satin Chrome Key System - BD Handing - Left Hand Reverse (LHR) Battery - 4 AA Batteries Door Thickness - 1-3/4" (Commercial Door Standard) (Allegion Part Number: AD-400-993S-40-MT-RHO-626-BD-LHR-4B-134)	2,140.00
AC-SCH-AD400993S70MTSPA643ELDLHR4B134	AD-400 networked wireless (900 MHz), 993S exit trim - surface vertical rod, 70 Classroom/Storeroom-Interior LED only, Multi-Tech (Proximity and Smart), Sparta Lever, Aged Bronze finish, Cylinder Type: LD less Schlage/Falcon 6-pin; conventional KIL cylinder, Left Hand Reverse (LHR), 4 AA Batteries, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-993S-70-MT-SPA-643e-LD-LHR-4B-134)	2,193.00
AC-SCH-AD400993S50MTRHO626JDLHR4B134	AD-400 networked wireless (900 MHz), Exit trim chassis with surface vertical rod, 50 Office-IPB (interior push button) with LED, Multi-Tech (Proximity and Smart), Rhodes Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Left Hand Reverse (LHR), 4 AA Batteries, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-993S-50-MT-RHO-626-JD-LHR-4B-134)	2,113.00
AC-SCH-AD400993S70MTKSPA626JDRHR4B134	AD-400 networked wireless (900 MHz), Exit trim chassis with surface vertical rod, 70 Classroom/Storeroom-Interior LED only, Multi-Tech (Proximity and Smart) + Keypad, Sparta Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Right Hand Reverse (RHR), 4 AA Batteries, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-993S-70-MTK-SPA-626-JD-RHR-4B-134)	2,157.00
AC-SCH-AD400993S70MTSPA643EJDLHR4B134	AD-400 networked wireless (900 MHz), Exit trim chassis with surface vertical rod, 70 Classroom/Storeroom-Interior LED only, Multi-Tech (Proximity and Smart), Sparta Lever, Aged Bronze finish, Cylinder Type: JD less Schlage 6-pin, Left Hand Reverse (LHR), 4 AA Batteries, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-993S-70-MT-SPA-643e-JD-LHR-4B-134)	2,217.00
AC-SCH-AD400993S70MTSPA626JDLHR4B134	AD-400 networked wireless (900 MHz), Exit trim chassis with surface vertical rod, 70 Classroom/Storeroom-Interior LED only, Multi-Tech (Proximity and Smart), Sparta Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Left Hand Reverse (LHR), 4 AA Batteries, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-993S-70-MT-SPA-626-JD-LHR-4B-134)	2,103.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

## Allegion Schlage AD400 Wireless locks with Exit Trim Surface Vertical Rod Chassis

Model No.	Description	MSRP \$
AC-SCH-AD400993S70MTTLR626BDRHR4B134	AD-400 networked wireless (900 MHz), Exit Surface Vertical Rod, 70 Classroom/Storeroom, Multi-Tech (Proximity and Smart), Tubular Lever, Satin Chrome finish, Cylinder Type: BD Less Cylinder, Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC), Right Hand Reverse (RHR), 4 AA Batteries, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-993R-70-MT-TLR-626-BD-RHR-4B-134)	2,132.00
AC-SCH-AD400993S70MTSPA626JDRHR4B134	AD-400 networked wireless (900 MHz) - 993S Exit Trim - Surface Vertical Rod, Function - 70 Classroom/Storeroom-Interior LED Only, Reader - Multi-Tech (Proximity and Smart) +, Lever - Sparta, Finish - 626 - Satin Chrome, Handing - Right Hand Reverse (RHR), Battery - 4 AA Batteries, Door Thickness - 1-3/4" (Commercial Door Standard), BAA - No - Buy American Act, Cylinder Type - JD - less Schlage 6-pin FSIC cylinder, (Allegion Part Number: AD-400-993S-70-MT-SPA-626-JD-RHR-4B-134)	2,103.00
AC-SCH-AD400993S50MTSPA626JDRHR4B134	AD-400 networked wireless (900 MHz) - 993S Exit Trim - Surface Vertical Rod, Function - 50 Office-IPB (interior push button) with LED +, Reader - Multi-Tech (Proximity and Smart) +, Lever - Sparta, Finish - 626 - Satin Chrome, Handing - Right Hand Reverse (RHR), Battery - 4 AA Batteries, Door Thickness - 1-3/4" (Commercial Door Standard), BAA - No - Buy American Act, Cylinder Type - JD - less Schlage 6-pin FSIC cylinder, (Allegion Part Number: AD-400-993S-50-MT-SPA-626-JD-RHR-4B-134)	2,111.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

## Allegion Schlage AD400 Wireless locks with Exit Trim Mortis Chassis

Model No.	Description	MSRP \$
AC-SCH-AD400993M40MTRHO626BDRHR4B13/4	AD-400 900 Mhz Wireless, Exit Trim Chassis - Mortise, Privacy Interior Push Button with LED, Multi-Tech Reader (Proximity and Smart), Rhodes Lever, Satin Chrome Finish, BD - Less SFIC Cylinder set for BEST SFIC 6 or 7 pin, Right Hand Reverse Handing, 4 AA Batteries, 1 3/4" Door Thickness (Allegion Schlage Part Number: AD-400-993M-40-MT-RHO-626-BD-RHR-4B-1 3/4)	2,140.00
AC-SCH-AD400993M70MTKSPA626PDS123RHR4B	AD-400 900 Mhz Wireless, Exit Trim-Mortise chassis, Function - 70 Classroom/Storeroom-Interior LED Only, Multi-Tech (Proximity and Smart) Reader+keypad, Sparta Lever, Satin Chrome Finish, PD Key System, Keying type-Everest 29S, Keyway-S123, Right Hand Reverse Handing, 4 AA Batteries, Door Thickness - 1 3/4" (Commercial Door Standard) (Allegion Schlage Part Number: AD-400-993M-70-MTK-SPA-626-PD-S123-RHR-4B-134)	2,185.00
AC-SCH-AD400993M70MTRHO605BDRHR8B	AD-400 networked wireless (900 MHz) - 993M Exit Trim - Mortise, Function - 70 Classroom/Storeroom-Interior LED Only, Reader - Multi-Tech (Proximity and Smart), Lever - Rhodes, 605 - Bright Brass, Key System - BD, Handing - Right Hand Reverse (RHR), Battery - 8 AA Batteries, Door Thickness - 1-3/4" (Commercial Door Standard), BAA - No - Buy American Act, (Allegion Schlage Part Number: AD-400-993M-70-MT-RHO-605-BD-RHR-8B-134)	2,276.00
AC-SCH-AD400993M70MTSPA626LDLHR4B	AD-400 networked wireless (900 MHz) - 993M Exit Trim - Mortise, Function - 70 Classroom/Storeroom-Interior LED Only, Reader - Multi-Tech (Proximity and Smart), Lever - Sparta, 626 - Satin Chrome, Key System - LD, Handing - Left Hand Reverse (LHR), Battery - 4 AA Batteries, Door Thickness - 1-3/4" (Commercial Door Standard), BAA - No - Buy American Act, (Allegion Schlage Part Number: AD-400-993M-70-MT-SPA-626-LD-LHR-4B-134)	2,081.00
AC-SCH-AD400993M50MTRHO626JDRHR4B134	AD-400 networked wireless (900 MHz) - 993M Exit Trim - Mortise Function - 50 Office-IPB (interior push button) with LED Reader - Multi-Tech (Proximity and Smart) Does NOT read HID iClass Secure Sector Lever - Rhodes 626 - Satin Chrome Key System - JD Keying Type - Everest 29 T - letter of authorization required Handing - Right Hand Reverse (RHR) Battery - 4 AA Batteries Door Thickness - 1-3/4" (Commercial Door Standard) BAA - No - Buy American Act (Allegion Schlage Part Number: AD-400-993M-50-MT-RHO-626-JD-RHR-4B-134)	2,113.00
AC-SCH-AD400993M70MTRHO626BDRHR8B134	AD-400 networked wireless (900 MHz), 993M exit trim - mortise, 70 Classroom/Storeroom-Interior LED only, Multi-Tech (Proximity and Smart), Rhodes Lever, Satin Chrome finish, Cylinder Type: BD less SFIC cylinder; all manufacturers, Right Hand Reverse (RHR), 8 AA Batteries, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-993M-70-MT-RHO-626-BD-RHR-8B-134)	2,164.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.



## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

## Allegion Schlage AD400 Wireless locks with Exit Trim Mortis Chassis

Model No.	Description	MSRP \$
AC-SCH-AD400993M50MTRHO626JDLHR4B134	AD-400 networked wireless (900 MHz), Exit trim chassis with mortise, 50 Office-IPB (interior push button) with LED, Multi-Tech (Proximity and Smart), Rhodes Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Left Hand Reverse (LHR), 4 AA Batteries, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-993M-50-MT-RHO-626-JD-LHR-4B-134)	2,113.00
AC-SCH-AD400993M70MTSPA626JDLHR4B134	AD-400 networked wireless (900 MHz), Exit trim chassis with mortise, 70 Classroom/Storeroom-Interior LED only, Multi-Tech (Proximity and Smart), Sparta Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Left Hand Reverse (LHR), 4 AA Batteries, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-993M-70-MT-SPA-626-JD-LHR-4B-134)	2,103.00
AC-SCH-AD400993M70MTSPA643EJDLHR4B134	AD-400 networked wireless (900 MHz), Exit trim chassis with mortise, 70 Classroom/Storeroom-Interior LED only, Multi-Tech (Proximity and Smart), Sparta Lever, Aged Bronze finish, Cylinder Type: JD less Schlage 6-pin, Left Hand Reverse (LHR), 4 AA Batteries, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-400-993M-70-MT-SPA-643e-JD-LHR-4B-134)	2,217.00
AC-SCH-AD400993M70KPRHOPDSLHR4B134	AD-400 networked wireless (900 MHz), Exit trim chassis with mortise, 70 Classroom/Storeroom-Interior LED only, Keypad, Rhodes Lever, Satin Chrome finish, Cylinder Type: PD conventional KIL cylinder, Everest 29 S, Left Hand Reverse (LHR), 4 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard)	1,971.00
AC-SCH-AD400993M70MTSPA626BDLHR4B134	AD-400 networked wireless (900 MHz) - 993R exit trim - rim/concealed vertical rod or cable, Function - 70 Classroom/Storeroom-Interior LED Only, Reader - Multi-Tech (Proximity and Smart) +, Lever - Sparta, Finish - 626 - Satin Chrome, Handing - Left Hand Reverse (LHR), Battery - 4 AA Batteries, Door Thickness - 1-3/4" (Commercial Door Standard), BAA - No - Buy American Act, Cylinder Type - JD - less Schlage 6-pin FSIC cylinder (Allegion Part Number: AD-400-993R-70-MT-SPA-626-JD-LHR-4B-134)	2,079.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

## Allegion Schlage AD400 Lock Accessories

Model No.	Description	MSRP \$
AC-ALL-SCH-COM400P-626	Schlage COM400P Communication Module Kit, Satin chrome	305.00
AC-ALL-SCH-COM400P-643E	Schlage COM400P Communication Module Kit, Aged bronze	305.00
AC-ALL-SCH-PIM400-485-RSI	900 MHz Panel Interface Module for 16 or 64 door intelligent controller (AC-MER-CONT-1DR and AC-MER-CONT-64DR Sold Separately) (Up to 16 wireless access devices such as AD-400 locks per PIM) for AD Series wireless devices; powered by Mercury Security. Certifications: NEMA 1, 4, 4X, 6; UL 294; FCC Part 15; Industry Canada (IC); RoHS, Dimensions (H x W x D): 6.3" x 3.2" x 2.2" (16.0 cm x 8.13 cm x 5.59 cm), Weight 1.25 lbs (.56 kg) (Allegion Part Number: PIM400-485-RSI)	1,315.00
AC-ALL-SCH-PIM400-1501-LC	900 MHz Panel Interface Module for 16 door intelligent controller (AC-MER-CONT-1DR Sold Separately) for AD Series wireless devices; powered by Mercury Security. Encrypted with AES-128 bit keys, Certifications: FCC Part 15, Industry Canada (IC), RoHS, UL294 Listed when connected to UL294 power supply, Dimensions: 10.43" X 7.28" X 3.79" (26.49cm X 18.49 cm X 9.63 cm), Weight 2.8 lbs (1.27 kg) (Allegion Part Number: PIM400-1501-LC)	1,579.00
AC-ALL-SCH-PIM400-TD2	Panel Interface Module (supports 2 doors) Wiegand (Data1/Data2) or magnetic stripe (Clock & Data) output. Includes Weatherproof Enclosure (7.1" x 7.1"), Internal Antenna with ability to add Remote Antenna. Requires 12 or 24 VDC power supply. Relay Board sold separately. (Allegion Part Number: PIM400-TD2)	713.00
AC-ALL-SCH-WRI400	Outdoor Wireless Reader Interface Compatible with Wiegand or Magnetic Stripe Interface. Includes Weatherproof Enclosure, inputs for two parallel readers. Requires 12 or 24 VDC power supply (Non-stock item) (Allegion Part Number: WRI400)	839.00
AC-ALL-SCH-WPR400-MT	Wireless Portable Reader (with Multi-Technology Reader Module) Handheld, battery-operated unit with Multi-Technology (Allegion Part Number: WPR400-MT)	1,663.00
AC-ALL-SCH-WPR400-MTK	Wireless Portable Reader with keypad (with Multi-Technology Reader Module) Handheld, battery operated unit with Multi-Technology (Allegion Part Number: WPR400-MTK)	1,716.00
AC-ALL-SCH-HHD-KIT-USB	Handheld Device Kit (USB devices ONLY: AD-Series and CO-Series). Includes Handheld Device pre-loaded with SUS Application, HHD-USB Cable. Used to initialize, manage, and test AD-Series and CO-Series devices. (Allegion Part Number: HDD KIT-USB)	1,049.00
AC-ALL-SCH-RLBD	Relay Board (for PIB300-2D or PIM400-TD2) (Allegion Part Number: RLBD)	205.00
AC-SCH-CYL-23-030-ICX	Wireless lock construction core	60.00
AC-ALL-SCH-PIB300-2D	Panel Interface Board (supports 2 doors) (Allegion Part Number: PIB300-2D)	404.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Allegion Schlage AD400 Wireless Locks

All AD400 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD400 wireless locks are only available in North America only. (Non-stock items)

All AD400 Locks and PIM Modules require the AC-ALL-SCH-HHD-KIT-USB for configuration.

## Allegion Schlage AD400 Lock Accessories

Model No.	Description	MSRP \$
AC-SCH-TK400	Wireless Test Kit, Pre-Installed Test Kit; Complete with WPR400-DT, PIM400-TD2, 593PI, Power Supply, Charger, Carrying Case.	1,453.00
AC-ALL-SCH-COM400L	Electronic Lock Communication Module Kit	305.00
AC-SCH-AD993DTSPA626JDRHR134	AD-993DT dummy trim for exit, Sparta Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Right Hand Reverse (RHR), 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-993DT-SPA-626-JD-RHR-134)	514.00
AC-SCH-BATTERY-8B-626	AD-400 Eight (8) battery conversion kit in grey (Allegion Schlage Part #: 8B-626).	84.00

## Allegion Schlage AD400 Antennas

Model No.	Description	MSRP \$
AC-ALL-SCH-AD400-ANT400-REM-I/O+6DB	Omni-Directional Remote Indoor/Outdoor Antenna Module. Includes Antenna, 15' Coax, Coax Whip, Articulated Wall/Post Mounting Hardware. For indoor use with PIM400 and/or WRI400. Requires MGB+MCA5 Antenna Grounding Kit for outdoor applications. (Allegion Part Number: ANT400-REM-I/O+6db)	442.00
AC-ALL-SCH-AD400-ANT400-REM-CEILING	Omni-Directional Remote Indoor/Outdoor Antenna Module. Includes Antenna, 15' Coax, Coax Whip. For indoor use with PIM400 and/or WRI400. (Allegion Part Number: ANT400-REM-CEILING)	337.00
AC-ALL-SCH-AD400-ANT400-REM-HALL	Bi-Directional Remote Indoor Antenna Module. Includes Antenna, 15' Coax, Coax Whip. For indoor use with PIM400 and/or WRI400. (Allegion Part Number: ANT400-REM-HALL)	479.00
AC-ALL-SCH-AD400-MGB+MCA5	Antenna Grounding Kit (for outdoor mounting). Could be used with ANT400-REM-I/O, ANT400-REM-I/O+6DB, ANT400-REM-CEILING, ANT400-REM-HALL. (Allegion Part Number: MGB+MCA5)	158.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD300 Wireless Locks

All AD300 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD300 wireless locks are only available in North America only. (Non-stock items)

### Allegion Schlage AD300 Wireless locks with Cylindrical chassis

Model No.	Description	MSRP \$
AC-SCH-AD300CY50MTKRHO626PDS123LH	AD-300 networked hardwired - CY Cylindrical, Function - 50 Office-IPB (interior push button) with LED, Reader - Multi-Tech (Proximity and Smart) + Keypad, Lever – Rhodes, Finish - 626 - Satin Chrome, Key System – PD, Keying Type - Classic obverse (Specify C, CE, E, EF, F, FG, or G), Handing - Left Hand (LH), Backset & Latch - 13-049 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4" (Commercial Standard) Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/14 x 4-7/8" Door Thickness - 1-3/4" (Commercial Door Standard), BAA - No - Buy American Act (Allegion Schlage Part no. AD-300-CY-50-MTK-RHO-626-PD-LH-13-049-10-025-134)	1,719.00
AC-SCH-AD300CY70MTRHO626PDRH	AD-300 networked hardwired - CY Cylindrical, Function - 70 Classroom/Storeroom-Interior LED Only, Reader - Multi-Tech (Proximity and Smart), Lever – Rhodes, 626 - Satin Chrome, Key System – PD, Keying Type - Classic obverse (Specify C, CE, E, EF, F, FG, or G), Handing - Right Hand (RH), Backset & Latch - 13-049 - 2 3/4" Backset., Deadlatch. Square Corner. 1 1/8 x 2 1/4" (Commercial Standard), Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/14 x 4-7/8", Door Thickness - 1-3/4" (Commercial Door Standard), BAA - No - Buy American Act (Allegion Schlage Part no. AD-300-CY-70-MT-RHO-626-PD-RH-13-049-10-025-134)	1,658.00
AC-SCH-AD300CY50MTKRHO626PDS123RH	AD-300 networked hardwired - CY Cylindrical, Function - 50 Office-IPB (interior push button) with LED, Reader - Multi-Tech (Proximity and Smart) + Keypad, Lever – Rhodes, Finish - 626 - Satin Chrome, Key System – PD, Keying Type - Classic obverse (Specify C, CE, E, EF, F, FG, or G), Handing - Right Hand (RH), Backset & Latch - 13-049 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4" (Commercial Standard) Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/14 x 4-7/8" Door Thickness - 1-3/4" (Commercial Door Standard), BAA - No - Buy American Act (Allegion Schlage Part no. AD-300-CY-50-MTK-RHO-626-PD-RH-13-049-10-025-134)	1,719.00
AC-SCH-AD300CY70MTKRHO626PDS123RH	AD-300 networked hardwired - CY Cylindrical, Function - 70 Classroom/Storeroom-Interior LED Only, Reader - Multi-Tech (Proximity and Smart) + Keypad, Lever – Rhodes, 626 - Satin Chrome, Key System – PD, Keying Type - Everest 29 S, Keyway - S123, Handing - Right Hand (RH), Backset & Latch - 13-049 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4" (Commercial Standard), Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/14 x 4-7/8", Door Thickness - 1-3/4" (Commercial Door Standard), BAA - No - Buy American Act (Allegion Schlage Part no. AD-300-CY-70-MTK-RHO-626-PD-S123-RH-13-049-10-025-134)	1,711.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD300 Wireless Locks

All AD300 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD300 wireless locks are only available in North America only. (Non-stock items)

### Allegion Schlage AD300 Wireless locks with Cylindrical chassis

Model No.	Description	MSRP \$
AC-SCH-AD-300-CY-40-MT-RHO-626BDLHR1324710025134	AD-300 networked hardwired - CY Cylindrical Function - 40 Privacy-IPB (interior push button) with LED Reader - Multi-Tech (Proximity and Smart) Does NOT read HID iClass Secure SectorLever - Rhodes 626 - Satin Chrome Key System - BD Handing - Left Hand (LHR) Backset & Latch - 13-247 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4" (Commercial Standard) Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/14 x 4-7/8" Door Thickness - 1-3/4" (Commercial Door Standard) BAA - No - Buy American Act (Allegion Part Number:AD-300-CY-40-MT-RHO-626-BD-LHR-13-247-10-025-134)	1,667.00
AC-SCH-AD-300-CY-40-MT-RHO626BDRHR1324710025134	AD-300 networked hardwired - CY Cylindrical Function - 40 Privacy-IPB (interior push button) with LED Reader - Multi-Tech (Proximity and Smart) Does NOT read HID iClass Secure SectorLever - Rhodes 626 - Satin Chrome Key System - BD Handing - Right Hand (RHR) Backset & Latch - 13-247 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4" (Commercial Standard) Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/14 x 4-7/8" Door Thickness - 1-3/4" (Commercial Door Standard) BAA - No - Buy American Act (Allegion Part Number:AD-300-CY-40-MT-RHO-626-BD-RHR-13-247-10-025-134)	1,667.00
AC-SCH-AD-300-CY-40-MT-RHO-626BDRH1324710025134	AD-300 networked hardwired - CY Cylindrical Function - 40 Privacy-IPB (interior push button) with LED Reader - Multi-Tech (Proximity and Smart) Does NOT read HID iClass Secure SectorLever - Rhodes 626 - Satin Chrome Key System - BD Handing - Right Hand (RH) Backset & Latch - 13-247 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4" (Commercial Standard) Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/14 x 4-7/8" Door Thickness - 1-3/4" (Commercial Door Standard) BAA - No - Buy American Act (Allegion Part Number:AD-300-CY-40-MT-RHO-626-BD-RH-13-247-10-025-134)	1,667.00
AC-SCH-AD300CY70MTKSPA643EJDRH1324710025134	AD-300 networked hardwired, CY Cylindrical, 70 Classroom/Storeroom-Interior LED only, Multi-Tech (Proximity and Smart) + Keypad, Sparta Lever, Aged Bronze finish, Cylinder Type: JD less Schlage 6-pin, Right Hand (RH), 13-247 - 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 10-025 with 1-3/16" Standard Lip; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-300-CY-70-MTK-SPA-643e-JD-RH-13-247-10-025-134)	1,795.00
AC-SCH-AD300CY70MTKSPA626PDS123LH1324710025134	AD-300 networked hardwired, Cylindrical chassis, 70 Classroom/Storeroom-Interior LED only, Multi-Tech (Proximity and Smart) + Keypad, Sparta Lever, Satin Chrome finish, Cylinder Type: PD conventional KIL cylinder, Everest 29 S - 123, Left Hand (LH), 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-300-CY-70-MTK-SPA-626-PD-S-123-LH-13-247-10-025-134)	1,711.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD300 Wireless Locks

All AD300 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD300 wireless locks are only available in North America only. (Non-stock items)

### Allegion Schlage AD300 Wireless locks with Cylindrical chassis

Model No.	Description	MSRP \$
AC-SCH-AD300CY70MTKSPA626PDS123RH1324710025134	AD-300 networked hardwired, Cylindrical chassis, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart) + Keypad, Rhodes Lever, Satin Chrome finish, Cylinder Type: PD conventional KIL cylinder, Everest 29 S - 123, Right Hand (RH), 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-300-CY-70-MTK-SPA-626-PD-S-123-RH-13-247-10-025-134)	1,711.00
AC-SCH-AD300CY50MTRHO626BDLH1324710025134	AD-300 networked hardwired, Cylindrical chassis, 50 Office-IPB (interior push button) with LED, Multi-Tech (Proximity and Smart), Rhodes Lever, Satin Chrome finish, Cylinder Type: BD less SFIC cylinder for all manufacturers, Left Hand (LH), 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-300-CY-50-MT-RHO-626-BD-LH-13-247-10-025-134)	1,667.00
AC-SCH-AD300CY70MTRHO626BDRH1324710025134	AD-300 networked hardwired, Cylindrical chassis, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Rhodes Lever, Satin Chrome finish, Cylinder Type: BD less SFIC cylinder for all manufacturers, Right Hand (RH), 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-300-CY-70-MT-RHO-626-BD-RH-13-247-10-025-134)	1,658.00
AC-SCH-AD300CY70MTRHO626JDLHR1324710025134	AD-300 networked hardwired - CY Cylindrical ,Function - 70 Classroom/Storeroom-Interior LED Only ,Reader - Multi-Tech (Proximity and Smart) +,Lever - Rhodes ,Finish - 626 - Satin Chrome ,Handing - Left Hand Reverse (LHR) ,Backset & Latch - 13-247 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4", (Commercial Standard),,,BAA - No - Buy American Act ,Cylinder Type - JD - less Schlage 6-pin FSIC cylinder (Allegion Part Number:AD-300-CY-70-MT-RHO-626-JD-LHR-13-247-10-025-134)	1,631.00
AC-SCH-AD400CY70MTRHO626BDLH4B1324710025134	AD-400 networked wireless (900 MHz) - CY Cylindrical ,Function - 70 Classroom/Storeroom-Interior LED Only ,Reader - Multi-Tech (Proximity and Smart) +,Lever - Rhodes ,Finish - 626 - Satin Chrome ,Handing - Left Hand (LH) ,Battery - 4 AA Batteries ,Backset & Latch - 13-247 - 2 3/4" Backset. Deadlatch. Square Corner. 1 1/8 x 2 1/4", (Commercial Standard),,,Strike Plate - 10-025 - 1-3/16" Lip. ANSI. No Box. 1-1/14 x 4-7/8" ,BAA - No - Buy American Act (Allegion Part Number:AD-400-CY-70-MT-RHO-626-BD-LH-4B-13-247-10-025-134)	1,829.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD300 Wireless Locks

All AD300 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD300 wireless locks are only available in North America only. (Non-stock items)

### Allegion Schlage AD300 Wireless locks with Exit Trim Rim/Concealed Chassis

Model No.	Description	MSRP \$
AC-SCH-AD-300-993M-40-MT-RHO-626-BD-RHR-134-LRX	AD-300 networked hardwired - 993M Exit Trim - Mortise Function - 40 Privacy-IPB (interior push button) with LED Reader - Multi-Tech (Proximity and Smart) Does NOT read HID iClass Secure SectorLever - Rhodes 626 - Satin Chrome Key System - BD Handing - Right Hand Reverse (RHR) Door Thickness - 1-3/4" (Commercial Door Standard) BAA - No - Buy American Act BAA - Less RX Switch (Allegion Part Number:AD-300-993M-40-MT-RHO-626-BD-RHR-134 LRX)	1,913.00
AC-SCH-AD300993R70MTRHO626JDRHR134	AD-300 networked hardwired - 993R exit trim - rim/concealed vertical rod or cable, Function - 70 classroom/Storeroom-Interior LED Only,Reader - Multi-Tech (Proximity and Smart),Lever - Rhodes, 626 - Satin Chrome Key System - JD Handing - Right Hand Reverse (RHR) Door Thickness - 1-3/4" (Commercial Door Standard) BAA - No - Buy American Act (Allegion Schlage Part no. AD-300-993R-70-MT-RHO-626-JD-RHR-134)	1,894.00
AC-SCH-AD300993R70MTSPA626BDRHR134	AD-300 networked hardwired - 993R exit trim - rim/concealed vertical rod or cable Function - 70 Classroom/Storeroom-Interior LED Only Reader - Multi-Tech (Proximity and Smart)Lever - Sparta 626 - Satin Chrome Key System - BD Handing - Right Hand Reverse (RHR) Door Thickness - 1-3/4" (Commercial Door Standard) BAA - No - Buy American Act (Allegion Schlage Part Number: AD-300-993R-70-MT-SPA-626-BD-RHR-134)	1,922.00
AC-SCH-AD300993R70MTKRHO626JDRHR134	AD-300 networked hardwired, 993R exit trim - rim/concealed vertical rod or cable, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart) + Keypad, Rhodes Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Right Hand Reverse (RHR), 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-300-993R-70-MTK-RHO-626-JD-RHR-134)	1,947.00
AC-SCH-AD300993M70MTRHO626JDLHR134	AD-300 networked hardwired - 993M Exit Trim - Mortise Function - 70 Classroom/Storeroom-Interior LED OnlyReader - Multi-Tech (Proximity and Smart)Lever - Rhodes 626 - Satin ChromeKey System - JD - less Schlage 6-pin FSIC cylinder Handing - Left Hand Reverse (RHR)Door Thickness - 1-3/4" (Commercial Door Standard)BAA - No - Buy American ActProduct Catalog NumberAD-300-993M-70-MT-RHO-626-JD-LHR-134(Allegion Schlage Part Number AD-300-993M-70-MT-RHO-626-JD-LHR-134)	1,918.00
AC-SCH-AD300993M70MTRHO626JDRHR134	AD-300 networked hardwired - 993M Exit Trim - Mortise Function - 70 Classroom/Storeroom-Interior LED OnlyReader - Multi-Tech (Proximity and Smart)Lever - Rhodes626 - Satin ChromeKey System - JD - less Schlage 6-pin FSIC cylinderHanding - Right Hand Reverse (RHR)Door Thickness - 1-3/4" (Commercial Door Standard)BAA - No - Buy American ActProduct Catalog NumberAD-300-993M-70-MT-RHO-626-JD-RHR-134(Allegion Schlage Part Number AD-300-993M-70-MT-RHO-626-JD-RHR-134)	1,918.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Allegion Schlage AD300 Wireless Locks

All AD300 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD300 wireless locks are only available in North America only. (Non-stock items)

### Allegion Schlage AD300 Wireless locks with Exit Trim Rim/Concealed Chassis

Model No.	Description	MSRP \$
AC-SCH-AD300993R70MTKSPA643EJDRHR134	AD-300 networked hardwired, Exit trim chassis with rim/concealed vertical rod or cable, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart) + Keypad, Sparta Lever, Aged Bronze finish, Cylinder Type: JD less Schlage 6-pin, Right Hand Reverse (RHR), 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-300-993R-70-MTK-SPA-643e-JD-RHR-134)	2,059.00
AC-SCH-AD300993M70MTSPA626JDRHR134	AD-300 networked hardwired, Exit trim chassis with mortise, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart) + Keypad, Sparta Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Right Hand Reverse (RHR), 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-300-993M-70-MT-SPA-626-JD-RHR-134)	1,918.00
AC-SCH-AD300993R70KPRHO626JDRHR0966310072LRX134	AD-300 networked hardwired, Exit trim chassis with rim/concealed vertical rod or cable, 70 Classroom/Storeroom-Interior LED only , Keypad, Rhodes Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Right Hand Reverse (RHR), 1 1/4" Wide Square Corner, Latch for MS, 1-3/16" Standard Lip Strike Plate, Less Request-To-Exit Switch, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-300-993R-70-KP-RHO-626-JD-RHR-09-663-10-072-LRX-134)	1,690.00
AC-SCH-AD300993R70KPRHO626JDLHR0966310072LRX134	AD-300 networked hardwired, Exit trim chassis with rim/concealed vertical rod or cable, 70 Classroom/Storeroom-Interior LED only , Keypad, Rhodes Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Left Hand Reverse (LHR), 1 1/4" Wide Square Corner, Latch for MS, 1-3/16" Standard Lip Strike Plate, Less Request-To-Exit Switch, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-300-993R-70-KP-RHO-626-JD-LHR-09-663-10-072-LRX-134)	1,690.00
AC-SCH-AD300993R70MTRHO626BDRHR134	AD-300 networked hardwired, Exit trim chassis with rim/concealed vertical rod or cable, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Rhodes Lever, Satin Chrome finish, Cylinder Type: BD less SFIC cylinder for all manufacturers, Right Hand Reverse (RHR), 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-300-993R-70-MT-RHO-626-BD-RHR-134)	1,922.00
AC-SCH-AD300993R70MTSPA626JDRHR134	AD-300 networked hardwired, Exit trim chassis with rim/concealed vertical rod or cable, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Sparta Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Right Hand Reverse (RHR), 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-300-993R-70-MT-SPA-626-JD-RHR-134)	1,894.00
AC-SCH-AD300993R70MTRHO626PDC123RHR134	AD-300 networked hardwired, Exit trim chassis with rim/concealed vertical rod or cable, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Rhodes Lever, Satin Chrome finish, Cylinder Type: PD conventional KIL cylinder, Right Hand Reverse (RHR), 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-300-993R-70-MT-RHO-626-PD-C-123-RHR-134)	1,922.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**



## Allegion Schlage AD300 Wireless Locks

All AD300 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD300 wireless locks are only available in North America only. (Non-stock items)

### Allegion Schlage AD300 Wireless locks with Exit Trim Rim/Concealed Chassis

Model No.	Description	MSRP \$
AC-SCH-AD300993R70MTSPA626JDLHR134	AD-300 networked hardwired, Exit trim chassis with rim/concealed vertical rod or cable, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Sparta Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Left Hand Reverse (LHR), 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-300-993R-70-MT-SPA-626-JD-LHR-134)	1,894.00
AC-SCH-AD300993R70MTRHO626BDLHR134	AD-300 networked hardwired, Exit trim chassis with rim/concealed vertical rod or cable, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Rhodes Lever, Satin Chrome finish, Cylinder Type: BD less Cylinder, Schlage, Falcon, Competitive OEM's, 7 PIN (SFIC), Left Hand Reverse (LHR), 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-300-993R-70-MT-RHO-626-BD-LHR-134)	1,922.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Allegion Schlage AD300 Wireless Locks

All AD300 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD300 wireless locks are only available in North America only. (Non-stock items)

### Allegion Schlage AD300 Wireless locks with Mortise chassis

Model No.	Description	MSRP \$
AC-SCH-AD300MS70MTRHO626PDRH	AD-300 networked hardwired - MS Mortise, Function - 70 Classroom/Storeroom-Interior LED Only, Reader - Multi-Tech (Proximity and Smart), Lever – Rhodes, 626 - Satin Chrome, Key System – PD, Keying Type - Classic obverse (Specify C, CE, E, EF, F, FG, or G), Handing - Right Hand (RH), Armor Front - 09-663 - 1 1/4" Wide Square Corner, Latch for MS, Strike Plate - 10-072 with 1-3/16" standard lip, Door Thickness - 1-3/4" (Commercial Door Standard) BAA - No - Buy American Act (Allegion Schlage Part no. AD-300-MS-70-MT-RHO-626-PD-RH-09-663-10-072-134)	1,881.00
AC-SCH-AD300MS70MTSPA626BDRH0966310072134	AD-300 networked hardwired - MS Mortise Function - 70 Classroom/Storeroom-Interior LED Only Reader - Multi-Tech (Proximity and Smart) Lever - Sparta 626 - Satin Chrome Key System - BD Handing - Right Hand (RH) Armor Front - 09-663 - 1 1/4" Wide Square Corner, Latch for MS Strike Plate - 10-072 with 1-3/16" standard lip Door Thickness - 1-3/4" (Commercial Door Standard) BAA - No - Buy American Act (Allegion Schlage Part Number: AD-300-MS-70-MT-SPA-626-BD-RH-09-663-10-072-134)	1,881.00
AC-SCH-AD300MS70MTKSPA643EJDRH0966310072134	AD-300 networked hardwired - MS Mortise, Function - 70 Classroom/Storeroom-Interior LED Only, Reader - Multi-Tech (Proximity and Smart) + Keypad, Lever – Sparta, Finish - 643e-Aged Bronze, Key System – JD, Handing - Right Hand Reverse(RHR), Armor Front - 09-663-1 1/4" Wide Square Corner, Latch for MS Deadlatch. Strike Plate - 10-072 with- 1-3/16" standard Lip. Door Thickness - 1-3/4" (Commercial Door Standard), BAA - No - Buy American Act (Allegion Schlage Part no. AD-300-MS-70-MTK-SPA-643e-JD-RH-09-663-10-072-134)	2,018.00
AC-SCH-AD300MS70MTRHO626JDRHR0966310072134	AD-300 networked hardwired, MS Mortise, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Rhodes Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Right Hand Reverse (RHR), 09-663 - 1 1/4" Wide Square Corner, Latch for MS, 10-072 with 1-3/16" Standard Lip, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-300-MS-70-MT-RHO-626-JD-RHR-09-663-10-072-134)	1,852.00
AC-SCH-AD300MS70MTATH626GDRLH0966310072134	AD-300 networked hardwired, Mortise chassis, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Athens Lever, Satin Chrome finish, Cylinder Type: Schlage SFIC cylinder (factory master keyed only) , Everest 29 R - letter of authorization required, Left Hand (LH), 1 1/4" Wide Square Corner, Latch for MS, 1-3/16" Standard Lip Strike Plate, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-300-MS-70-MT-ATH-626-GD-R-LH-09-663-10-072-134)	1,949.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage AD300 Wireless Locks

All AD300 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD300 wireless locks are only available in North America only. (Non-stock items)

### Allegion Schlage AD300 Wireless locks with Mortise chassis

Model No.	Description	MSRP \$
AC-SCH-AD300MS50MTKRHO626PDRH0966310072134	AD-300 networked hardwired, Mortise chassis, 50 Office-IPB (interior push button) with LED, Multi-Tech (Proximity and Smart) + Keypad, Rhodes Lever, Satin Chrome finish, Cylinder Type: PD conventional KIL cylinder, Right Hand (RH), 1 1/4" Wide Square Corner, Latch for MS, 1-3/16" Standard Lip Strike Plate, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-300-MS-50-MTK-RHO-626-PD-RH-09-663-10-072-134)	1,942.00
AC-SCH-AD300MS70MTKSPA626JDLH0966310072134	AD-300 networked hardwired, Mortise chassis, 70 Classroom/Storeroom-Interior LED only, Multi-Tech (Proximity and Smart) + Keypad, Sparta Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Left Hand (LH), 1 1/4" Wide Square Corner, Latch for MS, 1-3/16" Standard Lip Strike Plate, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-300-MS-70-MTK-SPA-626-JD-LH-09-663-10-072-134)	1,904.00
AC-SCH-AD300MS50KPRHO626JDRH0966310072134	AD-300 networked hardwired, Mortise chassis, 50 Office-IPB (interior push button) with LED, Keypad, Rhodes Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Right Hand (RH), 1 1/4" Wide Square Corner, Latch for MS, 1-3/16" Standard Lip Strike Plate, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-300-MS-50-KP-RHO-626-JD-RH-09-663-10-072-134)	1,700.00
AC-SCH-AD300MS40KPRHO626JDRH0966310072134	AD-300 networked hardwired, Mortise chassis, 40 Privacy-IPB (interior push button) with LED, Keypad, Rhodes Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Right Hand (RH), 1 1/4" Wide Square Corner, Latch for MS, 1-3/16" Standard Lip Strike Plate, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-300-MS-40-KP-RHO-626-JD-RH-09-663-10-072-134)	1,700.00
AC-SCH-AD300MS70KPRHO626JDLH0966310072134	AD-300 networked hardwired, Mortise chassis, 70 Classroom/Storeroom-Interior LED only, Keypad, Rhodes Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Left Hand (LH), 1 1/4" Wide Square Corner, Latch for MS, 1-3/16" Standard Lip Strike Plate, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-300-MS-70-KP-RHO-626-JD-LH-09-663-10-072-134)	1,691.00
AC-SCH-AD300MS40KPRHO626JDLH0966310072134	AD-300 networked hardwired, Mortise chassis, 40 Privacy-IPB (interior push button) with LED, Keypad, Rhodes Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Left Hand (LH), 1 1/4" Wide Square Corner, Latch for MS, 1-3/16" Standard Lip Strike Plate, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-300-MS-40-KP-RHO-626-JD-LH-09-663-10-072-134)	1,700.00
AC-SCH-AD300MS40KPRHO626PDRH0966310072134	AD-300 networked hardwired, Mortise chassis, 40 Privacy-IPB (interior push button) with LED, Keypad, Rhodes Lever, Satin Chrome finish, Cylinder Type: PD conventional KIL cylinder, Right Hand (RH), 1 1/4" Wide Square Corner, Latch for MS, 1-3/16" Standard Lip Strike Plate, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-300-MS-40-KP-RHO-626-PD-RH-09-663-10-072-134)	1,728.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Allegion Schlage AD300 Wireless Locks

All AD300 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD300 wireless locks are only available in North America only. (Non-stock items)

### Allegion Schlage AD300 Wireless locks with Mortise chassis

Model No.	Description	MSRP \$
AC-SCH-AD300MS70KPRHO626JDRH0966310072134	AD-300 networked hardwired, Mortise chassis, 70 Classroom/Storeroom-Interior LED only , Keypad, Rhodes Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Right Hand (RH), 1 1/4" Wide Square Corner, Latch for MS, 1-3/16" Standard Lip Strike Plate, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-300-MS-70-KP-RHO-626-JD-RH-09-663-10-072-134)	1,691.00
AC-SCH-AD300MS50KPRHO626JDLH0966310072134	AD-300 networked hardwired, Mortise chassis, 50 Office-IPB (interior push button) with LED, Keypad, Rhodes Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Left Hand (LH), 1 1/4" Wide Square Corner, Latch for MS, 1-3/16" Standard Lip Strike Plate, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-300-MS-50-KP-RHO-626-JD-LH-09-663-10-072-134)	1,700.00
AC-SCH-AD300MS40KPRHO626PDLH0966310072134	AD-300 networked hardwired, Mortise chassis, 40 Privacy-IPB (interior push button) with LED, Keypad, Rhodes Lever, Satin Chrome finish, Cylinder Type: PD conventional KIL cylinder, Left Hand (LH), 1 1/4" Wide Square Corner, Latch for MS, 1-3/16" Standard Lip Strike Plate, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-300-MS-40-KP-RHO-626-PD-LH-09-663-10-072-134)	1,728.00
AC-SCH-AD300MS70MTRHO626JDRH0966310072134	AD-300 networked hardwired, Mortise chassis, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Rhodes Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Right Hand (RH), 1 1/4" Wide Square Corner, Latch for MS, 1-3/16" Standard Lip Strike Plate, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-300-MS-70-MT-RHO-626-JD-RH-09-663-10-072-134)	1,852.00
AC-SCH-AD300MS50MTRHO626BDRH0966310072134	AD-300 networked hardwired, Mortise chassis, 50 Office-IPB (interior push button) with LED, Multi-Tech (Proximity and Smart), Rhodes Lever, Satin Chrome finish, Cylinder Type: BD less SFIC cylinder for all manufacturers, Right Hand (RH), 1 1/4" Wide Square Corner, Latch for MS, 1-3/16" Standard Lip Strike Plate, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-300-MS-50-MT-RHO-626-BD-RH-09-663-10-072-134)	1,889.00
AC-SCH-AD300MS40MTRHO626BDRH0966310072134	AD-300 networked hardwired, Mortise chassis, 40 Privacy-IPB (interior push button) with LED, Multi-Tech (Proximity and Smart), Rhodes Lever, Satin Chrome finish, Cylinder Type: BD less SFIC cylinder for all manufacturers, Right Hand (RH), 1 1/4" Wide Square Corner, Latch for MS, 1-3/16" Standard Lip Strike Plate, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-300-MS-40-MT-RHO-626-BD-RH-09-663-10-072-134)	1,889.00
AC-SCH-AD300MS70MTSPA626JDLH0966310072134	AD-300 networked hardwired, Mortise chassis, 70 Classroom/Storeroom-Interior LED only , Multi-Tech (Proximity and Smart), Sparta Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, Left Hand (LH), 1 1/4" Wide Square Corner, Latch for MS, 1-3/16" Standard Lip Strike Plate, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: AD-300-MS-70-MT-SPA-626-JD-LH-09-663-10-072-134)	1,852.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Allegion Schlage AD300 Wireless Locks

All AD300 Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. Allegion Schlage AD300 wireless locks are only available in North America only. (Non-stock items)

### Allegion Schlage AD300 Wireless locks with Mortise chassis

Model No.	Description	MSRP \$
AC-SCH-AD300MS70SISPA626JDRH0966310072134	AD-300 networked hardwired - MS Mortise ,Function - 70 Classroom/Storeroom-Interior LED Only ,Reader - Si - Smart Technology iClass compatible +,Lever - Sparta ,Finish - 626 - Satin Chrome ,Handing - Right Hand (RH) ,Armor Front - 09-663 - 1 1/4" Wide Square Corner, Latch for MS ,Strike Plate - 10-072 with 1-3/4" non-standard lip +,Door Thickness - 1-3/4" (Commercial Door Standard) ,BAA - No - Buy American Act ,Cylinder Type - JD - less Schlage 6-pin FSIC cylinder (Allegion Part Number: AD-300-MS-70-Si-SPA-626-JD-RH-09-663-10-072-134-134 )	1,941.00
AC-SCH-AD300MS70SPA626JDRH0966310072134	AD-300 networked hardwired - MS Mortise ,Function - 70 Classroom/Storeroom-Interior LED Only ,Reader - Multi-Tech (Proximity and Smart) +,Lever - Sparta ,Finish - 626 - Satin Chrome ,Handing - Left Hand (LH) ,Armor Front - 09-663 - 1 1/4" Wide Square Corner, Latch for MS ,Strike Plate - 10-072 with 1-3/16" standard lip ,Door Thickness - 1-3/4" (Commercial Door Standard) ,BAA - No - Buy American Act ,(Allegion Part Number:AD-300-MS-70-MT-SPA-626-JD-LH-09-663-10-072-134)	1,853.00

### Allegion Schlage AD300 Accessories

Model No.	Description	MSRP \$
AC-SCH-COM300L-643E	Communication Module Kit for AD-300 Classroom/Storeroom (70) function. Compatible with Cylindrical, Mortise, Mortise with deadbolt, 993 exit trim chassis. Aged bronze finish.	282.00
AC-ALL-SCH-RLBD	Relay Board (for PIB300-2D or PIM400-TD2)(Allegion Part Number: RLBD)	205.00
AC-SCH-CYL-23-030-ICX	Wireless lock construction core	60.00
AC-ALL-SCH-PIB300-2D	Panel Interface Board (supports 2 doors)(Allegion Part Number: PIB300-2D)	404.00
AC-SCH-TK400	Wireless Test Kit, Pre-Installed Test Kit; Complete with WPR400-DT, PIM400-TD2, 593PI, Power Supply, Charger, Carrying Case.	1,453.00
AC-ALL-SCH-COM400L	Electronic Lock Communication Module Kit	305.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Allegion Schlage NDE Wireless Locks

All NDE Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will have a 50% restocking fee applied. (Non-stock items)

All NDE locks require the Engage gateway for communication.

### Allegion Schlage NDE Wireless locks with Cylindrical chassis

Model No.	Description	MSRP \$
AC-SCH-NDE80LDRHO626RHO6261304710130S123	NDE series wireless lock, cylindrical, Storeroom Function (80) with Vandlgard; Less Cylinder (Schlage, Falcon, 6 Pin KIL), Rhodes Lever, Satin Chrome finish, 2-3/4" Backset, 1-1/8" x 2-1/4" square corner Deadlatch; 1-1/4" x 4-7/8" ANSI Strike with 1-3/16" Lip and DPS magnets, no box (Allegion Schlage Part Number: NDE-80-LD-RHO-626-RHO-626-13-047-10-130)	777.00
AC-SCH-NDE80BDRHO626RHO6261304710130S123	NDE series wireless lock, cylindrical, Storeroom Function (80) with Vandlgard; Less Cylinder (Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)), Rhodes Lever, Satin Chrome finish, 2-3/4" Backset, 1-1/8" x 2-1/4" square corner Deadlatch; 1-1/4" x 4-7/8" ANSI Strike with 1-3/16" Lip and DPS magnets, no box (Allegion Schlage Part Number: NDE-80-BD-RHO-626-RHO-626-13-047-10-130)	832.00
AC-SCH-NDE80LDATH626ATH6261304710130S123	NDE series wireless lock, cylindrical, Storeroom Function (80) with Vandlgard; Less Cylinder (Schlage, Falcon, 6 Pin KIL), Athens Lever, Satin Chrome finish, 2-3/4" Backset, 1-1/8" x 2-1/4" square corner Deadlatch; 1-1/4" x 4-7/8" ANSI Strike with 1-3/16" Lip and DPS magnets, no box (Allegion Schlage Part Number: NDE-80-LD-ATH-626-ATH-626-13-047-10-130)	777.00
AC-SCH-NDE80BDATH626ATH6261304710130S123	NDE series wireless lock, cylindrical, Storeroom Function (80) with Vandlgard; Less Cylinder (Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)), Athens Lever, Satin Chrome finish, 2-3/4" Backset, 1-1/8" x 2-1/4" square corner Deadlatch; 1-1/4" x 4-7/8" ANSI Strike with 1-3/16" Lip and DPS magnets, no box (Allegion Schlage Part Number: NDE-80-BD-ATH-626-ATH-626-13-047-10-130)	832.00
AC-SCH-NDE80PDATH626ATH6261304710130S123	NDE series wireless lock, cylindrical, Storeroom Function (80) with Vandlgard; With Cylinder (Schlage- Everest 29 S123, 6 Pin KIL), Athens Lever, Satin Chrome finish, 2-3/4" Backset, 1-1/8" x 2-1/4" square corner Deadlatch; 1-1/4" x 4-7/8" ANSI Strike with 1-3/16" Lip and DPS magnets, no box (Allegion Schlage Part Number: NDE-80-PD-ATH-626-ATH-626-13-047-10-130-S123)	832.00
AC-SCH-NDE80PDRHO626RHO6261304710130S123	NDE series wireless lock, cylindrical, Storeroom Function (80) with Vandlgard; With Cylinder (Schlage- Everest 29 S123, 6 Pin KIL), Rhodes Lever, Satin Chrome finish, 2-3/4" Backset, 1-1/8" x 2-1/4" square corner Deadlatch; 1-1/4" x 4-7/8" ANSI Strike with 1-3/16" Lip and DPS magnets, no box (Allegion Schlage Part Number: NDE-80-PD-RHO-626-RHO-626-13-047-10-130-S123)	832.00
AC-SCH-NDE80JDATH626ATH6261304710130S123	NDE series wireless lock, cylindrical, Storeroom Function (80) with Vandlgard; Less Cylinder (Schlage, 6 Pin FSIC), Athens Lever, Satin Chrome finish, 2-3/4" Backset, 1-1/8" x 2-1/4" square corner Deadlatch; 1-1/4" x 4-7/8" ANSI Strike with 1-3/16" Lip and DPS magnets, no box (Allegion Schlage Part Number: NDE-80-JD-ATH-626-ATH-626-13-047-10-130)	801.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage NDE Wireless Locks

All NDE Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will have a 50% restocking fee applied. (Non-stock items)

All NDE locks require the Engage gateway for communication.

### Allegion Schlage NDE Wireless locks with Cylindrical chassis

Model No.	Description	MSRP \$
AC-SCH-NDE80PDSPA626SPA6261304710130S123	NDE series wireless lock, cylindrical, Storeroom Function (80) with Vandlgard; With Cylinder (Schlage- Everest 29 S123, 6 Pin KIL), Sparta Lever, Satin Chrome finish, 2-3/4" Backset, 1-1/8" x 2-1/4" square corner Deadlatch; 1-1/4" x 4-7/8" ANSI Strike with 1-3/16" Lip and DPS magnets, no box (Allegion Schlage Part Number: NDE-80-PD-SPA-626-SPA-626-13-047-10-130-S123)	832.00
AC-SCH-NDE80BDSPA626SPA6261304710130S123	NDE series wireless lock, cylindrical, Storeroom Function (80) with Vandlgard; Less Cylinder (Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)), Sparta Lever, Satin Chrome finish, 2-3/4" Backset, 1-1/8" x 2-1/4" square corner Deadlatch; 1-1/4" x 4-7/8" ANSI Strike with 1-3/16" Lip and DPS magnets, no box (Allegion Schlage Part Number: NDE-80-BD-SPA-626-SPA-626-13-047-10-130)	832.00
AC-SCH-NDE80BDSPA643ESPA643E1304710130S123	NDE series wireless lock, cylindrical, Storeroom Function (80) with Vandlgard; Less Cylinder (Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)), Sparta Lever, Aged Bronze finish, 2-3/4" Backset, 1-1/8" x 2-1/4" square corner Deadlatch; 1-1/4" x 4-7/8" ANSI Strike with 1-3/16" Lip and DPS magnets, no box (Allegion Schlage Part Number: NDE-80-BD-SPA-643e-SPA-643e-13-047-10-130)	894.00
AC-SCH-NDE80BDSPA605SPA6051304710130S123	NDE series wireless lock, cylindrical, Storeroom Function (80) with Vandlgard; Less Cylinder (Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)), Sparta Lever, Bright brass finish, 2-3/4" Backset, 1-1/8" x 2-1/4" square corner Deadlatch; 1-1/4" x 4-7/8" ANSI Strike with 1-3/16" Lip and DPS magnets, no box (Allegion Schlage Part Number: NDE-80-BD-SPA-605-SPA-605-13-047-10-130)	894.00
AC-SCH-NDE80PDRHO643ERHO643E1304710130S123	NDE series wireless lock, cylindrical, Storeroom Function (80) with Vandlgard; With Cylinder (Schlage- Everest 29 S123, 6 Pin KIL), Rhodes Lever, Aged bronze finish, 2-3/4" Backset, 1-1/8" x 2-1/4" square corner Deadlatch; 1-1/4" x 4-7/8" ANSI Strike with 1-3/16" Lip and DPS magnets, no box (Allegion Schlage Part Number: NDE-80-PD-RHO-643e-RHO-643e-13-047-10-130-S123)	894.00
AC-SCH-NDE80JDRHO6261304710130	NDE series wireless lock, cylindrical, Storeroom Function (80) with Vandlgard, Rhodes Lever, Satin Chrome finish, Less Cylinder (Schlage, 6 pin FSIC), 2-3/4" Backset, 1-1/8" x 2-1/4" square corner Deadlatch; 1-1/4" x 4-7/8" ANSI Strike with 1-3/16" Lip and DPS magnets, no box (Allegion Schlage Part Number: NDE-80-JD-RHO-626-13-047-10-130)	801.00
AC-SCH-NDE80LDSARATH6261304710130	NDE series wireless lock, cylindrical, Storeroom functions (80) with Vandlgard, Athens Lever, Satin Chrome finish, Less Cylinder (Sargent 10L, 11L, 6-pin KIL), 2-3/4" Backset, 1-1/8" x 2-1/4" square corner Deadlatch; 1-1/4" x 4-7/8" ANSI Strike with 1-3/16" Lip and DPS magnets, no box (Allegion Schlage Part Number: NDE-80-LDSAR-ATH-626-13-047-10-130)	777.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Allegion Schlage NDE Wireless Locks

All NDE Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will have a 50% restocking fee applied. (Non-stock items)

All NDE locks require the Engage gateway for communication.

### Allegion Schlage NDE Wireless locks with Cylindrical chassis

Model No.	Description	MSRP \$
AC-SCH-NDE80RDSIPA6261304710130	NDE networked or offline lock - CY cylindrical, Function - 80 Storeroom with Vandlgard, Lever - Sparta - NDE, 626 - Satin Chrome, Key System - RD, Keying Type - Everest 29 T - letter of authorization required, Inside Lever - Same as outside lever, Inside Finish - Same as Outside Finish, Backset & Latch - 13-047 2-3/4" backset; 1-1/8"x2-1/4", Deadlatch, Square corner, Strike Plate - 10-130 1-3/16"lip, ANSI, no box, DPS magnets, 1-1/4"x4-7/8", (Allegion Schlage Part Number: NDE-80-RD-SPA-626-13-047-10-130)	866.00
AC-SCH-NDE80JDCO6RHO6261304710130	NDE networked or offline lock - CY cylindrical Function - 80 Storeroom with Vandlgard Lever - Rhodes - NDE 626 - Satin Chrome Key System - JD CO6 - Corbin Russwin 8000 Inside Lever - Same as outside lever Inside Finish - Same as Outside Finish Backset & Latch - 13-247 2-3/4" backset; 1-1/8"x2-1/4" Deadlatch, Square corner Strike Plate - 10-130 1-3/16"lip, ANSI, no box DPS magnets, 1-1/4"x4-7/8" (Allegion Schlage Part Number: NDE-80-JDCO6-RHO-626-13-047-10-130)	801.00
AC-SCH-NDE80LDATH643E1304710130	NDE networked or offline lock - CY cylindrical Function - 80 Storeroom with Vandlgard Lever - Athens - NDE 643e - aged bronze NDE Key System - LD Inside Lever - Same as outside lever Inside Finish - Same as Outside Finish Backset & Latch - 13-247 2-3/4" backset; 1-1/8"x2-1/4" Deadlatch, Square corner Strike Plate - 10-130 1-3/16"lip, ANSI, no box DPS magnets, 1-1/4"x4-7/8" (Allegion Schlage Part Number: NDE-80-LD-ATH-643e-13-047-10-130)	838.00
AC-SCH-NDE80RDATH626ATH1304710130S123	NDE networked or offline lock - CY cylindrical Function - 80 Storeroom with Vandlgard Lever - Athens - NDE 626 - Satin Chrome Key System - RD Keying Type - Everest 29 S Keyway - S123 Inside Lever - Athens Inside Finish - Same as Outside Finish Backset & Latch - 13-247 2-3/4" backset; 1-1/8"x2-1/4" Deadlatch, Square corner Strike Plate - 10-130 1-3/16"lip, ANSI, no box DPS magnets, 1-1/4"x4-7/8" (Allegion Schlage Part Number: NDE-80-RD-ATH-626-ATH-13-047-10-130-S123)	866.00
AC-SCH-NDE80JDRHO6261324710130	NDE networked or offline lock, CY Cylindrical, 80 Storeroom with Vandlgard, Rhodes Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, 13-247 - 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 10-130 with 1-3/16" Standard Lip; ANSI; No Box (Allegion Schlage Part #: NDE-80-JD-RHO-626-13-247-10-130)	801.00
AC-SCH-NDE80PDATH605ATH1324710130S123	NDE networked or offline lock, CY Cylindrical, 80 Storeroom with Vandlgard, Athens Lever, Bright Brass finish, Cylinder Type: PD conventional KIL cylinder, Everest 29 S - 123, 13-247 - 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 10-130 with 1-3/16" Standard Lip; ANSI; No Box (Allegion Schlage Part #: NDE-80-PD-ATH-605-ATH-13-247-10-130-S-123)	894.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.



## Allegion Schlage NDE Wireless Locks

All NDE Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will have a 50% restocking fee applied. (Non-stock items)

All NDE locks require the Engage gateway for communication.

### Allegion Schlage NDE Wireless locks with Cylindrical chassis

Model No.	Description	MSRP \$
AC-SCH-NDE80JDSPA626SPA1324710130	NDE networked or offline lock, CY Cylindrical, 80 Storeroom with Vandlgard, Sparta Lever, Satin Chrome finish, Cylinder Type: JD less Schlage 6-pin, 13-247 - 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 10-130 with 1-3/16" Standard Lip; ANSI; No Box (Allegion Schlage Part #: NDE-80-JD-SPA-626-SPA-13-247-10-130)	801.00
AC-SCH-NDE80BDRHO606RHO1324710130	NDE networked or offline lock, 80 Storeroom with Vandlgard, Rhodes Lever, Satin Brass finish, Cylinder Type: BD less SFIC cylinder for all manufacturers, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: NDE-80-BD-RHO-606-RHO-13-247-10-130)	894.00
AC-SCH-NDE80PDRHO626RHO1324710132S123	NDE networked or offline lock, 80 Storeroom with Vandlgard, Rhodes Lever, Satin Chrome finish, Cylinder Type: PD conventional KIL cylinder, Everest 29 S - 123, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: NDE-80-PD-RHO-626-RHO-13-247-10-132-S-123)	832.00
AC-SCH-NDE80PLAT626LAT1324710130S123	NDE networked or offline lock, 80 Storeroom with Vandlgard, Latitude Lever, Satin Chrome finish, Cylinder Type: P Schlage mortise cylinder, Everest 29 S - 123, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: NDE-80-P-LAT-626-LAT-13-247-10-130-S-123)	832.00
AC-SCH-NDE80PDRHO605RHO1324710130S123	NDE networked or offline lock, 80 Storeroom with Vandlgard, Rhodes Lever, Bright Brass finish, Everest 29 S - 123, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: NDE-80-PD-RHO-605-RHO-13-247-10-130-S-123)	894.00
AC-SCH-NDE80JDCO6ATH626ATH1324710130	NDE networked or offline lock, 80 Storeroom with Vandlgard, Athens Lever, Satin Chrome finish, Cylinder Type: less cylinder, Corbin 8000, 6 Pin FSIC, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: NDE-80-JDCO6-ATH-626-ATH-13-247-10-130)	801.00
AC-SCH-NDE80ZDSPA6261324710130	NDE networked or offline lock, 80 Storeroom with Vandlgard, Sparta Lever, Satin Chrome finish, Cylinder Type: Schlage-Everest LS, 6 Pin KIL (factory master keyed only), 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: NDE-80-ZD-SPA-626-13-247-10-130)	832.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage NDE Wireless Locks

All NDE Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will have a 50% restocking fee applied. (Non-stock items)

All NDE locks require the Engage gateway for communication.

### Allegion Schlage NDE Wireless locks with Cylindrical chassis

Model No.	Description	MSRP \$
AC-SCH-NDE80LDSARSPA6261324710130	NDE networked or offline lock, 80 Storeroom with Vandlgard, Sparta Lever, Satin Chrome finish, Cylinder Type: LD SAR less Sargent 10L or 11L conventional KIL cylinder, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; DPS magnets, No Box, 1-1/4" x 4-7/8"(Allegion Schlage Part #: NDE-80-LDSAR-SPA-626-13-247-10-130)	777.00
AC-SCH-NDE80BDSPA626SPA1324710131	NDE networked or offline lock, 80 Storeroom with Vandlgard, Sparta Lever, Satin Chrome finish, Cylinder Type: BD less SFIC cylinder for all manufacturers, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; DPS magnets, No Box, 1-1/4" x 4-7/8"(Allegion Schlage Part #: NDE-80-BD-SPA-626-SPA-13-247-10-131)	832.00
AC-SCH-NDE80RHO626PDC1324710030	NDE networked or offline lock, 80 Storeroom with Vandlgard, Rhodes Lever, Satin Chrome finish, Cylinder Type: PD conventional KIL cylinder, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; DPS magnets, No Box, 1-1/4" x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: NDE-80-RHO-626-PD-13-247-10-130-C-123)	832.00
AC-SCH-NDE80BDRHO626RHO1404710130	NDE networked or offline lock, 80 Storeroom with Vandlgard, Rhodes Lever, Satin Chrome finish, Cylinder Type: BD less SFIC cylinder for all manufacturers, 2 3/8" Backset deadlatch with square corner, 1 1/8" x 2 1/4", 1-3/16" Standard Lip Strike Plate; ANSI; DPS magnets, No Box, 1-1/4" x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: NDE-80-BD-RHO-626-RHO-14-047-10-130)	832.00
AC-SCH-NDE-80-R-SPA-626-SPA-13-247-10-132-RS123	NDE networked or offline lock - CY cylindrical ,Function - 80 Storeroom with Vandlgard ,Lever - Sparta - NDE ,Finish - 626 - Satin Chrome ,Backset & Latch - 13-247 2-3/4" backset; 1-1/8"x2-1/4" ,Strike Plate - 10-132 1-1/8" lip, T-strike, box, 1-1/8"x2-3/4" ,Inside Lever - Sparta - NDE ,Inside Finish - Same as Outside Finish ,Cylinder Type - R - Schlage 6-Pin (Everest 29 S123 standard) FSIC ,Keying Type - Everest 29 R - letter of authorization required ,(Allegion Part Number: NDE-80-R-SPA-626-SPA-13-247-10-132-R-S123 )	866.00
AC-SCH-NDE-80-L-RHO-622-RHO-622-13-247-10-130	NDE networked or offline lock - CY cylindrical ,Function - 80 Storeroom with Vandlgard ,Lever - Athens - NDE ,Finish - 626 - Satin Chrome ,Backset & Latch - 13-247 2-3/4" backset; 1-1/8"x2-1/4" ,Strike Plate - 10-130 1-3/16"lip, ANSI, no box ,Inside Lever - Athens - NDE ,Inside Finish - Same as Outside Finish ,Cylinder Type - P 6-Pin KIL Cylinder ,Product Catalog Number Total Price,(Allegion Part Number: NDE-80-L-RHO-622-RHO-622-13-247-10-130)	900.00
AC-SCH-NDE-80-P-ATH-626-ATH-14-047-10-130-S-123	NDE networked or offline lock - CY cylindrical ,Function - 80 Storeroom with Vandlgard ,Lever - Athens - NDE ,Finish - 626 - Satin Chrome ,Backset & Latch - 14-047 2-3/8" backset; 1-1/8"x2-1/4" ,Strike Plate - 10-130 1-3/16"lip, ANSI, no box ,Inside Lever - Athens - NDE ,Inside Finish - Same as Outside Finish ,Cylinder Type - P - 6-Pin KIL Cylinder ,Keying Type - Everest 29 S ,(Allegion Part Number: NDE-80-P-ATH-626-ATH-14-047-10-130-S-123 )	832.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Allegion Schlage NDE Wireless Locks

All NDE Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will have a 50% restocking fee applied. (Non-stock items)

All NDE locks require the Engage gateway for communication.

### Allegion Schlage NDE Wireless locks with Cylindrical chassis

Model No.	Description	MSRP \$
AC-SCH-NDE80LSPA626SPA1324710132	NDE networked or offline lock - CY cylindrical ,Function - 80 Storeroom with Vandlgard ,Lever - Sparta - NDE ,Finish - 626 - Satin Chrome ,Backset & Latch - 13-247 2-3/4" backset; 1-1/8"x2-1/4" ,Strike Plate - 10-132 1-1/8" lip, T-strike, box, 1-1/8"x2-3/4" ,Inside Lever - Sparta - NDE ,Inside Finish - Same as Outside Finish ,Cylinder Type - L - less Schlage 6-Pin KIL cylinder ,(Allegion Part Number: NDE-80-L-SPA-626-SPA-13-247-10-132)	754.00
AC-SCH-NDE80LCO6RHO626RHO1324710130	NDE networked or offline lock - CY cylindrical ,Function - 80 Storeroom with Vandlgard ,Lever - Rhodes - NDE ,Finish - 626 - Satin Chrome ,Backset & Latch - 13-247 2-3/4" backset; 1-1/8"x2-1/4" ,Strike Plate - 10-130 1-3/16"lip, ANSI, no box ,Inside Lever - Rhodes - NDE ,Inside Finish - Same as Outside Finish ,Cylinder Type - L CO6 - less Corbin Russwin 6 PIN KIL,(Allegion Part Number:NDE-80-L CO6-RHO-626-RHO-13-247-10-130)	776.00
AC-SCH-NDE80LCO6RHO626RHO1324710132	NDE networked or offline lock - CY cylindrical ,Function - 80 Storeroom with Vandlgard ,Lever - Rhodes - NDE ,Finish - 626 - Satin Chrome ,Backset & Latch - 13-247 2-3/4" backset; 1-1/8"x2-1/4" ,Strike Plate - 10-132 1-1/8" lip, T-strike, box, 1-1/8"x2-3/4" ,Inside Lever - Rhodes - NDE ,Inside Finish - Same as Outside Finish ,Cylinder Type - L CO6 - less Corbin Russwin 6 PIN KIL ,(Allegion Part Number:NDE-80-L CO6-RHO-626-RHO-13-247-10-132)	776.00
AC-SCH-NDE80LCO6RHO626RHO1404710130	NDE networked or offline lock - CY cylindrical ,Function - 80 Storeroom with Vandlgard ,Lever - Rhodes - NDE ,Finish - 626 - Satin Chrome ,Backset & Latch - 14-047 2-3/8" backset; 1-1/8"x2-1/4" ,Strike Plate - 10-130 1-3/16"lip, ANSI, no box ,Inside Lever - Rhodes - NDE ,Inside Finish - Same as Outside Finish ,Cylinder Type - L CO6 - less Corbin Russwin 6 PIN KIL ,(Allegion Part Number:NDE-80-L CO6-RHO-626-RHO-14-047-10-130)	776.00
AC-SCH-NDE80BATH606ATH1324710130	NDE networked or offline lock - CY cylindrical ,Function - 80 Storeroom with Vandlgard ,Lever - Athens - NDE ,Finish - 606 - satin brass NDE + ,Backset & Latch - 13-247 2-3/4" backset; 1-1/8"x2-1/4" ,Strike Plate - 10-130 1-3/16"lip, ANSI, no box ,Inside Lever - Athens - NDE ,Inside Finish - Same as Outside Finish ,Cylinder Type - B - Less 7-Pin SFIC KIL cylinder ,(Allegion Part Number:NDE-80-B-ATH-606-ATH-13-247-10-130)	894.00
AC-SCH-NDE80TRHO626RHO6261324710130	NDE networked or offline lock - CY cylindrical ,Function - 80 Storeroom with Vandlgard ,Lever - Rhodes - NDE ,Finish - 626 - Satin Chrome ,Backset & Latch - 13-247 2-3/4" backset; 1-1/8"x2-1/4" ,Strike Plate - 10-130 1-3/16"lip, ANSI, no box ,Inside Lever - Rhodes - NDE ,Inside Finish - 626 - satin chrome (inside) ,Cylinder Type - T - FSIC construction core (refund with return less handling fee) ,(Allegion Part Number:NDE-80-T-RHO-626-RHO-626-13-247-10-130)	866.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage NDE Wireless Locks

All NDE Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will have a 50% restocking fee applied. (Non-stock items)

All NDE locks require the Engage gateway for communication.

### Allegion Schlage NDE Wireless locks with Cylindrical chassis

Model No.	Description	MSRP \$
AC-SCH-NDE80LSPA6261324710130	NDE networked or offline lock - CY cylindrical ,Function - 80 Storeroom with Vandlgard ,Lever - Sparta - NDE ,Finish - 626 - Satin Chrome ,Backset & Latch - 13-247 2-3/4" backset; 1-1/8"x2-1/4" ,Strike Plate - 10-130 1-3/16"lip, ANSI, no box ,Inside Lever - Sparta - NDE ,Inside Finish - Same as Outside Finish , Cylinder Type - L - less Schlage 6-Pin KIL cylinder ,(Allegion Part Number:NDE-80-L-SPA-626-SPA-13-247-10-130)	776.00
AC-SCH-NDE80JRHO626RHO1324710130	NDE networked or offline lock - CY cylindrical ,Function - 80 Storeroom with Vandlgard ,Lever - Rhodes - NDE ,Finish - 626 - Satin Chrome ,Backset & Latch - 13-247 2-3/4" backset; 1-1/8"x2-1/4" ,Strike Plate - 10-130 1-3/16"lip, ANSI, no box ,Inside Lever - Rhodes - NDE ,Inside Finish - Same as Outside Finish , Cylinder Type - J - Less Schlage 6-Pin FSIC KIL ,(Allegion Part Number:NDE-80-J-RHO-626-RHO-13-247-10-130)	801.00
AC-SCH-NDE80BSPA6261324710130	NDE networked or offline lock - CY cylindrical ,Function - 80 Storeroom with Vandlgard ,Lever - Rhodes - NDE ,Finish - 626 - Satin Chrome ,Backset & Latch - 13-247 2-3/4" backset; 1-1/8"x2-1/4" ,Strike Plate - 10-130 1-3/16"lip, ANSI, no box ,Inside Lever - Rhodes - NDE ,Inside Finish - Same as Outside Finish , Cylinder Type - P - 6-Pin KIL Cylinder ,Product Catalog Number Total Price,(Allegion Part Number:NDE-80-P-RHO-626-RHO-13-247-10-130)	832.00
AC-SCH-NDE80PRHO626RHO1404710130S123	NDE networked or offline lock - CY cylindrical ,Function - 80 Storeroom with Vandlgard ,Lever - Rhodes - NDE ,Finish - 626 - Satin Chrome ,Backset & Latch - 14-047 2-3/8" backset; 1-1/8"x2-1/4" ,Strike Plate - 10-130 1-3/16"lip, ANSI, no box ,Inside Lever - Rhodes - NDE ,Inside Finish - Same as Outside Finish , Cylinder Type - P - 6-Pin KIL Cylinder ,Keying Type - Everest 29 S ,(Allegion Part Number:NDE-80-P-RHO-626-RHO-14-047-10-130-S123)	832.00
AC-SCH-NDE80PSPA643E1324710130S123	NDE networked or offline lock - CY cylindrical ,Function - 80 Storeroom with Vandlgard ,Lever - Sparta - NDE ,Finish - 643e - aged bronze NDE +,Backset & Latch - 13-247 2-3/4" backset; 1-1/8"x2-1/4" ,Strike Plate - 10-130 1-3/16"lip, ANSI, no box ,Inside Lever - Same as outside lever ,Inside Finish - Same as Outside Finish , Cylinder Type - P - 6-Pin KIL Cylinder ,Keying Type - Everest 29 S ,(Allegion Part Number:NDE-80-P-SPA-643e-13-247-10-130-S-123)	894.00
AC-SCH-NDE80PRHO6261324710130S123	NDE networked or offline lock - CY cylindrical ,Function - 80 Storeroom with Vandlgard ,Lever - Rhodes - NDE ,Finish - 626 - Satin Chrome ,Backset & Latch - 13-247 2-3/4" backset; 1-1/8"x2-1/4" ,Strike Plate - 10-130 1-3/16"lip, ANSI, no box ,Inside Lever - Rhodes - NDE ,Inside Finish - Same as Outside Finish , Cylinder Type - P - 6-Pin KIL Cylinder ,(Allegion Part Number:NDE-80-P-RHO-626-RHO-13-247-10-130)	706.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Allegion Schlage NDE Wireless Locks

All NDE Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will have a 50% restocking fee applied. (Non-stock items)

All NDE locks require the Engage gateway for communication.

### Allegion Schlage NDE Wireless locks with Cylindrical chassis

Model No.	Description	MSRP \$
AC-SCH-NDE80PSPA626SPA1324710130S123	NDE networked or offline lock - CY cylindrical ,Function - 80 Storeroom with Vandlgard ,Lever - Sparta - NDE ,Finish - 626 - Satin Chrome ,Backset & Latch - 13-247 2-3/4" backset; 1-1/8"x2-1/4" ,Strike Plate - 10-130 1-3/16"lip, ANSI, no box ,Inside Lever - Sparta - NDE ,Inside Finish - Same as Outside Finish ,Cylinder Type - P - 6-Pin KIL Cylinder ,(Allegion Part Number:NDE-80-P-SPA-626-SPA-13-247-10-130-S-123)	832.00
AC-SCH-NDE80PSPA626SPA1404710130K510066S123	NDE networked or offline lock - CY cylindrical ,Function - 80 Storeroom with Vandlgard ,Lever - Sparta - NDE ,Finish - 626 - Satin Chrome ,Backset & Latch - 14-047 2-3/8" backset; 1-1/8"x2-1/4" ,Strike Plate - 10-130 1-3/16"lip, ANSI, no box ,Strike Plate - K510-066 - Box for ANSI Strike ,Inside Lever - Sparta - NDE ,Inside Finish - Same as Outside Finish ,Keying Type - Everest 29 S ,(Allegion Part Number:NDE-80-P-SPA-626-SPA-14-047-10-130-K510-066-S123)	744.00
AC-SCH-NDE80BRHO626RHOLLL10130	NDE networked or offline lock - CY cylindrical ,Function - 80 Storeroom with Vandlgard ,Lever - Rhodes - NDE ,Finish - 606 - satin brass NDE + ,Backset & Latch - Less Latch - NDE -,Strike Plate - 10-130 1-3/16"lip, ANSI, no box ,Inside Lever - Rhodes - NDE ,Inside Finish - Same as Outside Finish ,Cylinder Type - B - Less 7-Pin SFIC KIL cylinder ,(Allegion Part Number:NDE-80-B-RHO-606-RHO-LLL-10-130)	863.00
AC-SCH-NDE80BRHO626RHO1324710130	NDE networked or offline lock - CY cylindrical ,Function - 80 Storeroom with Vandlgard ,Lever - Rhodes - NDE ,Finish - 626 - Satin Chrome ,Backset & Latch - 13-247 2-3/4" backset; 1-1/8"x2-1/4" ,Strike Plate - 10-130 1-3/16"lip, ANSI, no box ,Inside Lever - Rhodes - NDE ,Inside Finish - Same as Outside Finish ,Cylinder Type - B - Less 7-Pin SFIC KIL cylinder ,Product Catalog Number Total Price ,(Allegion Part Number:NDE-80-B-RHO-626-RHO-13-247-10-130)	832.00

### Allegion Schlage NDE Lock Accessories

Model No.	Description	MSRP \$
AC-ALL-SCH-ENGAGE-GWE	GWE — ENGAGE Gateway with RS-485 & IP (PoE) connectivity. Supports up to 10 ENGAGE enabled devices with Mercury Security 1DR and 64DR (AC-MER-CONT-1DR and AC-MER-CONT-64DR Sold Separately) access control panels (Allegion Part Number: GWE – ENGAGE)	733.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## Allegion Schlage LE Wireless Locks

All LE Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will have a 50% restocking fee applied. (Non-stock items)

All LE locks require the Engage gateway for communication.

### Allegion Schlage LE Wireless Locks with MS mortise chassis

Model No.	Description	MSRP \$
AC-SCH-LEMSADDJM55643EM55LHR10136134	LE networked or offline lock - MS mortise with LED - Addison ,Lever - M55 +,Finish - 643e - aged bronze LE +,Handing - Left Hand Reverse (LHR) ,Strike Plate - 10-136 1-3/16" strike lip length ,Door Thickness - 1-3/4" (Commercial Door Standard) ,Inside Lever - M55 +,Inside Finish - Same as Outside Finish ,Cylinder Type - J - less Schlage 6-pin FSIC cylinder ,(Allegion Part Number:LEMS-ADD-J-M55-643e-M55-LHR-10-136-134)	1,093.00
AC-SCH-LEMSADDJM55643EM55LH10136134	LE networked or offline lock - MS mortise with LED - Addison ,Lever - M55 +,Finish - 643e - aged bronze LE +,Handing - Left Hand (LH) ,Strike Plate - 10-136 1-3/16" strike lip length ,Door Thickness - 1-3/4" (Commercial Door Standard) ,Inside Lever - M55 +,Inside Finish - Same as Outside Finish ,Cylinder Type - J - less Schlage 6-pin FSIC cylinder ,(Allegion Part Number:LEMS-ADD-J-M55-643e-M55-LH-10-136-134)	1,093.00
AC-SCH-LEMSGRWJ0662600ARH10136134	LE networked or offline lock - MS mortise with LED – Greenwich, Key System – J, Lever - 06 - suites with Rhodes, Finish - 626 - Satin Chrome, Rose - 00 A - 2-1/8" diameter, Inside Lever - Same as outside lever, Inside Finish - Same as Outside Finish, Inside Rose - Same as outside rose, Handing - Right Hand (RH), Strike Plate - 10-136 1-3/16" strike lip length, MS and MB only, Door Thickness - 1-3/4" (Commercial Door Standard), Keying Type - Everest 29 S, Keyway - S123 (Allegion Schlage Part No. LEMS-GRW-J-06-626-00A-RH-10-136-134)	1,044.00
AC-SCH-LEMSGRWBD0662600ARH10136134	LE networked or offline lock - MS mortise with LED – Greenwich, Key System – BD, Lever - 06 - suites with Rhodes, Finish - 626 - Satin Chrome, Rose - 00 A - 2-1/8" diameter, Inside Lever - Same as outside lever, Inside Finish - Same as Outside Finish, Inside Rose - Same as outside rose, Handing - Right Hand (RH), Strike Plate - 10-136 1-3/16" strike lip length, MS and MB only, Door Thickness - 1-3/4" (Commercial Door Standard), Keying Type - Everest 29 S, Keyway - S123 (Allegion Schlage Part No. LEMS-GRW-BD-06-626-00A-RH-10-136-134)	1,044.00
AC-SCH-LEMSGRWP61762600ARH10136134	LE networked or offline lock - MS mortise with LED – Greenwich, Key System – P, Lever - 17 - suites with Sparta, Finish - 626 - Satin Chrome, Rose - 00 A - 2-1/8" diameter, Inside Lever - Same as outside lever, Inside Finish - Same as Outside Finish, Inside Rose - Same as outside rose, Handing - Right Hand (RH), Strike Plate - 10-136 1-3/16" strike lip length, MS and MB only, Door Thickness - 1-3/4" (Commercial Door Standard), Keying Type - Everest 29 S, Keyway - S123 (Allegion Schlage Part No. LEMS-GRW-P-17-626-00A-RH-10-136-134-S123)	1,044.00
AC-SCH-LEMSGRWP60662600ARH10136134	LE networked or offline lock - MS mortise with LED – Greenwich, Key System – P, Lever - 06 - suites with Rhodes, Finish - 626 - Satin Chrome, Rose - 00 A - 2-1/8" diameter, Inside Lever - Same as outside lever, Inside Finish - Same as Outside Finish, Inside Rose - Same as outside rose, Handing - Right Hand (RH), Strike Plate - 10-136 1-3/16" strike lip length, MS and MB only, Door Thickness - 1-3/4" (Commercial Door Standard), Keying Type - Everest 29 S, Keyway - S123 (Allegion Schlage Part No. LEMS-GRW-P-06-626-00A-RH-10-136-134-S123)	1,044.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Allegion Schlage LE Wireless Locks

All LE Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will have a 50% restocking fee applied. (Non-stock items)

All LE locks require the Engage gateway for communication.

### Allegion Schlage LE Wireless Locks with MS mortise chassis

Model No.	Description	MSRP \$
AC-SCH-LEMSGRWL0662600ARH10136134	LE networked or offline lock - MS mortise with LED – Greenwich, Key System – L, Lever - 06 - suites with Rhodes, Finish - 626 - Satin Chrome, Rose - 00A - 2-1/8" diameter, Inside Lever - Same as outside lever, Inside Finish - Same as Outside Finish, Inside Rose - Same as outside rose, Handing - Right Hand (RH), Strike Plate - 10-136 1-3/16" strike lip length, MS and MB only, Door Thickness - 1-3/4" (Commercial Door Standard), Keying Type - Everest 29 S, Keyway - S123 (Allegion Schlage Part No. LEMS-GRW-L-06-626-00A-RH-10-136-134)	976.00
AC-SCH-LEMSGRWP60762600ARH10136134	LE networked or offline lock - MS mortise with LED – Greenwich, Key System – P, Lever - 07 - suites with Athens, Finish - 626 - Satin Chrome, Rose - 00A - 2-1/8" diameter, Inside Lever - Same as outside lever, Inside Finish - Same as Outside Finish, Inside Rose - Same as outside rose, Handing - Right Hand (RH), Strike Plate - 10-136 1-3/16" strike lip length, MS and MB only, Door Thickness - 1-3/4" (Commercial Door Standard), Keying Type - Everest 29 S, Keyway - S123 (Allegion Schlage Part No. LEMS-GRW-P-07-626-00A-RH-10-136-134-S123)	1,044.00
AC-SCH-LEMSADDJ06626RH10136134	LE networked or offline lock - MS mortise with LED - AddisonLever - 06 - suites with Rhodes626 - Satin Chrome Key System - J - less Schlage 6-pin FSIC cylinder Inside Lever - Same as outside leverInside Finish - Same as Outside Finish Handing - Right Hand (RH)Strike Plate - 10-136 1-3/16" strike lip lengthMS and MB onlyDoor Thickness - 1-3/4" (Commercial Door Standard) (Allegion Schlage Part Number: LEMS-ADD-J-06-626-RH-10-136-134)	1,027.00
AC-SCH-LEMSADDP617626RH10136134	LE networked or offline lock - MS mortise with LED – Addison, Lever - 17 - suites with Sparta,626 - Satin Chrome, Key System – P, Keying Type - Everest 29 S,Keyway - S123, Inside Lever - Same as outside lever, Inside Finish - Same as Outside Finish, Handing - Right Hand (RH), Strike Plate - 10-136 1-3/16" strike lip length, MS and MB only, Door Thickness - 1-3/4" (Commercial Door Standard), (Allegion Schlage Part No. LEMS-ADD-P-17-626-RH-10-136-134-S123)	1,077.00
AC-SCH-LEMSGRWL07643E00ARH10136134	LE networked or offline lock - MS mortise with LED - Greenwich Lever - 07 - suites with Athens 643e - aged bronze LE Key System - L Rose - 00A - 2-1/8" diameter Inside Lever - Same as outside lever Inside Finish - Same as Outside Finish Inside Rose - Same as outside rose Handing - Right Hand (RH) Strike Plate - 10-136 1-3/16" strike lip length MS and MB onlyDoor Thickness - 1-3/4" (Commercial Door Standard) (Allegion Schlage Part Number: LEMS-GRW-L-07-643e-00A-RH-10-136-134)	988.00
AC-SCH-LEMSGRWL0362600C03RH10136134	LE networked or offline lock, Mortise chassis with LED - Greenwich, Suites with Tubular Lever, Satin Chrome finish, 2-5/8" Rose with bevel, Cylinder Type: less mortise cylinder for all manufacturers, Right Hand Reverse (RHR), 1-3/16" Strike Plate Lip Length, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: LEMS-GRW-L-03-626-00C-03-RH-10-136-134)	927.00
AC-SCH-LEMBADDP0762607RH10136134S	LE networked or offline lock, MB mortise with push button - Addison, Suites with Athens Lever, Satin Chrome finish, Cylinder Type: P Schlage mortise cylinder, Everest 29 S, Right Hand (RH), 10-136 with 1-3/16" Strike Lip Length, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: LEMB-ADD-P-07-626-07-RH-10-136-134-S)	1,051.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Allegion Schlage LE Wireless Locks

All LE Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will have a 50% restocking fee applied. (Non-stock items)

All LE locks require the Engage gateway for communication.

### Allegion Schlage LE Wireless Locks with MS mortise chassis

Model No.	Description	MSRP \$
AC-SCH-LEMBADDP0762607LH10136134S	LE networked or offline lock, MB mortise with push button - Addison, Suites with Athens Lever, Satin Chrome finish, Cylinder Type: P Schlage mortise cylinder, Everest 29 S, Left Hand (LH), 10-136 with 1-3/16" Strike Lip Length, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: LEMB-ADD-P-07-626-07-LH-10-136-134-S)	1,051.00
AC-SCH-LEMSSGRWJ0362600B03LH10136134	LE networked or offline lock, Mortise chassis with LED - Greenwich, Suites with Tubular Lever, Satin Chrome finish, 2-9/16" Rose, Cylinder Type: J less Schlage 6-pin, Left Hand (LH), 1-3/16" Strike Plate Lip Length, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: LEMS-GRW-J-03-626-00B-03-LH-10-136-134)	990.00
AC-SCH-LEMSADDBD1762617LH10136134	LE networked or offline lock, Mortise chassis with LED - Addison, Suites with Sparta Lever, Satin Chrome finish, Cylinder Type: BD less SFIC cylinder for all manufacturers, Left Hand (LH), 1-3/16" Strike Plate Lip Length, 1-3/4" (Commercial Door Standard)	1,023.00
AC-SCH-LEMSSGRWBDME162500AME1LH10136134	LE networked or offline lock, Mortise chassis with LED - Greenwich, M Collection E1 Lever, Bright Chrome finish, 2-1/8" Rose, Cylinder Type: BD less SFIC cylinder for all manufacturers, Left Hand (LH), 1-3/16" Strike Plate Lip Length, 1-3/4" (Commercial Door Standard)	1,093.00
AC-SCH-LEMSSGRWP0662600A06RH10136134C123	LE networked or offline lock, Mortise chassis with LED - Greenwich, Suites with Rhodes Lever, Satin Chrome finish, 2-1/8" Rose, Cylinder Type: P Schlage mortise cylinder, Right Hand (RH), 1-3/16" Strike Plate Lip Length, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: LEMS-GRW-P-06-626-00A-06-RH-10-136-134-C-123)	990.00
AC-SCH-LEMSSGRWP0662600A06626LH10136134S123	LE networked or offline lock, Mortise with LED indicator, Greenwich sectional with rose, Mortise cylinder, Schlage 6-pin, Rhodes Outside Lever, Satin Chrome, 2-1/8" (54 mm) diameter (Standard) Outside Rose, Rhodes Inside Lever, Satin Chrome, 2-1/8" (54 mm) diameter (Standard) Inside Rose, Left Hand (LH), 1-3/16" Strike Plate Lip Length, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: LEMS-GRW-P-06-626-00A-06-626-LH-10-136-134-S-123)	990.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**



## Allegion Schlage LE Wireless Locks

All LE Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will have a 50% restocking fee applied. (Non-stock items)

All LE locks require the Engage gateway for communication.

### Allegion Schlage LE Wireless Locks with MD mortise chassis

Model No.	Description	MSRP \$
AC-SCH-LEMDADDPLAT626LATRH10072134	LE networked or offline lock - MD mortise deadbolt - Addison ,Lever - Latitude ,Finish - 626 - Satin Chrome ,Handing - Right Hand (RH) ,Strike Plate - 10-072 with 1-3/16" standard lip ,Door Thickness - 1-3/4" (Commercial Door Standard) ,Inside Lever - Latitude ,Inside Finish - Same as Outside Finish ,Cylinder Type - P - Schlage mortise cylinder ,(Allegion Part Number:LEMD-ADD-P-LAT-626-LAT-RH-10-072-134)	1,074.00
AC-SCH-LEMDGRWP60762600ARH10072134	LE networked or offline lock - MD mortise deadbolt - Greenwich, Key System – P, Lever - 07 - suites with Athens, Finish - 626 - Satin Chrome, Rose - 00A - 2-1/8" diameter, Inside Lever - Same as outside lever, Inside Finish - Same as Outside Finish, Inside Rose - Same as outside rose, Handing - Right Hand (RH), Strike Plate - 10-136 1-3/16" strike lip length, MS and MB only, Door Thickness - 1-3/4" (Commercial Door Standard), Keying Type - Everest 29 S, Keyway - S123 (Allegion Schlage Part No. LEMD-GRW-P-07-626-00A-RH-10-072-134)	1,134.00
AC-SCH-LEMDGRWP60662600ARH10072134	LE networked or offline lock - MD mortise deadbolt - Greenwich, Key System – P, Lever - 06 - suites with Rhodes, Finish - 626 - Satin Chrome, Rose - 00A - 2-1/8" diameter, Inside Lever - Same as outside lever, Inside Finish - Same as Outside Finish, Inside Rose - Same as outside rose, Handing - Right Hand (RH), Strike Plate - 10-136 1-3/16" strike lip length, MS and MB only, Door Thickness - 1-3/4" (Commercial Door Standard), Keying Type - Everest 29 S, Keyway - S123 (Allegion Schlage Part No. LEMD-GRW-P-06-626-00A-RH-10-072-134)	1,134.00
AC-SCH-LEMDADDP0662606LH10072134	LE networked or offline lock - MD mortise deadbolt - Addison Lever - 06 - suites with Rhodes 626 - Satin Chrome Key System - P - Schlage mortise cylinder Keying Type - Everest 29 S Keyway - 123 Inside Lever - 06 - suites with Rhodes Inside Finish - Same as Outside Finish Handing - Left Hand (LH) Strike Plate - 10-072 with 1-3/16" standard lip Door Thickness - 1-3/4" (Commercial Door Standard) (Allegion Schlage Part Number LEMD-ADD-P-06-626-06-LH-10-072-134-S-123)	1,123.00
AC-SCH-LEMDADDP0662606RH10072134	LE networked or offline lock - MD mortise deadbolt - Addison Lever - 06 - suites with Rhodes 626 - Satin Chrome Key System - P - Schlage mortise cylinder Keying Type - Everest 29 S Keyway - 123 Inside Lever - 06 - suites with Rhodes Inside Finish - Same as Outside Finish Handing - Right Hand (RH) Strike Plate - 10-072 with 1-3/16" standard lip Door Thickness - 1-3/4" (Commercial Door Standard) (Allegion Schlage Part Number LEMD-ADD-P-06-626-06-RH-10-072-134-S-123)	1,123.00
AC-SCH-LEMDADDL0362603RH10072134	LE networked or offline lock, Mortise chassis with deadbolt - Addison , 50 Office-IPB (interior push button) with LED, Multi-Tech (Proximity and Smart), Rhodes Lever, Satin Chrome finish, Cylinder Type: BD less SFIC cylinder for all manufacturers, Right Hand Reverse (RHR), 8 AA Batteries, 2 3/4" Backset deadlatch with square Corner, 1 1/8" x 2 1/4" (Commercial Standard), 1-3/16" Standard Lip Strike Plate; ANSI; No Box; 1-1/14 x 4-7/8", 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: LEMD-ADD-L-03-626-03-RH-10-072-134)	1,045.00
AC-SCH-LEMDGRWJ0662600A06LH10072134	LE networked or offline lock, Mortise chassis with deadbolt - Greenwich, Suites with Rhodes Lever, Satin Chrome finish, 2-1/8" Rose, Cylinder Type: J less Schlage 6-pin , 1-3/16" Standard Lip Strike Plate, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: LEMD-GRW-J-06-626-00A-06-LH-10-072-134)	1,076.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Allegion Schlage LE Wireless Locks

All LE Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will have a 50% restocking fee applied. (Non-stock items)

All LE locks require the Engage gateway for communication.

### Allegion Schlage LE Wireless Locks with MD mortise chassis

Model No.	Description	MSRP \$
AC-SCH-LEMDADDP0662606RH10072134S123	LE networked or offline lock, Mortise chassis with deadbolt - Addison , Suites with Rhodes Lever, Satin Chrome finish, Cylinder Type: P Schlage mortise cylinder, Everest 29 S - 123, Right Hand (RH), 1-3/16" Standard Lip Strike Plate, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: LEMD-ADD-P-06-626-06-RH-10-072-134-S-123)	1,107.00
AC-SCH-LEMDADDP0662606LH10072134S123	LE networked or offline lock, Mortise chassis with deadbolt - Addison , Suites with Rhodes Lever, Satin Chrome finish, Cylinder Type: P Schlage mortise cylinder, Everest 29 S - 123, Left Hand (LH), 1-3/16" Standard Lip Strike Plate, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: LEMD-ADD-P-06-626-06-LH-10-072-134-S-123)	1,107.00
AC-SCH-LEMDADDJ0362603LH10072134	LE networked or offline lock, Mortise chassis with deadbolt - Addison , Suites with Tubular Lever, Satin Chrome finish, Cylinder Type: J less Schlage 6-pin , Left Hand (LH), 1-3/16" Standard Lip Strike Plate, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: LEMD-ADD-J-03-626-03-LH-10-072-134)	1,106.00
AC-SCH-LEMDADDJ0362603RH10072134	LE networked or offline lock, Mortise chassis with deadbolt - Addison , Suites with Tubular Lever, Satin Chrome finish, Cylinder Type: J less Schlage 6-pin , Right Hand (RH), 1-3/16" Standard Lip Strike Plate, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: LEMD-ADD-J-03-626-03-RH-10-072-134)	1,106.00
AC-SCH-LEMDGRWL0662600A06LH10072134	LE networked or offline lock, Mortise chassis with deadbolt - Greenwich, Suites with Rhodes Lever, Satin Chrome finish, 2-1/8" Rose, Cylinder Type: less mortise cylinder for all manufacturers, Left Hand (LH), 1-3/16" Standard Lip Strike Plate, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: LEMD-GRW-L-06-626-00A-06-LH-10-072-134 )	1,003.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Allegion Schlage LE Wireless Locks

All LE Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will have a 50% restocking fee applied. (Non-stock items)

All LE locks require the Engage gateway for communication.

### Allegion Schlage LE Wireless Locks with MB mortise chassis

Model No.	Description	MSRP \$
AC-SCH-LEMBGRWBD0662600A06LH10136134	LE networked or offline lock - MB mortise with push button - Greenwich ,Lever - 06 - suites with Rhodes ,Finish - 626 - Satin Chrome ,Handing - Left Hand (LH) ,Strike Plate - 10-136 1-3/16" strike lip length ,Door Thickness - 1-3/4" (Commercial Door Standard) ,Rose - 00A - 2-1/8" diameter ,Inside Lever - 06 - suites with Rhodes ,Inside Finish - Same as Outside Finish ,Inside Rose - Same as outside rose ,Cylinder Type - BD - less SFIC cylinder; all manufacturers ,(Allegion Part Number:LEMB-GRW-BD-06-626-00A-06-LH-10-136-134)	985.00
AC-SCH-LEMBGRWP60662600ARH10136134	LE networked or offline lock - MB mortise with push button - Greenwich, Key System - P, Lever - 06 - suites with Rhodes, Finish - 626 - Satin Chrome, Rose - 00A - 2-1/8" diameter, Inside Lever - Same as outside lever, Inside Finish - Same as Outside Finish, Inside Rose - Same as outside rose, Handing - Right Hand (RH), Strike Plate - 10-136 1-3/16" strike lip length, MS and MB only, Door Thickness - 1-3/4" (Commercial Door Standard), Keying Type - Everest 29 S, Keyway - S123 (Allegion Schlage Part No. LEMB-GRW-P-06-626-00A-RH-10-136-134-S123)	1,072.00
AC-SCH-LEMBGRWP60762600ARH10136134	LE networked or offline lock - MB mortise with push button - Greenwich, Key System - P, Lever - 07 - suites with Athens, Finish - 626 - Satin Chrome, Rose - 00A - 2-1/8" diameter, Inside Lever - Same as outside lever, Inside Finish - Same as Outside Finish, Inside Rose - Same as outside rose, Handing - Right Hand (RH), Strike Plate - 10-136 1-3/16" strike lip length, MS and MB only, Door Thickness - 1-3/4" (Commercial Door Standard), Keying Type - Everest 29 S, Keyway - S123 (Allegion Schlage Part No. LEMB-GRW-P-07-626-00A-RH-10-136-134-S123)	1,072.00
AC-SCH-LEMBGRWL0362600ARHR10136134	LE networked or offline lock - MB mortise with push button - Greenwich Lever - 03 - suites with Tubular 626 - Satin Chrome Key System - L Rose - 00A - 2-1/8" diameter Inside Lever - Same as outside lever Inside Finish - Same as Outside Finish Inside Rose - Same as outside rose Handing - Left Hand Reverse (LHR) Strike Plate - 10-136 1-3/16" strike lip length MS and MB onlyDoor Thickness - 1-3/4" (Commercial Door Standard) (Allegion Schlage Part Number: LEMB-GRW-L-03-626-00A-LHR-10-136-134)	960.00
AC-SCH-LEMBGRWL0362600ALHR10136134	LE networked or offline lock - MB mortise with push button - Greenwich OptionsLever - 03 - suites with Tubular 626 - Satin Chrome Key System - L Rose - 00A - 2-1/8" diameter Inside Lever - Same as outside lever Inside Finish - Same as Outside Finish Inside Rose - Same as outside rose Handing - Right Hand Reverse (RHR) Strike Plate - 10-136 1-3/16" strike lip length MS and MB onlyDoor Thickness - 1-3/4" (Commercial Door Standard) (Allegion Schlage Part Number: LEMB-GRW-L-03-626-00A-RHR-10-136-134)	960.00
AC-SCH-LEMBADDJ0662606RH10136134	LE networked or offline lock, MB mortise with push button - Addison, Suites with Rhodes Lever, Satin Chrome finish, Cylinder Type: J less Schlage 6-pin , Right Hand (RH), 10-136 with 1-3/16" Strike Lip Length, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: LEMB-ADD-J-06-626-06-RH-10-136-134)	1,061.00
AC-SCH-LEMBADDBD0662606RH10136134	LE networked or offline lock, Mortise with LED indicator,Addison escutcheon, Less cylinder, Schlage, Falcon, Competitive OEM's, 7-Pin Small Format Interchangeable Core (SFIC), Rhodes Outside Lever, Satin Chrome, 2-1/8" (54 mm) diameter (Standard) Outside Rose, Rhodes Inside Lever, Satin Chrome, 2-1/8" (54 mm) diameter (Standard) Inside Rose, Right Hand (RH), 1-3/16" Strike Plate Lip Length, 1-3/4" (Commercial Door Standard) (Allegion Schlage Part #: LEMB-ADD-BD-06-626-06-RH-10-136-134)	1,049.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Allegion Schlage LE Wireless Locks

All LE Locks are custom made to order and have a minimum 30 day lead time (Reduced lead time in the United States of America). After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will have a 50% restocking fee applied. (Non-stock items)

All LE locks require the Engage gateway for communication.

## Allegion Schlage LE Lock Accessories

Model No.	Description	MSRP \$
AC-ALL-SCH-ENGAGE-GWE	GWE — ENGAGE Gateway with RS-485 & IP (PoE) connectivity. Supports up to 10 ENGAGE enabled devices with Mercury Security 1DR and 64DR (AC-MER-CONT-1DR and AC-MER-CONT-64DR Sold Separately) access control panels (Allegion Part Number: GWE – ENGAGE)	733.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## ASSA ABLOY Aperio Wireless Locks

\*\*\*All Avigilon partners must be ASSA ABLOY certified in order to resell and install ASSA ABLOY locksets. Any Avigilon non-ASSA ABLOY certified partners should contact their local Avigilon sales representative to coordinate the training with ASSA ABLOY.

\*\*\*All Aperio locks are custom made to order and have a maximum 120 day lead time for all Aperio products. After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will have a 50% restocking fee applied.

## Sargent Aperio Cylindrical Locks

Model No.	Description	MSRP \$
AC-AA-SAP-CYL-28-N2-10G77-PAL-26D	PR100 - Prox only w/cyl. Override, Lockset x ANSI A115.2-1971 Strike #808, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: 28-N2-10G77-PAL-26D)	1,482.00
AC-AA-SAP-CYL-28-LC-N2-10G77-PAL-26D	PR100 - Prox only w/cyl. Override, Lockset x ANSI A115.2-1971 Strike #808, Less Cylinder, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: 28-LC-N2-10G77-PAL-26D)	1,407.00
AC-AA-SAP-CYL-28-70-N2-10G77-PAL-26D	PR100 - Prox only w/cyl. Override, Lockset x ANSI A115.2-1971 Strike #808, Small Format Interchangeable disposable plastic construction core, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: 28-70-N2-10G77-PAL-26D)	1,482.00
AC-AA-SAP-CYL-28-60-N2-10G77-PAL-26D	PR100 - Prox only w/cyl. Override, Lockset x ANSI A115.2-1971 Strike #808, SARGENT Large Format Interchangeable Plastic Disposable Construction Core, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: 28-60-N2-10G77-PAL-26D)	1,482.00
AC-AA-SAP-CYL-28-N2-10G77-PKL-26D	PR100 - Prox & keypad w/cyl. Override, Lockset x ANSI A115.2-1971 Strike #808, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: 28-N2-10G77-PKL-26D)	1,539.00
AC-AA-SAP-CYL-28-LC-N2-10G77-PKL-26D	PR100 - Prox & keypad w/cyl. override, Lockset x ANSI A115.2-1971 Strike #808, Less Cylinder, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: 28-LC-N2-10G77-PKL-26D)	1,465.00
AC-AA-SAP-CYL-28-70-N2-10G77-PKL-26D	PR100 - Prox & keypad w/cyl. override, Lockset x ANSI A115.2-1971 Strike #808, Small Format Interchangeable disposable plastic construction core, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: 28-70-N2-10G77-PKL-26D)	1,539.00
AC-AA-SAP-CYL-28-60-N2-10G77-PKL-26D	PR100 - Prox & keypad w/cyl. override, Lockset x ANSI A115.2-1971 Strike #808, SARGENT Large Format Interchangeable Plastic Disposable Construction Core, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: 28-60-N2-10G77-PKL-26D)	1,539.00
AC-AA-SAP-CYL-28-N2-10G77-IAL-26D	PR100 - iCLASS only w/cyl.override, Lockset x ANSI A115.2-1971 Strike #808, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: 28-N2-10G77-IAL-26D)	1,586.00
AC-AA-SAP-CYL-28-LC-N2-10G77-IAL-26D	PR100 - iCLASS only w/cyl.override, Lockset x ANSI A115.2-1971 Strike #808, Less Cylinder, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: 28-LC-N2-10G77-IAL-26D)	1,511.00
AC-AA-SAP-CYL-28-70-N2-10G77-IAL-26D	PR100 - iCLASS only w/cyl.override, Lockset x ANSI A115.2-1971 Strike #808, Small Format Interchangeable disposable plastic construction core, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: 28-70-N2-10G77-IAL-26D)	1,586.00
AC-AA-SAP-CYL-28-60-N2-10G77-IAL-26D	PR100 - iCLASS only w/cyl.override, Lockset x ANSI A115.2-1971 Strike #808, SARGENT Large Format Interchangeable Plastic Disposable Construction Core, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: 28-60-N2-10G77-IAL-26D)	1,586.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## ASSA ABLOY Aperio Wireless Locks

\*\*\*All Avigilon partners must be ASSA ABLOY certified in order to resell and install ASSA ABLOY locksets. Any Avigilon non-ASSA ABLOY certified partners should contact their local Avigilon sales representative to coordinate the training with ASSA ABLOY.

\*\*\*All Aperio locks are custom made to order and have a maximum 120 day lead time for all Aperio products. After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will have a 50% restocking fee applied.

## Sargent Aperio Cylindrical Locks

Model No.	Description	MSRP \$
AC-AA-SAP-CYL-28-N2-10G77-IKL-26D	PR100 - iCLASS & keypad w/ cyl. Override, Lockset x ANSI A115.2-1971 Strike #808, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: 28-N2-10G77-IKL-26D)	1,644.00
AC-AA-SAP-CYL-28-LC-N2-10G77-IKL-26D	PR100 - iCLASS & keypad w/ cyl. override, Lockset x ANSI A115.2-1971 Strike #808, Less Cylinder, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: 28-LC-N2-10G77-IKL-26D)	1,569.00
AC-AA-SAP-CYL-28-70-N2-10G77-IKL-26D	PR100 - iCLASS & keypad w/ cyl. override, Lockset x ANSI A115.2-1971 Strike #808, Small Format Interchangeable disposable plastic construction core, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: 28-70-N2-10G77-IKL-26D)	1,644.00
AC-AA-SAP-CYL-28-60-N2-10G77-IKL-26D	PR100 - iCLASS & keypad w/ cyl. override, Lockset x ANSI A115.2-1971 Strike #808, SARGENT Large Format Interchangeable Plastic Disposable Construction Core, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: 28-60-N2-10G77-IKL-26D)	1,644.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## ASSA ABLOY Aperio Wireless Locks

\*\*\*All Avigilon partners must be ASSA ABLOY certified in order to resell and install ASSA ABLOY locksets. Any Avigilon non-ASSA ABLOY certified partners should contact their local Avigilon sales representative to coordinate the training with ASSA ABLOY.

\*\*\*All Aperio locks are custom made to order and have a maximum 120 day lead time for all Aperio products. After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will have a 50% restocking fee applied.

## Sargent Aperio Locks

Model No.	Description	MSRP \$
	<b>Sargent Aperio Mortise Locks with Deadbolt</b>	
AC-AA-SAP-MOR-N2-82276-PAL-26D	PR100 - Prox only, Entry Lock with cylinder override and deadbolt, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: N2-82276-PAL-26D)	1,675.00
AC-AA-SAP-MOR-LC-N2-82276-PAL-26D	PR100 - Prox only, Entry Lock with cylinder override and deadbolt, Less Cylinder, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: LC-N2-82276-PAL-26D)	1,600.00
AC-AA-SAP-MOR-70-N2-82276-PAL-26D	PR100 - Prox only, Entry Lock with cylinder override and deadbolt, Small Format Interchangeable disposable plastic construction core, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: 70-N2-82276-PAL-26D)	1,675.00
AC-AA-SAP-MOR-60-N2-82276-PAL-26D	PR100 - Prox only, Entry Lock with cylinder override and deadbolt, SARGENT Large Format Interchangeable Plastic Disposable Construction Core, L Lever(ASSA ABLOY Part Number: 60-N2-82276-PAL-26D)	1,675.00
AC-AA-SAP-MOR-N2-82276-PKL-26D	PR100 - Prox & keypad, Entry Lock with cylinder override and deadbolt, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: N2-82276-PKL-26D)	1,733.00
AC-AA-SAP-MOR-LC-N2-82276-PKL-26D	PR100 - Prox & keypad, Entry Lock with cylinder override and deadbolt, Less Cylinder, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: LC-N2-82276-PKL-26D)	1,659.00
AC-AA-SAP-MOR-70-N2-82276-PKL-26D	PR100 - Prox & keypad, Entry Lock with cylinder override and deadbolt, Small Format Interchangeable disposable plastic construction core, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: 70-N2-82276-PKL-26D)	1,733.00
AC-AA-SAP-MOR-60-N2-82276-PKL-26D	PR100 - Prox & keypad, Entry Lock with cylinder override and deadbolt, SARGENT Large Format Interchangeable Plastic Disposable Construction Core, L Lever(ASSA ABLOY Part Number: 60-N2-82276-PKL-26D)	1,733.00
AC-AA-SAP-MOR-N2-82276-IAL-26D	PR100 - iCLASS only, Entry Lock with cylinder override and deadbolt, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: N2-82276-IAL-26D)	1,779.00
AC-AA-SAP-MOR-LC-N2-82276-IAL-26D	PR100 - iCLASS only, Entry Lock with cylinder override and deadbolt, Less Cylinder, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: LC-N2-82276-IAL-26D)	1,706.00
AC-AA-SAP-MOR-70-N2-82276-IAL-26D	PR100 - iCLASS only, Entry Lock with cylinder override and deadbolt, Small Format Interchangeable disposable plastic construction core, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: 70-N2-82276-IAL-26D)	1,779.00
AC-AA-SAP-MOR-60-N2-82276-IAL-26D	PR100 - iCLASS only, Entry Lock with cylinder override and deadbolt, SARGENT Large Format Interchangeable Plastic Disposable Construction Core, L Lever(ASSA ABLOY Part Number: 60-N2-82276-IAL-26D)	1,779.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## ASSA ABLOY Aperio Wireless Locks

\*\*\*All Avigilon partners must be ASSA ABLOY certified in order to resell and install ASSA ABLOY locksets. Any Avigilon non-ASSA ABLOY certified partners should contact their local Avigilon sales representative to coordinate the training with ASSA ABLOY.

\*\*\*All Aperio locks are custom made to order and have a maximum 120 day lead time for all Aperio products. After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will have a 50% restocking fee applied.

## Sargent Aperio Locks

Model No.	Description	MSRP \$
<b>Sargent Aperio Mortise Locks with Deadbolt</b>		
AC-AA-SAP-MOR-N2-82276-IKL-26D	PR100 - iCLASS & keypad, Entry Lock with cylinder override and deadbolt, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: N2-82276-IKL-26D)	1,837.00
AC-AA-SAP-MOR-LC-N2-82276-IKL-26D	PR100 - iCLASS & keypad, Entry Lock with cylinder override and deadbolt, Less Cylinder, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: LC-N2-82276-IKL-26D)	1,763.00
AC-AA-SAP-MOR-70-N2-82276-IKL-26D	PR100 - iCLASS & keypad, Entry Lock with cylinder override and deadbolt, Small Format Interchangeable disposable plastic construction core, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: 70-N2-82276-IKL-26D)	1,837.00
AC-AA-SAP-MOR-60-N2-82276-IKL-26D	PR100 - iCLASS & keypad, Entry Lock with cylinder override and deadbolt, SARGENT Large Format Interchangeable Plastic Disposable Construction Core, L Lever(ASSA ABLOY Part Number: 60-N2-82276-IKL-26D)	1,837.00
<b>Sargent Aperio Mortise Locks without Deadbolt</b>		
AC-AA-SAP-MOR-N2-82278-PAL-26D	PR100 - Prox only, Entry Lock with cylinder override (no deadbolt), Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: N2-82278-PAL-26D)	1,657.00
AC-AA-SAP-MOR-LC-N2-82278-PAL-26D	PR100 - Prox only, Entry Lock with cylinder override (no deadbolt), Less Cylinder, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: LC-N2-82278-PAL-26D)	1,583.00
AC-AA-SAP-MOR-70-N2-82278-PAL-26D	PR100 - Prox only, Entry Lock with cylinder override (no deadbolt), Small Format Interchangeable disposable plastic construction core, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: 70-N2-82278-PAL-26D)	1,657.00
AC-AA-SAP-MOR-60-N2-82278-PAL-26D	PR100 - Prox only, Entry Lock with cylinder override (no deadbolt), SARGENT Large Format Interchangeable Plastic Disposable Construction Core, L Lever(ASSA ABLOY Part Number: 60-N2-82278-PAL-26D)	1,657.00
AC-AA-SAP-MOR-N2-82278-PKL-26D	PR100 - Prox & keypad, Entry Lock with cylinder override (no deadbolt), Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: N2-82278-PKL-26D)	1,714.00
AC-AA-SAP-MOR-LC-N2-82278-PKL-26D	PR100 - Prox & keypad, Entry Lock with cylinder override (no deadbolt), Less Cylinder, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: LC-N2-82278-PKL-26D)	1,640.00
AC-AA-SAP-MOR-70-N2-82278-PKL-26D	PR100 - Prox & keypad, Entry Lock with cylinder override (no deadbolt), Small Format Interchangeable disposable plastic construction core, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: 70-N2-82278-PKL-26D)	1,714.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**



## ASSA ABLOY Aperio Wireless Locks

\*\*\*All Avigilon partners must be ASSA ABLOY certified in order to resell and install ASSA ABLOY locksets. Any Avigilon non-ASSA ABLOY certified partners should contact their local Avigilon sales representative to coordinate the training with ASSA ABLOY.

\*\*\*All Aperio locks are custom made to order and have a maximum 120 day lead time for all Aperio products. After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will have a 50% restocking fee applied.

## Sargent Aperio Locks

Model No.	Description	MSRP \$
<b>Sargent Aperio Mortise Locks without Deadbolt</b>		
AC-AA-SAP-MOR-60-N2-82278-PKL-26D	PR100 - Prox & keypad, Entry Lock with cylinder override (no deadbolt), SARGENT Large Format Interchangeable Plastic Disposable Construction Core, L Lever(ASSA ABLOY Part Number: 60-N2-82278-PKL-26D)	1,714.00
AC-AA-SAP-MOR-N2-82278-IAL-26D	PR100 - iCLASS only, Entry Lock with cylinder override (no deadbolt), Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: N2-82278-IAL-26D)	1,761.00
AC-AA-SAP-MOR-LC-N2-82278-IAL-26D	PR100 - iCLASS only, Entry Lock with cylinder override (no deadbolt), Less Cylinder, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: LC-N2-82278-IAL-26D)	1,687.00
AC-AA-SAP-MOR-70-N2-82278-IAL-26D	PR100 - iCLASS only, Entry Lock with cylinder override (no deadbolt), Small Format Interchangeable disposable plastic construction core, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: 70-N2-82278-IAL-26D)	1,761.00
AC-AA-SAP-MOR-60-N2-82278-IAL-26D	PR100 - iCLASS only, Entry Lock with cylinder override (no deadbolt), SARGENT Large Format Interchangeable Plastic Disposable Construction Core, L Lever(ASSA ABLOY Part Number: 60-N2-82278-IAL-26D)	1,761.00
AC-AA-SAP-MOR-N2-82278-IKL-26D	PR100 - iCLASS & keypad, Entry Lock with cylinder override (no deadbolt), Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: N2-82278-IKL-26D)	1,818.00
AC-AA-SAP-MOR-LC-N2-82278-IKL-26D	PR100 - iCLASS & keypad, Entry Lock with cylinder override (no deadbolt), Less Cylinder, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: LC-N2-82278-IKL-26D)	1,745.00
AC-AA-SAP-MOR-70-N2-82278-IKL-26D	PR100 - iCLASS & keypad, Entry Lock with cylinder override (no deadbolt), Small Format Interchangeable disposable plastic construction core, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: 70-N2-82278-IKL-26D)	1,818.00
AC-AA-SAP-MOR-60-N2-82278-IKL-26D	PR100 - iCLASS & keypad, Entry Lock with cylinder override (no deadbolt), SARGENT Large Format Interchangeable Plastic Disposable Construction Core, L Lever(ASSA ABLOY Part Number: 60-N2-82278-IKL-26D)	1,818.00
<b>Short Sargent Aperio Rim Exit Device Locks</b>		
AC-AA-SAP-RIMEX-N2-8877-PA-ETL-32D	PR100 Rim Exit Device, ET x Lever Design – Prox only w/cyl. Override, Satin stainless steel (630) finish, L Lever(ASSA ABLOY Part Number: N2-8877-PA-ETL-32D)	2,419.00
AC-AA-SAP-RIMEX-LC-N2-8877-PA-ETL-32D	PR100 Rim Exit Device, ET x Lever Design – Prox only w/cyl. Override, Less Cylinder, Satin stainless steel (630) finish, L Lever(ASSA ABLOY Part Number: LC-N2-8877-PA-ETL-32D)	2,345.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## ASSA ABLOY Aperio Wireless Locks

\*\*\*All Avigilon partners must be ASSA ABLOY certified in order to resell and install ASSA ABLOY locksets. Any Avigilon non-ASSA ABLOY certified partners should contact their local Avigilon sales representative to coordinate the training with ASSA ABLOY.

\*\*\*All Aperio locks are custom made to order and have a maximum 120 day lead time for all Aperio products. After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will have a 50% restocking fee applied.

## Sargent Aperio Locks

Model No.	Description	MSRP \$
	<b>Short Sargent Aperio Rim Exit Device Locks</b>	
AC-AA-SAP-RIMEX-70-N2-8877-PA-ETL-32D	PR100 Rim Exit Device, ET x Lever Design – Prox only w/cyl. Override, Small Format interchangeable disposable plastic construction core, Satin stainless steel (630) finish, L Lever(ASSA ABLOY Part Number: 70-N2-8877-PA-ETL-32D)	2,419.00
AC-AA-SAP-RIMEX-60-N2-8877-PA-ETL-32D	PR100 Rim Exit Device, ET x Lever Design – Prox only w/cyl. Override, Satin stainless steel (630) finish, L Lever(ASSA ABLOY Part Number: 60-N2-8877-PA-ETL-32D)	2,419.00
AC-AA-SAP-RIMEX-12-N2-8877-PA-ETL-32D	PR100 Rim Exit Device, ET x Lever Design – Prox only w/cyl. Override, Satin stainless steel (630) finish, L Lever(ASSA ABLOY Part Number: 12-N2-8877-PA-ETL-32D)	2,567.00
AC-AA-SAP-RIMEX-12-LC-N2-8877-PA-ETL-32D	PR100 Rim Exit Device, ET x Lever Design – Prox only w/cyl. Override, Less Cylinder, Satin stainless steel (630) finish, L Lever(ASSA ABLOY Part Number: 12-LC-N2-8877-PA-ETL-32D)	2,493.00
AC-AA-SAP-RIMEX-12-70-N2-8877-PA-ETL-32D	PR100 Rim Exit Device, ET x Lever Design – Prox only w/cyl. Override, Small Format interchangeable disposable plastic construction core, Satin stainless steel (630) finish, L Lever(ASSA ABLOY Part Number: 12-70-N2-8877-PA-ETL-32D)	2,567.00
AC-AA-SAP-RIMEX-12-60-N2-8877-PA-ETL-32D	PR100 Rim Exit Device, ET x Lever Design – Prox only w/cyl. Override, Satin stainless steel (630) finish, L Lever(ASSA ABLOY Part Number: 12-60-N2-8877-PA-ETL-32D)	2,567.00
AC-AA-SAP-RIMEX-N2-8877-PK-ETL-32D	PR100 Rim Exit Device, ET x Lever Design – Prox & keypad with cyl. Override, Satin stainless steel (630) finish, L Lever(ASSA ABLOY Part Number: N2-8877-PK-ETL-32D)	2,477.00
AC-AA-SAP-RIMEX-LC-N2-8877-PK-ETL-32D	PR100 Rim Exit Device, ET x Lever Design – Prox & keypad with cyl. Override, Less Cylinder, Satin stainless steel (630) finish, L Lever(ASSA ABLOY Part Number: LC-N2-8877-PK-ETL-32D)	2,403.00
AC-AA-SAP-RIMEX-70-N2-8877-PK-ETL-32D	PR100 Rim Exit Device, ET x Lever Design – Prox & keypad with cyl. Override, Small Format interchangeable disposable plastic construction core, Satin stainless steel (630) finish, L Lever(ASSA ABLOY Part Number: 70-N2-8877-PK-ETL-32D)	2,477.00
AC-AA-SAP-RIMEX-60-N2-8877-PK-ETL-32D	PR100 Rim Exit Device, ET x Lever Design – Prox & keypad with cyl. Override, SARGENT Large Format Interchangeable Plastic Disposable Construction Core, Satin stainless steel (630) finish, L Lever(ASSA ABLOY Part Number: 60-N2-8877-PK-ETL-32D)	2,477.00
AC-AA-SAP-RIMEX-12-N2-8877-PK-ETL-32D	PR100 Rim Exit Device, ET x Lever Design – Prox & keypad with cyl. Override, Satin stainless steel (630) finish, L Lever(ASSA ABLOY Part Number: 12-N2-8877-PK-ETL-32D)	2,624.00
AC-AA-SAP-RIMEX-12-LC-N2-8877-PK-ETL-32D	PR100 Rim Exit Device, ET x Lever Design – Prox & keypad with cyl. Override, Less Cylinder, Satin stainless steel (630) finish, L Lever(ASSA ABLOY Part Number: 12-LC-N2-8877-PK-ETL-32D)	2,551.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## ASSA ABLOY Aperio Wireless Locks

\*\*\*All Avigilon partners must be ASSA ABLOY certified in order to resell and install ASSA ABLOY locksets. Any Avigilon non-ASSA ABLOY certified partners should contact their local Avigilon sales representative to coordinate the training with ASSA ABLOY.

\*\*\*All Aperio locks are custom made to order and have a maximum 120 day lead time for all Aperio products. After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will have a 50% restocking fee applied.

## Sargent Aperio Locks

Model No.	Description	MSRP \$
	<b>Short Sargent Aperio Rim Exit Device Locks</b>	
AC-AA-SAP-RIMEX-12-70-N2-8877-PK-ETL-32D	PR100 Rim Exit Device, ET x Lever Design – Prox & keypad with cyl. Override, Small Format interchangeable disposable plastic construction core, Satin stainless steel (630) finish, L Lever(ASSA ABLOY Part Number: 12-70-N2-8877-PK-ETL-32D)	2,624.00
AC-AA-SAP-RIMEX-12-60-N2-8877-PK-ETL-32D	PR100 Rim Exit Device, ET x Lever Design – Prox & keypad with cyl. Override, SARGENT Large Format Interchangeable Plastic Disposable Construction Core, Satin stainless steel (630) finish, L Lever(ASSA ABLOY Part Number: 12-60-N2-8877-PK-ETL-32D)	2,624.00
AC-AA-SAP-RIMEX-N2-8877-IA-ETL-32D	PR100 Rim Exit Device, ET x Lever Design – iCLASS only w/cyl. Override, Satin stainless steel (630) finish, L Lever(ASSA ABLOY Part Number: N2-8877-IA-ETL-32D)	2,523.00
AC-AA-SAP-RIMEX-LC-N2-8877-IA-ETL-32D	PR100 Rim Exit Device, ET x Lever Design – iCLASS only w/cyl. Override, Less Cylinder, Satin stainless steel (630) finish, L Lever(ASSA ABLOY Part Number: LC-N2-8877-IA-ETL-32D)	2,450.00
AC-AA-SAP-RIMEX-70-N2-8877-IA-ETL-32D	PR100 Rim Exit Device, ET x Lever Design – iCLASS only w/cyl. Override, Small Format interchangeable disposable plastic construction core, Satin stainless steel (630) finish, L Lever(ASSA ABLOY Part Number: 70-N2-8877-IA-ETL-32D)	2,523.00
AC-AA-SAP-RIMEX-60-N2-8877-IA-ETL-32D	PR100 Rim Exit Device, ET x Lever Design – iCLASS only w/cyl. Override, SARGENT Large Format Interchangeable Plastic Disposable Construction Core, Satin stainless steel (630) finish, L Lever(ASSA ABLOY Part Number: 60-N2-8877-IA-ETL-32D)	2,523.00
AC-AA-SAP-RIMEX-12-N2-8877-IA-ETL-32D	PR100 Rim Exit Device, ET x Lever Design – iCLASS only w/cyl. Override, Satin stainless steel (630) finish, L Lever(ASSA ABLOY Part Number: 12-N2-8877-IA-ETL-32D)	2,671.00
AC-AA-SAP-RIMEX-12-LC-N2-8877-IA-ETL-32D	PR100 Rim Exit Device, ET x Lever Design – iCLASS only w/cyl. Override, Less Cylinder, Satin stainless steel (630) finish, L Lever(ASSA ABLOY Part Number: 12-LC-N2-8877-IA-ETL-32D)	2,596.00
AC-AA-SAP-RIMEX-12-70-N2-8877-IA-ETL-32D	PR100 Rim Exit Device, ET x Lever Design – iCLASS only w/cyl. Override, Small Format interchangeable disposable plastic construction core, Satin stainless steel (630) finish, L Lever(ASSA ABLOY Part Number: 12-70-N2-8877-IA-ETL-32D)	2,671.00
AC-AA-SAP-RIMEX-12-60-N2-8877-IA-ETL-32D	PR100 Rim Exit Device, ET x Lever Design – iCLASS only w/cyl. Override, SARGENT Large Format Interchangeable Plastic Disposable Construction Core, Satin stainless steel (630) finish, L Lever(ASSA ABLOY Part Number: 12-60-N2-8877-IA-ETL-32D)	2,671.00
AC-AA-SAP-RIMEX-N2-8877-IK-ETL-32D	PR100 Rim Exit Device, ET x Lever Design – iCLASS & keypad with cyl. Override, Satin stainless steel (630) finish, L Lever(ASSA ABLOY Part Number: N2-8877-IK-ETL-32D)	2,581.00
AC-AA-SAP-RIMEX-LC-N2-8877-IK-ETL-32D	PR100 Rim Exit Device, ET x Lever Design – iCLASS & keypad with cyl. Override, Less Cylinder, Satin stainless steel (630) finish, L Lever(ASSA ABLOY Part Number: LC-N2-8877-IK-ETL-32D)	2,507.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## ASSA ABLOY Aperio Wireless Locks

\*\*\*All Avigilon partners must be ASSA ABLOY certified in order to resell and install ASSA ABLOY locksets. Any Avigilon non-ASSA ABLOY certified partners should contact their local Avigilon sales representative to coordinate the training with ASSA ABLOY.

\*\*\*All Aperio locks are custom made to order and have a maximum 120 day lead time for all Aperio products. After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will have a 50% restocking fee applied.

## Sargent Aperio Locks

Model No.	Description	MSRP \$
	<b>Short Sargent Aperio Rim Exit Device Locks</b>	
AC-AA-SAP-RIMEX-70-N2-8877-IK-ETL-32D	PR100 Rim Exit Device, ET x Lever Design – iCLASS & keypad with cyl. Override, Small Format interchangeable disposable plastic construction core, Satin stainless steel (630) finish, L Lever(ASSA ABLOY Part Number: 70-N2-8877-IK-ETL-32D)	2,581.00
AC-AA-SAP-RIMEX-60-N2-8877-IK-ETL-32D	PR100 Rim Exit Device, ET x Lever Design – iCLASS & keypad with cyl. Override, SARGENT Large Format Interchangeable Plastic Disposable Construction Core, Satin stainless steel (630) finish, L Lever(ASSA ABLOY Part Number: 60-N2-8877-IK-ETL-32D)	2,581.00
AC-AA-SAP-RIMEX-12-N2-8877-IK-ETL-32D	PR100 Rim Exit Device, ET x Lever Design – iCLASS & keypad with cyl. Override, Satin stainless steel (630) finish, L Lever(ASSA ABLOY Part Number: 12-N2-8877-IK-ETL-32D)	2,728.00
AC-AA-SAP-RIMEX-12-LC-N2-8877-IK-ETL-32D	PR100 Rim Exit Device, ET x Lever Design – iCLASS & keypad with cyl. Override, Less Cylinder, Satin stainless steel (630) finish, L Lever(ASSA ABLOY Part Number: 12-LC-N2-8877-IK-ETL-32D)	2,655.00
AC-AA-SAP-RIMEX-12-70-N2-8877-IK-ETL-32D	PR100 Rim Exit Device, ET x Lever Design – iCLASS & keypad with cyl. Override, Small Format interchangeable disposable plastic construction core, Satin stainless steel (630) finish, L Lever(ASSA ABLOY Part Number: 12-70-N2-8877-IK-ETL-32D)	2,728.00
AC-AA-SAP-RIMEX-12-60-N2-8877-IK-ETL-32D	PR100 Rim Exit Device, ET x Lever Design – iCLASS & keypad with cyl. Override, SARGENT Large Format Interchangeable Plastic Disposable Construction Core, Satin stainless steel (630) finish, L Lever(ASSA ABLOY Part Number: 12-60-N2-8877-IK-ETL-32D)	2,728.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## ASSA ABLOY Aperio Wireless Locks

\*\*\*All Avigilon partners must be ASSA ABLOY certified in order to resell and install ASSA ABLOY locksets. Any Avigilon non-ASSA ABLOY certified partners should contact their local Avigilon sales representative to coordinate the training with ASSA ABLOY.

\*\*\*All Aperio locks are custom made to order and have a maximum 120 day lead time for all Aperio products. After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will have a 50% restocking fee applied.

## Adams Rite A100 Aperio Locks

Model No.	Description	MSRP \$
<b>A100 Aperio locks for use with deadlatches and exit devices</b>		
AC-AA-AR-AP-A100-3090C-01	A100 for Deadlatch and Exit Devices – HID® 13.56 MHz iCLASS® Card Reader(ASSA ABLOY Part Number: A100-3090C-01)	1,177.00
AC-AA-AR-AP-A100-3090P-01	A100 for Deadlatch and Exit Devices – HID® 125 kHz Prox Card Reader(ASSA ABLOY Part Number: A100-3090P-01)	1,177.00
AC-AA-AR-AP-A100-3090CK-01	A100 for Deadlatch and Exit Devices – HID® 13.56 MHz iCLASS® Card Reader and Keypad(ASSA ABLOY Part Number: A100-3090CK-01)	1,313.00
AC-AA-AR-AP-A100-3090PK-01	A100 for Deadlatch and Exit Devices – HID® 125 kHz Prox Card Reader and Keypad(ASSA ABLOY Part Number: A100-3090PK-01)	1,313.00
<b>A100 Aperio locks for use with deadbolts</b>		
AC-AA-AR-AP-A100-3090C-02	A100 for Deadbolts – HID® 13.56 MHz iCLASS® Card Reader(ASSA ABLOY Part Number: A100-3090C-02)	1,197.00
AC-AA-AR-AP-A100-3090P-02	A100 for Deadbolts – HID® 125 kHz Prox Card Reader(ASSA ABLOY Part Number: A100-3090P-02)	1,197.00
AC-AA-AR-AP-A100-3090CK-02	A100 for Deadbolts – HID® 13.56 MHz iCLASS® Card Reader and Keypad(ASSA ABLOY Part Number: A100-3090CK-02)	1,328.00
AC-AA-AR-AP-A100-3090PK-02	A100 for Deadbolts – HID® 125 kHz Prox Card Reader and Keypad(ASSA ABLOY Part Number: A100-3090PK-02)	1,328.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## ASSA ABLOY Aperio Wireless Locks

\*\*\*All Avigilon partners must be ASSA ABLOY certified in order to resell and install ASSA ABLOY locksets. Any Avigilon non-ASSA ABLOY certified partners should contact their local Avigilon sales representative to coordinate the training with ASSA ABLOY.

\*\*\*All Aperio locks are custom made to order and have a maximum 120 day lead time for all Aperio products. After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will have a 50% restocking fee applied.

### K100, KS100 and R100 Aperio Locks

Model No.	Description	MSRP \$
<b>K100 Cabinet Locks</b>		
AC-AA-HES-AP-K100-622-SE-B1	K100 Wireless Cabinet Lock with HID® 13.56 MHz iCLASS® Reader Black Round Knob(ASSA ABLOY Part Number: K100-622-SE-B1)	500.00
AC-AA-HES-AP-K100-622-SE-B2	K100 Wireless Cabinet Lock with HID® 125kHz Prox Reader Black Round Knob(ASSA ABLOY Part Number: K100-622-SE-B2)	500.00
AC-AA-HES-AP-K100-622-PA-B1	K100 Wireless Cabinet Lock with HID® 13.56 MHz iCLASS® Reader White Round Knob(ASSA ABLOY Part Number: K100-622-PA-B1)	500.00
AC-AA-HES-AP-K100-622-PA-B2	K100 Wireless Cabinet Lock with HID® 125kHz Prox Reader White Round knob(ASSA ABLOY Part Number: K100-622-PA-B2)	500.00
<b>KS100 Network Rack Locks</b>		
AC-AA-HES-AP-KS100-640-SE	KS100 Network Rack Lock with iClass SE reader, POE powered(ASSA ABLOY Part Number: KS100-640-SE)	585.00
AC-AA-HES-AP-KS100-640-PA	KS100 Network Rack Lock with HID Prox reader, POE powered(ASSA ABLOY Part Number: KS100-640-PA)	585.00
<b>R100 Wireless Reader</b>		
AC-AA-HES-AP-R100-1-SE	R100 iClass SE reader(ASSA ABLOY Part Number: R100-1-SE)	375.00
AC-AA-HES-AP-R100-1-PA	R100 Prox reader(ASSA ABLOY Part Number: R100-1-PA)	375.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## ASSA ABLOY Aperio Wireless Locks

\*\*\*All Avigilon partners must be ASSA ABLOY certified in order to resell and install ASSA ABLOY locksets. Any Avigilon non-ASSA ABLOY certified partners should contact their local Avigilon sales representative to coordinate the training with ASSA ABLOY.

\*\*\*All Aperio locks are custom made to order and have a maximum 120 day lead time for all Aperio products. After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will have a 50% restocking fee applied.

### IN100 Aperio Locks

Model No.	Description	MSRP \$
<b>Cylindrical IN100 Aperio Locks</b>		
AC-AA-SAP-IN100ML20134-IP-B-NSA-626-CT7SD	IN100 mortise lock with key override no deadbolt, IP Reader, Black reader black trim, Newport lever, Satin chrome finish, SFIC 7-pin with SFIC disposable temporary core cylinder and keying (ASSA ABLOY Part Number: IN100-ML20134-IP-B-NSA-626-CT7S)	1,086.00
AC-AA-SAP-IN100ED5200AN-IP-B-N9134-630-CT7SD	IN100 Rim Exit Device, No Key Override, Latch retracted by inside push pad at all times, Outside lever locked (freewheeling) except when in passage mode or valid user code entered, IP Reader, Black reader black trim, Bright Stainless Steel finish, SFIC 7-pin with SFIC disposable temporary core (ASSA ABLOY Part Number: IN100-ED5200AN-IP-B-N9134-630-CT7SD)	2,603.00
AC-AA-SAP-IN100CL33134-IP-B-NZD-626-M08	IN100 cylindrical lock with key override, Latch retracted by inside lever at all times, Key outside retracts latch, Outside lever locked (freewheeling) except when in "passage" mode or valid user code entered, Newport Trim, Satin Chrome finish, IP Reader, Black reader black trim, Lever to accept Best® type core (NZD & PZD designs only) (ASSA ABLOY Part Number: IN100-CL33134-IP-B-NZD-626-M08)	1,117.00
AC-AA-SAP-28-IN100-10G77-IP-B-LL-26D	IN100 Entry Lock with cylinder override - Iclass, Reader Code - HID iCLASS®, HID iCLASS SE® (SIO-enabled), HID iCLASS® Seos™, HID MIFARE® SE, HID DESfire® EV1 SE, HID Prox®, NFC-enabled mobile phones, Black reader, black trim, Rose style, Lever style, Satin chrome (626) finish, L Lever (ASSA ABLOY Part Number: 28-IN100-10G77-IP-B-LL-26D)	1,116.00
AC-AA-SAP-28-LC-IN100-10G77-IP-B-LL-26D	IN100 Entry Lock with cylinder override - Iclass, Reader Code - HID iCLASS®, HID iCLASS SE® (SIO-enabled), HID iCLASS® Seos™, HID MIFARE® SE, HID DESfire® EV1 SE, HID Prox®, NFC-enabled mobile phones, Black reader, black trim, Rose style, Lever style, Satin chrome (626) finish, L Lever (ASSA ABLOY Part Number: 28-LC-IN100-10G77-IP-B-LL-26D)	1,050.00
AC-AA-SAP-28-70-IN100-10G77-IP-B-LL-26D	IN100 Entry Lock with cylinder override - Iclass, Reader Code- HID iCLASS®, HID iCLASS SE® (SIO-enabled), HID iCLASS® Seos™, HID MIFARE® SE, HID DESfire® EV1 SE, HID Prox®, NFC-enabled mobile phones, Black reader, black trim, Rose style, Lever style, Satin chrome (626) finish, L Lever (ASSA ABLOY Part Number: 28-70-IN100-10G77-IP-B-LL-26D)	1,116.00
AC-AA-SAP-28-60-IN100-10G77-IP-B-LL-26D	IN100 Entry Lock with cylinder override - Iclass, Reader Code- HID iCLASS®, HID iCLASS SE® (SIO-enabled), HID iCLASS® Seos™, HID MIFARE® SE, HID DESfire® EV1 SE, HID Prox®, NFC-enabled mobile phones, Black reader, black trim, Rose style, Lever style, Satin chrome (626) finish, L Lever (ASSA ABLOY Part Number: 28-60-IN100-10G77-IP-B-LL-26D)	1,116.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## ASSA ABLOY Aperio Wireless Locks

\*\*\*All Avigilon partners must be ASSA ABLOY certified in order to resell and install ASSA ABLOY locksets. Any Avigilon non-ASSA ABLOY certified partners should contact their local Avigilon sales representative to coordinate the training with ASSA ABLOY.

\*\*\*All Aperio locks are custom made to order and have a maximum 120 day lead time for all Aperio products. After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will have a 50% restocking fee applied.

## IN100 Aperio Locks

Model No.	Description	MSRP \$
<b>Cylindrical IN100 Aperio Locks</b>		
AC-AA-SAP-28-IN100-10G77-IPS-B-LL-26D	IN100 Entry Lock with cylinder override - Iclass, Reader Code - All credentials supported by the IP option plus MIFARE Classic and DESfire EV1, Black reader, black trim, Rose style, Lever style, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: 28-IN100-10G77-IPS-B-LL-26D)	1,228.00
AC-AA-SAP-28-LC-IN100-10G77-IPS-B-LL-26D	IN100 Entry Lock with cylinder override - Iclass, Reader Code - All credentials supported by the IP option plus MIFARE Classic and DESfire EV1, Black reader, black trim, Rose style, Lever style, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: 28-LC-IN100-10G77-IPS-B-LL-26D)	1,161.00
AC-AA-SAP-28-70-IN100-10G77-IPS-B-LL-26D	IN100 Entry Lock with cylinder override - Iclass, Reader Code - All credentials supported by the IP option plus MIFARE Classic and DESfire EV1, Black reader, black trim, Rose style, Lever style, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: 28-70-IN100-10G77-IPS-B-LL-26D)	1,228.00
AC-AA-SAP-28-60-IN100-10G77-IPS-B-LL-26D	IN100 Entry Lock with cylinder override - Iclass, Reader Code - All credentials supported by the IP option plus MIFARE Classic and DESfire EV1, Black reader, black trim, Rose style, Lever style, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: 28-60-IN100-10G77-IPS-B-LL-26D)	1,228.00
AC-AA-SAP-CYL-11-70-IN100-10G77-IP-B-L-L-26D-RH	IN100 Entry Lock with cylinder override - Iclass, Reader Code- HID iCLASS®, HID iCLASS SE® (SIO-enabled), HID iCLASS® Seos™, HID MIFARE® SE, HID DESfire® EV1 SE, HID Prox®, NFC-enabled mobile phones, Black reader, black trim, Rose style, Lever style, Satin chrome (626) finish, L Lever, Right hand handling(ASSA ABLOY Part Number: 11-70-IN100-10G77-IP-B-L-L-26D-RH)	1,118.00
AC-AA-SAP-28-70-IN100-10G77-IP-B-LL-03	IN100 10 Line Cylindrical lock, Small Format interchangeable disposable plastic construction core (Not available with J lever), Key override, HID iCLASS®, HID iCLASS SE® (SIO-enabled), HID iCLASS® Seos™, HID MIFARE® SE, HID DESfire® EV1 SE, HID Prox®, NFC-enabled mobile phones, Black reader, black trim, L Rose, Polished brass (605)(ASSA ABLOY Part Number: 28-70-IN100-10G77-IP-B-LL-03)	1,202.00
AC-AA-SAP-28-IN100-10G77-IP-B-L-P-26D	IN100 Entry Lock with cylinder override - iCLASS Lockset x ANSI A115.2-1971 Strike #808: - Lip lengths 1-1/8", 1-1/4" or 1-3/8" or - Lip Lengths 1-5/8" to 2-7/8" in 1/4" increments, HID iCLASS®, HID iCLASS SE® (SIO-enabled), HID iCLASS® Seos™, HID MIFARE® SE, HID DESfire® EV1,SE, HIDProx®Kantech ioProx NFC-enabled mobile phones, Black reader, black trim, L Rose, P- Lever	1,118.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**



## ASSA ABLOY Aperio Wireless Locks

\*\*\*All Avigilon partners must be ASSA ABLOY certified in order to resell and install ASSA ABLOY locksets. Any Avigilon non-ASSA ABLOY certified partners should contact their local Avigilon sales representative to coordinate the training with ASSA ABLOY.

\*\*\*All Aperio locks are custom made to order and have a maximum 120 day lead time for all Aperio products. After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will have a 50% restocking fee applied.

### IN100 Aperio Locks

Model No.	Description	MSRP \$
<b>Cylindrical IN100 Aperio Locks</b>		
AC-AA-SAP-30-IN100-10G77-IP-B-LL-26D-RH	IN100 Entry Lock with cylinder override - iCLASS 10 Line Lever to accept Schlage cylinder (no cylinder provided), HID iCLASS®, HID iCLASS SE® (SIO-enabled), HID iCLASS® Seos™, HID MIFARE® SE, HID DESfire® EV1,SE,HIDProx®Kantech ioProx NFC-enabled mobile phones, Black reader, black trim, L Rose, L lever, Dark statuary bronze, clear powder coat Finish, Right hand handle	1,118.00
AC-AA-SAP-30-28-IN100-10G77-IP-B-LL-26D	IN100 Entry Lock with cylinder override - Iclass, Reader Code - All credentials supported by the IP option plus MIFARE Classic and DESfire EV1, 10 Line Lever to accept Schlage cylinder (no cylinder provided), Lockset x ANSI A115.2-1971 Strike #808: - Lip lengths 1-1/8", 1-1/4" or 1-3/8" , Black reader, black trim, Rose style, Lever style, Satin chrome (626) finish, L Rose, L Lever	1,116.00
AC-AA-CR-IN100-CL33134-IPS-B-NZD-626	IN100 Aperio Wireless CL33100 Cylindrical lock with Key override, Reader Code- HID iCLASS®, HID iCLASS SE® (SIO-enabled), HID iCLASS® Seos™, HID MIFARE® SE, HID DESfire® EV1 SE, HID Prox®, NFC-enabled mobile phones, Black reader, black trim, Newport Lever, D Rose, Satin Chrome finish, handing is easily field reversible (ASSA Abloy Part #: IN100-CL33134-IPS-B-NZD-626)	1,229.00
AC-AA-SAP-IN100-CL33134-PZD-626-IP-B-RH	IN100 Aperio Wireless CL33100 Cylindrical lock with Key override, Reader Code- HID iCLASS®, HID iCLASS SE® (SIO-enabled), HID iCLASS® Seos™, HID MIFARE® SE, HID DESfire® EV1 SE, HID Prox®, NFC-enabled mobile phones, Black reader, black trim, Princeton Lever, D Rose, Satin Chrome finish, Right-hand (ASSA Abloy Part #: IN100-CL33134-PZD-626-IP-B-RH)	1,116.00
AC-AA-SAP-CYL-LC-N2-10G77-IKL-613-RHR	PR100 - iCLASS & keypad w/ cyl. Override, Less Cylinder, Oxidized satin bronze oil rubbed (613) finish, L Lever (Assa Abloy Part #: LC-N2-10G77-IKL-613-RHR)	1,657.00
AC-AA-SAP-LC-IN100-10G77-IP-B-LP-26D-RH	IN100 Entry Lock with cylinder override - Iclass, Reader Code - HID iCLASS®, HID iCLASS SE® (SIO-enabled), HID iCLASS® Seos™, HID MIFARE® SE, HID DESfire® EV1 SE, HID Prox®, NFC-enabled mobile phones, Black reader, black trim, L Rose, Princeton Lever, Satin chrome (626) finish (Assa Abloy Part #: LC-IN100-10G77-IP-B-LP-26D-RH)	1,044.00
AC-AA-CL33134-PZD626RHIN100IPSMBCT6R-SA118D134B234	IN100 cylindrical lock with key override, Latch retracted by inside lever at all times, Key outside retracts latch, Outside lever locked (freewheeling) except when in "passage" mode or valid user code entered. Princeton Trim, Satin Chrome finish, Right hand handling, IPS Reader, Black reader, metal trim, Red IC 6-pin with Temporary Construction Core, 1-1/8" (29mm) Lip to Center strike (ASSA ABLOY Part Number: CLL33134-PZD-626-RH-IN100-IPS-MB-CT6R-SA118-D134-B234)	1,394.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## ASSA ABLOY Aperio Wireless Locks

\*\*\*All Avigilon partners must be ASSA ABLOY certified in order to resell and install ASSA ABLOY locksets. Any Avigilon non-ASSA ABLOY certified partners should contact their local Avigilon sales representative to coordinate the training with ASSA ABLOY.

\*\*\*All Aperio locks are custom made to order and have a maximum 120 day lead time for all Aperio products. After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will have a 50% restocking fee applied.

## IN100 Aperio Locks

Model No.	Description	MSRP \$
<b>Cylindrical IN100 Aperio Locks</b>		
AC-AA-CL33134-PZD626LHIN100IPSMBCT6R-SA114D134B234	IN100 cylindrical lock with key override, Latch retracted by inside lever at all times, Key outside retracts latch, Outside lever locked (freewheeling) except when in "passage" mode or valid user code entered. Princeton Trim, Satin Chrome finish, Left hand handling, IPS Reader, Black reader, metal trim, Red IC 6-pin with Temporary Construction Core, 1-1/4" (32mm) Lip to Center strike (ASSA ABLOY Part Number: CL33134-PZD-626-LH-IN100-IPS-MB-CT6R-SA114-D134-B234)	1,394.00
AC-AA-SAP-IN100-CL33134-IPS-MB-PZD-626-CT6R	IN100 cylindrical lock with key override, Latch retracted by inside lever at all times, Key outside retracts latch, Outside lever locked (freewheeling) except when in "passage" mode or valid user code entered. Princeton Trim, Satin Chrome finish, IPS Reader, Red IC 6-pin with Temporary Construction Core (ASSA ABLOY Part Number: IN100-CL33134-IPS-MB-PZD-626 CT6R)	1,394.00
<b>Mortise with deadbolt IN100 Aperio Locks</b>		
AC-AA-SAP-IN100-7976-IP-B-OBL-26D	IN100 Key override and deadbolt lock, Reader Code- HID iCLASS®, HID iCLASS SE® (SIO-enabled), HID iCLASS® Seos™, HID MIFARE® SE, HID DESfire® EV1 SE, HID Prox®, NFC-enabled mobile phones, Black reader, black trim, Rose style, Lever style, Satin chrome (626) finish, L Lever (ASSA ABLOY Part Number: IN100-7976-IP-B-OBL-26D)	1,151.00
AC-AA-SAP-LC-IN100-7976-IP-B-OBL-26D	IN100 Key override and deadbolt lock, Reader Code- HID iCLASS®, HID iCLASS SE® (SIO-enabled), HID iCLASS® Seos™, HID MIFARE® SE, HID DESfire® EV1 SE, HID Prox®, NFC-enabled mobile phones, Black reader, black trim, Rose style, Lever style, Satin chrome (626) finish, L Lever (ASSA ABLOY Part Number: LC-IN100-7976-IP-B-OBL-26D)	1,083.00
AC-AA-SAP-70-IN100-7976-IP-B-OBL-26D	IN100 Key override and deadbolt lock, Reader Code- HID iCLASS®, HID iCLASS SE® (SIO-enabled), HID iCLASS® Seos™, HID MIFARE® SE, HID DESfire® EV1 SE, HID Prox®, NFC-enabled mobile phones, Black reader, black trim, Rose style, Lever style, Satin chrome (626) finish, L Lever (ASSA ABLOY Part Number: 70-IN100-7976-IP-B-OBL-26D)	1,151.00
AC-AA-SAP-60-IN100-7976-IP-B-OBL-26D	IN100 Key override and deadbolt lock, Reader Code- HID iCLASS®, HID iCLASS SE® (SIO-enabled), HID iCLASS® Seos™, HID MIFARE® SE, HID DESfire® EV1 SE, HID Prox®, NFC-enabled mobile phones, Black reader, black trim, Rose style, Lever style, Satin chrome (626) finish, L Lever (ASSA ABLOY Part Number: 60-IN100-7976-IP-B-OBL-26D)	1,151.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## ASSA ABLOY Aperio Wireless Locks

\*\*\*All Avigilon partners must be ASSA ABLOY certified in order to resell and install ASSA ABLOY locksets. Any Avigilon non-ASSA ABLOY certified partners should contact their local Avigilon sales representative to coordinate the training with ASSA ABLOY.

\*\*\*All Aperio locks are custom made to order and have a maximum 120 day lead time for all Aperio products. After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will have a 50% restocking fee applied.

### IN100 Aperio Locks

Model No.	Description	MSRP \$
<b>Mortise with deadbolt IN100 Aperio Locks</b>		
AC-AA-SAP-IN100-7976-IPS-B-OBL-26D	IN100 Key override and deadbolt lock, Reader Code - All credentials supported by the IP option plus MIFARE Classic and DESfire EV 1, Black reader, black trim, Rose style, Lever style, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: IN100-7976-IPS-B-OBL-26D)	1,262.00
AC-AA-SAP-LC-IN100-7976-IPS-B-OBL-26D	IN100 Key override and deadbolt lock, Reader Code - All credentials supported by the IP option plus MIFARE Classic and DESfire EV 1, Black reader, black trim, Rose style, Lever style, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: LC-IN100-7976-IPS-B-OBL-26D)	1,194.00
AC-AA-SAP-70-IN100-7976-IPS-B-OBL-26D	IN100 Key override and deadbolt lock, Reader Code - All credentials supported by the IP option plus MIFARE Classic and DESfire EV 1, Black reader, black trim, Rose style, Lever style, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: 70-IN100-7976-IPS-B-OBL-26D)	1,262.00
AC-AA-SAP-60-IN100-7976-IPS-B-OBL-26D	IN100 Key override and deadbolt lock, Reader Code - All credentials supported by the IP option plus MIFARE Classic and DESfire EV 1, Black reader, black trim, Rose style, Lever style, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: 60-IN100-7976-IPS-B-OBL-26D)	1,262.00
<b>Mortise without deadbolt IN100 Aperio Locks</b>		
AC-AA-SAP-IN100-7978-IP-B-OBL-26D	IN100 Key override and no deadbolt, Reader Code- HID iCLASS®, HID iCLASS SE® (SIO-enabled), HID iCLASS® Seos™, HID MIFARE® SE, HID DESfire® EV1 SE, HID Prox®, NFC-enabled mobile phones, Black reader, black trim, Rose style, Lever style, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: IN100-7978-IP-B-OBL-26D)	1,118.00
AC-AA-SAP-LC-IN100-7978-IP-B-OBL-26D	IN100 Key override and no deadbolt, Reader Code- HID iCLASS®, HID iCLASS SE® (SIO-enabled), HID iCLASS® Seos™, HID MIFARE® SE, HID DESfire® EV1 SE, HID Prox®, NFC-enabled mobile phones, Black reader, black trim, Rose style, Lever style, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: LC-IN100-7978-IP-B-OBL-26D)	1,050.00
AC-AA-SAP-70-IN100-7978-IP-B-OBL-26D	IN100 Key override and no deadbolt, Reader Code- HID iCLASS®, HID iCLASS SE® (SIO-enabled), HID iCLASS® Seos™, HID MIFARE® SE, HID DESfire® EV1 SE, HID Prox®, NFC-enabled mobile phones, Black reader, black trim, Rose style, Lever style, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: 70-IN100-7978-IP-B-OBL-26D)	1,118.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## ASSA ABLOY Aperio Wireless Locks

\*\*\*All Avigilon partners must be ASSA ABLOY certified in order to resell and install ASSA ABLOY locksets. Any Avigilon non-ASSA ABLOY certified partners should contact their local Avigilon sales representative to coordinate the training with ASSA ABLOY.

\*\*\*All Aperio locks are custom made to order and have a maximum 120 day lead time for all Aperio products. After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will have a 50% restocking fee applied.

### IN100 Aperio Locks

Model No.	Description	MSRP \$
	<b>Mortise without deadbolt IN100 Aperio Locks</b>	
AC-AA-SAP-60-IN100-7978-IP-B-OBL-26D	IN100 Key override and no deadbolt, Reader Code- HID iCLASS®, HID iCLASS SE® (SIO-enabled), HID iCLASS® Seos™, HID MIFARE® SE, HID DESfire® EV1 SE, HID Prox®, NFC-enabled mobile phones, Black reader, black trim, Rose style, Lever style, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: 60-IN100-7978-IP-B-OBL-26D)	1,118.00
AC-AA-SAP-IN100-7978-IPS-B-OBL-26D	IN100 Key override and no deadbolt, Reader Code - All credentials supported by the IP option plus MIFARE Classic and DESfire EV 1, Black reader, black trim, Rose style, Lever style, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: IN100-7978-IPS-B-OBL-26D)	1,229.00
AC-AA-SAP-LC-IN100-7978-IPS-B-OBL-26D	IN100 Key override and no deadbolt, Reader Code - All credentials supported by the IP option plus MIFARE Classic and DESfire EV 1, Black reader, black trim, Rose style, Lever style, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: LC-IN100-7978-IPS-B-OBL-26D)	1,161.00
AC-AA-SAP-70-IN100-7978-IPS-B-OBL-26D	IN100 Key override and no deadbolt, Reader Code - All credentials supported by the IP option plus MIFARE Classic and DESfire EV 1, Black reader, black trim, Rose style, Lever style, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: 70-IN100-7978-IPS-B-OBL-26D)	1,229.00
AC-AA-SAP-60-IN100-7978-IPS-B-OBL-26D	IN100 Key override and no deadbolt, Reader Code - All credentials supported by the IP option plus MIFARE Classic and DESfire EV 1, Black reader, black trim, Rose style, Lever style, Satin chrome (626) finish, L Lever(ASSA ABLOY Part Number: 60-IN100-7978-IPS-B-OBL-26D)	1,229.00
AC-AA-SAP-MOR-11-70-IN100-7979-IP-B-O-BL-26D-RHR	IN100 No deadbolt and no key override, Reader Code- HID iCLASS®, HID iCLASS SE® (SIO-enabled), HID iCLASS® Seos™, HID MIFARE® SE, HID DESfire® EV1 SE, HID Prox®, NFC-enabled mobile phones, Black reader, black trim, Rose style, Lever style, Satin chrome (626) finish, L Lever, Right hand reverse handling(ASSA ABLOY Part Number: 11-70-IN100-7979-IP-B-O-BL-26D-RHR)	1,150.00
AC-AA-SAP-70-IN100-7978-IPB-LNNJ-03-LH	IN100 7900 Series Mortise lock, Small Format interchangeable disposable plastic construction core (Not available with J lever), Key override and no deadbolt, HID iCLASS®, HID iCLASS SE® (SIO-enabled), HID iCLASS® Seos™, HID MIFARE® SE, HID DESfire® EV1 SE, HID Prox®, NFC-enabled mobile phones, Black reader, black trim, LN Rose, NJ Lever, Polished brass (605) finish, Left Hand handling(ASSA ABLOY Part Number: 70-IN100-7978-IPB-LNNJ-03-LH)	1,248.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## ASSA ABLOY Aperio Wireless Locks

\*\*\*All Avigilon partners must be ASSA ABLOY certified in order to resell and install ASSA ABLOY locksets. Any Avigilon non-ASSA ABLOY certified partners should contact their local Avigilon sales representative to coordinate the training with ASSA ABLOY.

\*\*\*All Aperio locks are custom made to order and have a maximum 120 day lead time for all Aperio products. After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will have a 50% restocking fee applied.

### IN100 Aperio Locks

Model No.	Description	MSRP \$
	<b>Mortise without deadbolt IN100 Aperio Locks</b>	
AC-AA-SAP-70-IN100-7978-IPB-LNNJ-03-RH	IN100 7900 Series Mortise lock, Small Format interchangeable disposable plastic construction core (Not available with J lever), Key override and no deadbolt, HID iCLASS®, HID iCLASS SE® (SIO-enabled), HID iCLASS® Seos™, HID MIFARE® SE, HID DESfire® EV1 SE, HID Prox®, NFC-enabled mobile phones, Black reader, black trim, LN Rose, NJ Lever, Polished brass (605) finish, Right Hand handling(ASSA ABLOY Part Number: 70-IN100-7978-IPB-LNNJ-03-RH)	1,248.00
AC-AA-SAP-70-IN100-7978-IPB-LNNJ-26D-RH	IN100 7900 Series Mortise lock, Small Format interchangeable disposable plastic construction core (Not available with J lever), Key override and no deadbolt, HID iCLASS®, HID iCLASS SE® (SIO-enabled), HID iCLASS® Seos™, HID MIFARE® SE, HID DESfire® EV1 SE, HID Prox®, NFC-enabled mobile phones, Black reader, black trim, LN Rose, NJ Lever, Satin chrome (626) finish, Right Hand handling(ASSA ABLOY Part Number: 70-IN100-7978-IPB-LNNJ-26D-RH)	1,118.00
AC-AA-SAP-70-IN100-7978-IPB-LNNJ-26D-LH	IN100 7900 Series Mortise lock, Small Format interchangeable disposable plastic construction core (Not available with J lever), Key override and no deadbolt, HID iCLASS®, HID iCLASS SE® (SIO-enabled), HID iCLASS® Seos™, HID MIFARE® SE, HID DESfire® EV1 SE, HID Prox®, NFC-enabled mobile phones, Black reader, black trim, LN Rose, NJ Lever, Satin chrome (626) finish, Left Hand handling(ASSA ABLOY Part Number: 70-IN100-7978-IPB-LNNJ-26D-LH)	1,118.00
AC-AA-SAP-IN100-7978-IP-MB-LN-BP-26D-RHR	IN100 Key override and no deadbolt, Reader Code- HID iCLASS®, HID iCLASS SE® (SIO-enabled), HID iCLASS® Seos™, HID MIFARE® SE, HID DESfire® EV1 SE, HID Prox®, NFC-enabled mobile phones, Black reader, metal trim, LN Rose style, Lever style, Satin chrome (626) finish, BP Lever, Right hand reverse handing (ASA ABLOY Part Number: IN100-7978-IP-MB-LN-BP-26D-RHR)	1,223.00
AC-AA-SAP-70-IN100-7978-IP-B-LN-L-26D-RH	IN100 Key override and no deadbolt, Reader Code - HID iCLASS®, HID iCLASS SE® (SIO-enabled), HID iCLASS® Seos™, HID MIFARE® SE, HID DESfire® EV1 SE, Prox, NFC enabled phones, Black Reader, Black Trim, LN Rose style, L-Lever Style, Satin Chromium Plated finish, Right hand (ASSA ABLOY Part #: 70-IN100-7978-IP-B-LN-L-26D-RH)	1,075.00
	<b>Rim Exit IN100 Aperio Locks</b>	
AC-AA-SAP-REX-11-70-IN100-8877-RS-IP-B-ETL-32D-RHR	IN100 Exit Rim with cylinder override, Reader Code- HID iCLASS®, HID iCLASS SE® (SIO-enabled), HID iCLASS® Seos™, HID MIFARE® SE, HID DESfire® EV1 SE, HID Prox®, NFC-enabled mobile phones, Black reader, black trim, Rose style, Lever style, Satin chrome (626) finish, L Lever, Right hand reverse handling, Customer to provide Rail size(ASSA ABLOY Part Number: 11-70-IN100-8877-Rail size-IP-B-ETL-32D-RHR)	2,319.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.

## ASSA ABLOY Aperio Wireless Locks

\*\*\*All Avigilon partners must be ASSA ABLOY certified in order to resell and install ASSA ABLOY locksets. Any Avigilon non-ASSA ABLOY certified partners should contact their local Avigilon sales representative to coordinate the training with ASSA ABLOY.

\*\*\*All Aperio locks are custom made to order and have a maximum 120 day lead time for all Aperio products. After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will have a 50% restocking fee applied.

### IN100 Aperio Locks

Model No.	Description	MSRP \$
	<b>Rim Exit IN100 Aperio Locks</b>	
AC-AA-SAP-REX-12-IN100-8877-IP-B-F-ETL-32D-RHR-36	IN100 Exit Rim with cylinder override, Reader Code- HID iCLASS®, HID iCLASS SE® (SIO-enabled), HID iCLASS® Seos™, HID MIFARE® SE, HID DESfire® EV1 SE, HID Prox®, NFC-enabled mobile phones, Black reader, black trim, F Rose style, ET Lever style, Satin stainless steel (32D) finish, L Lever, Right hand reverse handling, Customer to provide Rail size (ASA ABLOY Part Number: 12-IN100-8877-IP-B-F-ETL-32D-RHR-36)	2,460.00
AC-AA-SAP-IN100-8877-IP-B-ET-L-32D-RHR	IN100 Rim exit with key, Multiclass reader, Black reader color, Exit trim, Lever style, Satin stainless steel, Right hand reverse (ASSA ABLOY Part Number: IN100-8877-IP-B-ET-L-32D-RHR)	2,319.00
AC-AA-SAP-28-IN100-8877-IP-B-LL-10BE-LH	IN100 ANSI strike, Rim exit with key, Multiclass reader, Black reader color, , Lever style, Rose style, Staineless steel, Dark Oxidized Satin Bronze – Equivalent, Left Hand (ASSA ABLOY Part Number: 28-IN100-8877-IP-B-LL-10BE-LH)	2,230.00
AC-AA-SAP-70-12-IN100-8877-F-IP-B-ETL-32D-RHR-36	IN100 Exit Rim with key override, Reader Code- HID iCLASS®, HID iCLASS SE® (SIO-enabled), HID iCLASS® Seos™, HID MIFARE® SE, HID DESfire® EV1 SE, HID Prox®, NFC-enabled mobile phones, Black Reader, Black Trim, L-Leverl, ET Rose, Satin Stainless Steel finish, Right hand reverse, Rail size 33-36"	2,464.00
AC-AA-CR-ED5200N-N9134-IN100-IPS-B-630	IN100 Aperio Wireless Exit Rim with Key override, Reader Code- HID iCLASS®, HID iCLASS SE® (SIO-enabled), HID iCLASS® Seos™, HID MIFARE® SE, HID DESfire® EV1 SE, HID Prox®, NFC-enabled mobile phones, Black reader, black trim, Satin Stainless Steel finish, Non-handed (ASSA Abloy Part #: ED5200N-N9134-IN100-IPS-B-630)	2,496.00

### Aperio Accessories

Please see section 'Mercury Harware & Accessories' for the pricing of these two related Aperio accessories :

AC-MER-AH30RN1-RC (ASSA ABLOY - Mercury Aperio Hub 1:8-with Avigilon Enablement SW)

AC-MER-APD-10-USB (ASSA ABLOY - USB Radio Dongle)

Model No.	Description	MSRP \$
AC-AA-STRIKE-PLATE-OBS-622	OPEN BACK STRIKE PLATE K100	30.00
AC-AA-HUB-EXT-10-ANT	ASSA ABLOY Aperio Hub External Antenna (Omnidirectional)(ASSA ABLOY Part Number: EXT-10-ANT)	62.00
AC-AA-CYL-PLATE-10-5008-32D	ASSA ABLOY Aperio Cylindrical Cover Plate(ASSA ABLOY Part Number: 10-5008-32D)	140.00
AC-AA-MOR-PLATE-79-5002-32D	ASSA ABLOY Aperio Mortise Cover Plate(ASSA ABLOY Part Number: 79-5002-32D)	140.00
AC-AA-DPS-AS100	ASSA ABLOY Aperio Sensor 100 (UHF Read Contact) (ASSA ABLOY Part #: AS100)	150.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Farpointe Data - Readers & Cards

No minimum quantities are required for any Farpointe Data product orders.

### Pyramid Series 125 kHz Proximity Credentials (Non-stock Items)

\*MUST Specify Bit No., Facility Code No., and Start/Stop Number

Model No.	Description	MSRP \$
AC-FP-CARD-PSC-1-H	PSC-1 Standard Light Proximity Card - Clamshell style proximity card backed by a lifetime warranty (Minimum order is 50) (Farpointe Data Part Number: PSC-1-H)	2.58
AC-FP-CARD-PSM-2P-H	PSM-2P Multi Technology Proximity Card - ISO-style multi technology proximity card appropriate for dye sublimation imaging (Minimum order is 50) (Farpointe Data Part Number: PSM-2P-H)	4.77
AC-FP-CARD-PSM-2S-H	PSM-2S Multi Technology Proximity Card - ISO-style multi technology style proximity card appropriate for dye sublimation imaging with a magnetic stripe (Minimum order is 50) (Farpointe Data Part Number: PSM-2S-H)	5.25
AC-FP-CARD-PSI-4-H	PSI-4 Image Technology Proximity Card - Thicker-format (0.046 inches (1.17 mm)) proximity card appropriate for dye sublimation imaging (Minimum order is 50) (Farpointe Data Part Number: PSI-4-H)	2.60
AC-FP-TAG-PSK-3-H	PSK-3 Proximity Key Ring Tag - Small proximity tag designed to be carried on a key ring, includes a re-enforcing brass eyelet, and is backed by a lifetime warranty (Minimum order 50) (Farpointe Data Part Number: PSK-3-H)	5.64
AC-FP-TAG-PDT-1-H	Model PDT-1 Proximity Disc Tag - Has an adhesive on one side that allows for the prox-enabling of a variety of non RFID devices, including ID credentials, cell phones and wallets. The PDT-1 offers a read range up to 3.5 inches (88.9 mm) when used with a P-500. Model P-PDT-1-H is 125 HID kHz compatible, while PDT-1-A is 125 kHz AWID compatible (Minimum order 50) (Farpointe Data Part Number: PDT-1-H)	2.99

### Pyramid Series 125 kHz Proximity Contactless Readers (Stock Items)

Model No.	Description	MSRP \$
AC-FP-READ-P-300-H	P-300 Cascade Proximity Reader - Designed to be mounted to metal door and window frames (Stock Item) (Farpointe Data Part Number: P-300-H)	93.00
AC-FP-READ-P-500-H	P-500 Alps Proximity Reader - Designed to be mounted to a standard North American single-gang wall switch box (Stock Item) (Farpointe Data Part Number: P-500-H)	107.00
AC-FP-READ-P-640-H	P-640 Patagonia Proximity Reader and Keypad - Designed to be mounted directly to standard North American sized single-gang wall box, and integrates both a proximity reader and keypad into a single-unit making it ideal for applications requiring an access credential and/or personal identification number (PIN) (Stock Item) (Farpointe Data Part Number: P-640-H)	283.00
AC-FP-READ-P-710-H	P-710 Andes Proximity Reader - Intended for applications calling for heightened levels of convenience, such as parking lots and high-volume employee entrances (Non Stock Item)(Farpointe Data Part Number: P-710-H)	321.00
AC-FP-READ-P-900-H	P-900 Proximity Reader - A high performance design, it is classified as a long range reader, and is capable of delivering read ranges of up to 20-inches (508 mm). The longer read range of the P-900 adds convenience to a wide range of access applications, including turnstiles and parking control (Stock Item) (Farpointe Data Part Number: P-900-H)	636.00
AC-FP-READ-WG-MCR-50-H	MCR-50 Proximity Reader - Supports Farpointe + certain Indala® ASP Advantage Series Proximity formats + certain HID® 125-kHz Proximity protocols; single-gang mount. (Non-stock item) (Farpointe Data Part Number: MCR-50-H)	180.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Farpointe Data - Readers & Cards

No minimum quantities are required for any Farpointe Data product orders.

### Pyramid Series 125 kHz Proximity Contactless Readers with HID & AWID formats (Non-stock Items)

Model No.	Description	MSRP \$
AC-FP-READ-P-900-H-A	Single-gang/double-gang, standard parking bollard mount reader, supports Farpointe + certain HID® and AWID® 125-kHz Proximity protocols (Farpointe Data Part Number: P-900-H-A)	635.00
AC-FP-READ-P-500-H-A	Single-gang mount reader, supports Farpointe + certain HID® and AWID® 125-kHz Proximity protocols (Farpointe Data Part Number: P-500-H-A)	105.00
AC-FP-READ-P-710-H-A	Parking, single-gang mount reader, supports Farpointe + certain HID® and AWID® 125-kHz Proximity protocols (Farpointe Data Part Number: P-710-H-A)	320.00
AC-FP-READ-P-300-H-A	Mullion mount reader, supports Farpointe + certain HID® and AWID® 125-kHz Proximity protocols (Farpointe Data Part Number: P-300-H-A)	95.00
AC-FP-READ-P-640-H-A	Keypad + reader, single-gang mount, supports Farpointe + certain HID® and AWID® 125-kHz Proximity protocols (Farpointe Data Part Number: P-640-H-A)	285.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**



## Farpointe Data - Readers & Cards

No minimum quantities are required for any Farpointe Data product orders.

### Delta Series 13.56-MHz Contactless Smart Cards (Non-stock Items)

\*MUST Specify Bit No., Facility Code No., and Start/Stop Number

Model No.	Description	MSRP \$
AC-FP-CARD-DC1-1	DC1-1 Delta Clamshell Contactless Smartcard - ISO14443-compliant, clamshell-style contactless smartcard card with a 1K-byte memory. Constructed of durable ABS, it is backed by a lifetime warranty. Memory of the model number DC4-1 is 4K-bytes (Minimum order is 50) (Farpointe Data Part Number: DC1-1)	3.10
AC-FP-CARD-DC4-1	DC4-1 Delta Clamshell Contactless Smartcard - ISO14443-compliant, clamshell-style contactless smartcard card with a 4K-byte memory. Constructed of durable ABS, it is backed by a lifetime warranty (Minimum order is 50) (Farpointe Data Part Number: DC4-1)	4.65
AC-FP-CARD-DM1-3	DM1-3 Delta ISO Contactless Smartcard - ISO14443-compliant, contactless smartcard card with a 1K-byte memory. Manufactured from glossy PVC, it is appropriate for dye sublimation imaging (ISO style) (Minimum order is 50) (Farpointe Data Part Number: DM1-3)	3.35
AC-FP-CARD-DM4-3	DM4-3 Delta ISO Contactless Smartcard - ISO14443-compliant, contactless smartcard card with a 4K-byte memory. Manufactured from glossy PVC, it is appropriate for dye sublimation imaging (ISO style) (Minimum order is 50) (Farpointe Data Part Number: DM4-3)	5.05
AC-FP-CARD-DM1-3S	DM1-3S Delta ISO Contactless Smartcard - ISO14443-compliant, contactless smartcard card with a 1K-byte memory. Manufactured from glossy PVC, it is appropriate for dye sublimation imaging (ISO style) - with a magnetic stripe (Minimum order is 50) (Farpointe Data Part Number: DM1-3S)	3.85
AC-FP-CARD-DM4-3S	DM4-3S Delta ISO Contactless Smartcard - ISO14443-compliant, contactless smartcard card with a 4K-byte memory. Manufactured from glossy PVC, it is appropriate for dye sublimation imaging (ISO style) - with a magnetic stripe (Minimum order is 50) (Farpointe Data Part Number: DM4-3S)	5.95
AC-FP-FOB-DK1-3	DK1-3 Delta Keyfob Contactless Smartcard Credential - ISO14443-compliant key tag-style contactless smartcard credential with a 1K-byte memory. It is designed to be carried on a key ring, and includes a brass reinforcing eyelet (Minimum Order 50) (Farpointe Data Part Number: DK1-3)	6.38
AC-FP-FOB-DK4-3	DK4-3 Delta Keyfob Contactless Smartcard Credential - ISO14443-compliant key tag-style contactless smartcard credential with a 4K-byte memory. It is designed to be carried on a key ring, and includes a brass reinforcing eyelet (Minimum Order 50) (Farpointe Data Part Number: DK4-3)	9.72
AC-FP-CARD-DE2	DE2 MIFARE® DESFire® EV1 SMARTCARD, Frequency: 13.56 MHz, Read Range: Up to 2.5 inches (64 mm) (Minimum order is 50) (Farpointe Data Part Number: DE2)	7.75

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Farpointe Data - Readers & Cards

No minimum quantities are required for any Farpointe Data product orders.

### Delta™ Series 13.56-MHz Contactless Readers (Stock Items)

Model No.	Description	MSRP \$
AC-FP-READ-DELTA3-SECTOR	Delta3 Contactless Smartcard Reader - With a compact design the model Delta3 may be mounted to metal door or window frames, and other flat surfaces (Stock Item) (Farpointe Data Part Number: Delta3 Sector)	210.00
AC-FP-READ-DELTA3-CSN	Delta3 Contactless Smartcard Reader - With a compact design the model Delta3 may be mounted to metal door or window frames, and other flat surfaces (Stock Item) (Farpointe Data Part Number: Delta3 CSN)	145.00
AC-FP-READ-DELTA5-SECTOR	Delta5 Contactless Smartcard Reader - With a thin profile the model Delta5 may be mounted to a standard North American single-gang wall switch box, and other flat surfaces (Stock Item) (Farpointe Data Part Number: Delta5 Sector)	235.00
AC-FP-READ-DELTA5-CSN	Delta5 Contactless Smartcard Reader - With a thin profile the model Delta5 may be mounted to a standard North American single-gang wall switch box, and other flat surfaces (Stock Item) (Farpointe Data Part Number: Delta5 CSN)	160.00
AC-FP-READ-DELTA5.3-SECTOR	Delta5.3 Contactless Smartcard Reader - With distinctive contemporary styling the model Delta5.3 lends itself to mounting to a standard European-sized (60 mm) wall switch box, and other flat surfaces (Non Stock Item) (Farpointe Data Part Number: Delta5.3 Sector)	235.00
AC-FP-READ-DELTA5.3-CSN	Delta5.3 Contactless Smartcard Reader - With distinctive contemporary styling the model Delta5.3 lends itself to mounting to a standard European-sized (60 mm) wall switch box, and other flat surfaces.(Farpointe Data Part Number: Delta5.3 CSN)	160.00
AC-FP-READ-DELTA6.4-SECTOR	Delta6.4 Contactless Smartcard Reader and Keypad - The model Delta6.4 is designed to be mounted directly to a standard North American sized single-gang wall box, and integrates both a contactless smartcard reader (13.56-MHz) and a keypad into a single-unit making it ideal for applications requiring an access credential and/or personal identification number (PIN) (Stock Item) (Farpointe Data Part Number: Delta6.4 Sector)	415.00
AC-FP-READ-DELTA6.4-CSN	Delta6.4 Contactless Smartcard Reader and Keypad - The model Delta6.4 is designed to be mounted directly to a standard North American sized single-gang wall box, and integrates both a contactless smartcard reader (13.56-MHz) and a keypad into a single-unit making it ideal for applications requiring an access credential and/or personal identification number (PIN) (Non Stock Item) (Farpointe Data Part Number: Delta6.4 CSN)	360.00

### Ranger™ Long Range 433 MHz Receiver (Reader) (Stock Items)

Model No.	Description	MSRP \$
AC-FP-REC-WRR-44	WRR-44 Ranger Receiver - Long range radio-type receiver, features a Transmitter receive range of up to 200-feet (61-m), and is ideal for applications involving vehicle or disabled access(Stock Item) (Farpointe Data Part Number: WRR-44)	360.00
AC-FP-REC-LONG-RANGE-WRR-22	Long-Range Receiver, designed to output Transmitter data from buttons 1 and 2 over two separate Wiegand outputs and install similar to a Pyramid Series Proximity® reader, making for easy integration with most access control systems. (Non-stock item)(Farpointe Data Part Number: WRR-22)	236.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Farpointe Data - Readers & Cards

No minimum quantities are required for any Farpointe Data product orders.

### Ranger™ Long Range 433 MHz Transmitters (Non-stock Items)

Model No.	Description	MSRP \$
AC-FP-TRANS-LONG-RANGE-WRT-2+S1	Ranger® 433-MHz Long-Range Transmitters, 2-button, with 1K insert. (Farpointe Data Part Number: WRT-2+S1)	38.00
AC-FP-TRANS-LONG-RANGE-WRT-2+S4	Ranger® 433-MHz Long-Range Transmitters, 2-button, with 4K insert. (Farpointe Data Part Number: WRT-2+S4)	41.00
AC-FP-TRANS-LONG-RANGE-WRT-4+SI	Ranger® 433-MHz Long-Range Transmitters, 4-button, with 1K insert. (Farpointe Data Part Number: WRT-4+SI)	40.00
AC-FP-TRANS-LONG-RANGE-WRT-4+S4	Ranger® 433-MHz Long-Range Transmitters, 4-button, with 4K insert. (Farpointe Data Part Number: WRT-4+S4)	43.00
AC-FP-TRANS-LONG-RANGE-WRT-2M	Ranger® 433-MHz Long-Range Transmitters, Mini 2-button, no proximity insert. (Farpointe Data Part Number: WRT-2M)	24.00

### Ranger™ Long Range 433 MHz Transmitters (Credential) (Non-stock Items)

Ranger™ Long Range Transmitters and Receivers comprise Farpointe Data's long range radio frequency identification (RFID) solution, offering exceptionally long and secure transmission ranges of up to 150-feet (45 m). At the click of a button users will find Ranger to be ideal for a host of electronic access control demanding applications, such as opening parking gates, raising and lowering vehicle barriers, and sliding open doors, as well as those applications requiring emergency duress. And like a proximity tag, each Ranger Transmitter may also be used as a short range proximity credential, compatible with the entire range of Pyramid Series Proximity™ readers.

Model No.	Description	MSRP \$
AC-FP-TRANS-WRT-2+H	WRT-2+ Ranger Two Button Long Range Transmitter - 2-button clicker-type access credential, featuring both long range (upon button push) and proximity operation. (Farpointe Data Part Number: WRT-2+H)	34.00
AC-FP-TRANS-WRT-4+H	WRT-4+ Ranger Four-Button Long Range Transmitter - 4-button clicker-type access credential, featuring both long range (upon button push) and proximity operation. (Farpointe Data Part Number: WRT-4+H)	35.00

### Pyramid Series Proximity® 125-kHz Readers (Non-stock items)

Model No.	Description	MSRP \$
AC-FP-READ-PROX-EURO-P-530-HA	EuroMount Proximity Reader, designed to be mounted to a standard European-sized (60 mm) wall switch box. (Non-stock item)(Farpointe Data Part Number: P-530-HA)	107.00
AC-FP-READ-PROX-KEYPAD-P-620-HA	Mullion Mount Keypad reader + proximity, designed to be mounted to window or door frames(Farpointe Data Part Number: P-620-HA)	283.00

### Guardian™ 125-kHz Vandal Resistant readers (Non-stock items)

Model No.	Description	MSRP \$
AC-FP-READ-GUARDIAN-VR-P-403-HA	Guardian Proximity Reader, Vandal-resistant reader designed to mount to a metal door and window frame.(Farpointe Data Part Number: P-403-HA)	402.00
AC-FP-READ-GUARDIAN-VR-P-405-HA	Guardian Proximity Reader, Vandal-resistant reader designed to mount to a standard North American single-gang wall switch box.(Farpointe Data Part Number: P-405-HA)	469.00
AC-FP-READ-GUARDIAN-VR-P-410-HA	Guardian Proximity Reader, Vandal-resistant reader designed to mount to a standard North American double-gang wall switch box.(Farpointe Data Part Number: P-410-HA)	588.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Farpointe Data - Readers & Cards

No minimum quantities are required for any Farpointe Data product orders.

### Gibraltar™ 125-kHz Bullet Resistant Readers (Non-stock items)

Model No.	Description	MSRP \$
AC-FP-READ-GIBRALTER-BR-P-453-HA	Gibraltar Proximity Reader, Bullet-resistant reader designed to be mounted to mullion, door or window frames.(Farpointe Data Part Number: P-453-HA)	624.00
AC-FP-READ-GIBRALTER-BR-P-455-HA	Gibraltar Proximity Reader, Bullet-resistant reader designed to mount to standard North American single-gang wall switch boxes.(Farpointe Data Part Number: P-455-HA)	683.00

### Conekt™ Mobile Enabled Readers and Credentials (Non-stock items)

Model No.	Description	MSRP \$
AC-FP-READ-CSR-35P-WG	CONEKT Wiegand, Short Range, Mullien and Single-gang Mount, Mobile-Ready Contactless Smartcard Readers (2.4-GHz/13.56-MHz) — MIFARE® DESFire® EV1 and EV2 Support	233.00
AC-FP-READ-CSR-35L-WG	CONEKT Wiegand, Long Range, Mullien and Single-gang Mount, Mobile-Ready Contactless Smartcard Readers (2.4-GHz/13.56-MHz) — MIFARE® DESFire® EV1 and EV2 Support	293.00
AC-FP-READ-CSR-35P-OSDP	CONEKT OSDP, Short Range, Mullien and Single-gang Mount, Mobile-Ready Contactless Smartcard Readers (2.4-GHz/13.56-MHz) — MIFARE® DESFire® EV1 and EV2 Support	352.00
AC-FP-READ-CSR-35L-OSDP	CONEKT OSDP, Long Range, Mullien and Single-gang Mount, Mobile-Ready Contactless Smartcard Readers (2.4-GHz/13.56-MHz) — MIFARE® DESFire® EV1 and EV2 Support	412.00
AC-FP-CONEKT-CMC-2-25	CONEKT Credentials, 2.4-GHz Mobile supporting BLE-enabled smartphones, 25 Pack with QR Code	177.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## ViRDI Biometric Readers

Requires AC-SW-LIC-VIRDI-BIO license to enable biometric integration in ACM

### ViRDI Biometric Standalone Smart Card Terminals (Stock Items)

\*Power supply not included

Model No.	Description	MSRP \$
AC-VT-READ-BIO-RFID-AC2000SC	ViRDI fingerprint smart card reader with live fingerprint detection embedded . Supports fingerprint, Mifare 13.56Mhz Card & PIN Authentication, User Capacity: 1,500, Finger Capacity: 1500, TCP/IP Server Communication, No LCD, No Function Key, Bluetooth support. (ViRDI Part Number: AC2000SC)	700.00
AC-VT-READ-BIO-RFID-AC5000SC-BLK	ViRDI Fingerprint and card enrollment reader with touchscreen keypad , live fingerprint detection embedded, supports Mifare 13.56Mhz Card & PIN authentication. User Capacity : 20,000, Finger Capacity: 20,000, IP 65 Weatherproof & PoE 13W, TCP/IP server communication. (ViRDI Part Number: AC5000PlusSC)	1,050.00

### ViRDI Biometric Standalone HID iClass Terminals (Stock Items)

\*Power supply not included

Model No.	Description	MSRP \$
AC-VT-READ-BIO-RFID-AC2000IC	VIRDI fingerprint smart card reader with live fingerprint detection embedded. Supports fingerprint, HID iClass Card, User Capacity: 10,000, Finger Capacity: 1,500, TCP/IP Server Communication, No LCD, No Function Key, bluetooth support. Power Supply not included. (VIRDI Part Number: AC2000iClass)	900.00
AC-VT-READ-BIO-RFID-AC5000IC	VIRDI Fingerprint and card enrollment reader with touchscreen keypad, live fingerprint detection embedded, supports HID iClass Card & PIN authentication. User Capacity : 20,000, Finger Capacity: 20,000, IP 65 Weatherproof, TCP/IP server communication. Power Supply not included. (VIRDI Part Number: AC5000PlusiClass)	1,250.00

### ViRDI Biometric Standalone Prox Card Terminals (Stock Items)

\*Power supply not included

Model No.	Description	MSRP \$
AC-VT-READ-BIO-RFID-AC2000PROX	VIRDI fingerprint smart card reader with live fingerprint detection embedded. Supports fingerprint, HID prox Card, User Capacity : 10,000, Finger Capacity: 1,500, TCP/IP Server Communication, No LCD, No Function Key, bluetooth support. Power Supply not included. (VIRDI Part Number: AC2000Prox)	900.00
AC-VT-READ-BIO-RFID-AC5000PROX	VIRDI Fingerprint and card enrollment reader with touchscreen keypad, live fingerprint detection embedded, supports HID Prox Card & PIN authentication. User Capacity : 20,000, Finger Capacity: 20,000, IP 65 Weatherproof, TCP/IP server communication. Power Supply not included. (VIRDI Part Number: AC5000PlusProx)	1,250.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## ViRDI Biometric Readers

Requires AC-SW-LIC-VIRDI-BIO license to enable biometric integration in ACM

### ViRDI Biometric Smart Card Terminal Bundles (Stock Items)

Power supply included

Model No.	Description	MSRP \$
AC-VT-READ-BIO-RFID-AC2000SC-NA	Reader bundle including AC-VT-READ-BIO-RFID-AC2000SC and power supply with type B plug for North America	700.00
AC-VT-READ-BIO-RFID-AC2000SC-UK	Reader bundle including AC-VT-READ-BIO-RFID-AC2000SC and power supply with type G plug for United Kingdom	700.00
AC-VT-READ-BIO-RFID-AC2000SC-EU	Reader bundle including AC-VT-READ-BIO-RFID-AC2000SC and power supply with type C plug for Europe	700.00
AC-VT-READ-BIO-RFID-AC5000SC-BLK-NA	Reader bundle including AC-VT-READ-BIO-RFID-AC5000SC-BLK and power supply with type B plug for North America	1,050.00
AC-VT-READ-BIO-RFID-AC5000SC-BLK-UK	Reader bundle including AC-VT-READ-BIO-RFID-AC5000SC-BLK and power supply with type G plug for United Kingdom	1,050.00
AC-VT-READ-BIO-RFID-AC5000SC-BLK-EU	Reader bundle including AC-VT-READ-BIO-RFID-AC5000SC-BLK and power supply with type C plug for Europe	1,050.00

### ViRDI Biometric HID iClass Terminal Bundles (Stock Items)

\*Power supply included

Model No.	Description	MSRP \$
AC-VT-READ-BIO-RFID-AC2000IC-NA	Reader bundle including AC-VT-READ-BIO-RFID-AC2000IC and power supply with type B plug for North America	900.00
AC-VT-READ-BIO-RFID-AC2000IC-UK	Reader bundle including AC-VT-READ-BIO-RFID-AC2000IC and power supply with type G plug for United Kingdom	900.00
AC-VT-READ-BIO-RFID-AC2000IC-EU	Reader bundle including AC-VT-READ-BIO-RFID-AC2000IC and power supply with type C plug for Europe	900.00
AC-VT-READ-BIO-RFID-AC5000IC-NA	Reader bundle including AC-VT-READ-BIO-RFID-AC5000IC and power supply with type B plug for North America	1,250.00
AC-VT-READ-BIO-RFID-AC5000IC-UK	Reader bundle including AC-VT-READ-BIO-RFID-AC5000IC and power supply with type G plug for United Kingdom	1,250.00
AC-VT-READ-BIO-RFID-AC5000IC-EU	Reader bundle including AC-VT-READ-BIO-RFID-AC5000IC and power supply with type C plug for Europe	1,250.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## ViRDI Biometric Readers

Requires AC-SW-LIC-VIRDI-BIO license to enable biometric integration in ACM

### ViRDI Biometric Prox Card Terminal Bundles (Stock Items)

\*Power supply included

Model No.	Description	MSRP \$
AC-VT-READ-BIO-RFID-AC2000PROX-NA	Reader bundle including AC-VT-READ-BIO-RFID-AC2000Prox and power supply with type B plug for North America	900.00
AC-VT-READ-BIO-RFID-AC2000PROX-UK	Reader bundle including AC-VT-READ-BIO-RFID-AC2000Prox and power supply with type G plug for United Kingdom	900.00
AC-VT-READ-BIO-RFID-AC2000PROX-EU	Reader bundle including AC-VT-READ-BIO-RFID-AC2000Prox and power supply with type C plug for Europe	900.00
AC-VT-READ-BIO-RFID-AC5000PROX-NA	Reader bundle including AC-VT-READ-BIO-RFID-AC5000Prox and power supply with type B plug for North America	1,250.00
AC-VT-READ-BIO-RFID-AC5000PROX-UK	Reader bundle including AC-VT-READ-BIO-RFID-AC5000Prox and power supply with type G plug for United Kingdom	1,250.00
AC-VT-READ-BIO-RFID-AC5000PROX-EU	Reader bundle including AC-VT-READ-BIO-RFID-AC5000Prox and power supply with type C plug for Europe	1,250.00

### ViRDI Biometric Reader Accessories (Stock Items)

\*Can be ordered with Biometric readers only

Model No.	Description	MSRP \$
AC-VT-READ-BIO-USB-FOH02	ViRDI Fingerprint enrollment USB reader, live fingerprint detection embedded, Fingerprint Platen Area: 16 x 19.6mm / Image Size: 15 x 17mm, (ViRDI Part Number: FOH02)	140.00
AC-VT-READ-BIO-USB-FOH02-SC	ViRDI Fingerprint and card enrollment reader, live fingerprint detection embedded, supports Mifare 13.56Mhz Card (Read & Write), Fingerprint Platen Area: 16 x 19.6mm / Image Size: 15 x 17mm, Read /Write - supports TOC (Template on Card) (ViRDI Part Number: FOH02SC) Note - This product is not available for sale in Spain and South Africa.	185.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## HID EasyLobby® Visitor Management

### HID EasyLobby® Visitor Management Software

Model No.	Description	MSRP \$
AC-HID-EL-96000-SVM10	SVM™ (main application) per workstation, includes Free Administrator™(HID Part Number: EL-96000-SVM10)	3,200.00
AC-HID-EL-96300-ADM10	Administrator™ (additional licenses) per workstation(HID Part Number: EL-96300-ADM10)	630.00
AC-HID-EL-98000-EADV10	eAdvance™ (web pre-registration) per web server(HID Part Number: EL-98000-EADV10)	3,895.00

### HID EasyLobby® Visitor Management Software Upgrades

Model No.	Description	MSRP \$
AC-HID-EL-SVM10-UPGRD	SVM software upgrade to SVM10(HID Part Number: EL-SVM10-UPGRD)	2,970.00
AC-HID-EL-EADV-UPGRD	eAdvance software upgrade to latest version(HID Part Number: EL-EADV-UPGRD)	2,980.00
AC-HID-EL-ACI-UPGRD	Access control integration upgrade to latest version(HID Part Number: EL-ACI-UPGRD)	3,125.00

### HID EasyLobby® Visitor Management Software Add-ons for K12 Schools Only

Model No.	Description	MSRP \$
AC-HID-EL-SOS-K12	Sex offender screening service per year per system Special bundle package for K-12 schools only (HID # EL-SOS-K12)(HID Part Number: EL-SOS-K12)	655.00

### HID EasyLobby® Maintenance Agreements

Model No.	Description	MSRP \$
AC-HID-EL-K12-SVM	1 copy of SVM software, includes Free Administrator™ software (admin/reporting) Special bundle package for K-12 schools only (HID # EL-K12-SVM)(HID Part Number: EL-K12-SVM)	2,500.00
AC-HID-EL-SSA-ACI	A/C integration annual maintenance per copy (includes upgrades and updates) Special bundle package for K-12 schools only (HID # EL-SSA-ACI)(HID Part Number: EL-SSA-ACI)	1,010.00
AC-HID-EL-SSA-K12	Software maintenance plan (for free updates and upgrades) per year per system Special bundle package for K-12 schools only (HID # EL-SSA-K12)(HID Part Number: EL-SSA-K12)	355.00
AC-HID-EL-SSA-EADV	EADVANCE ANNUAL MAINTENANCE PER COPY (INCLUDES UPGRADES AND UPDATES)(HID Part Number: EL-SSA-EADV)	1,010.00
AC-HID-EL-SSA-SVMS	SVM ANNUAL MAINTENANCE PER COPY (INCLUDES ALL UPDATES AND UPGRADES)(HID Part Number: EL-SSA-SVMS)	810.00
AC-HID-EL-SSA-ACIS	A/C INTEGRATION ANNUAL MAINTENANCE PER COPY (INCLUDES UPGRADES AND UPDATES)	1,010.00
AC-HID-EL-SSA-K12S	K12 ANNUAL SOFTWARE MAINTENANCE PLAN (FOR FREE UPDATES AND UPGRADES) = PER YEAR PER SYSTEM	355.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**



## HID EasyLobby® Visitor Management

### Printers, Scanners, Badge Stock, & Avigilon ACM PACS Integration Software

Model No.	Description	MSRP \$
AC-HID-EL-CSS-R3	EL-CSS Snapshell License Card Scanner (COO: Isreal) (HID # EL-SS-R3)	1,775.00
AC-HID-EL-DYMO-450T	Dymo 450 Turbo Thermal Printer (B&W)(HID Part Number: EL-DYMO-450T)	365.00
AC-HID-EL-DYMO-30856	DYMO 30856 non-adhesive badges (250)(HID Part Number: EL-DYMO-30856)	50.00
AC-HID-EL-DYMO-30911	DYMO 30911 adhesive self-expiring badges (250)(HID Part Number: EL-DYMO-30911)	75.00
AC-HID-EL-TOP-1X5	Topaz SignatureGem LCD 1x5 SigPad (signature block only) (HID Part Number: EL-TOP-1X5)	770.00
AC-HID-EL-ACI-AVIG	Access Control Integration - Access Control Manager from EasyLobby -Must also purchase Avigilon Rest License (Avigilon Part Number: AC-SW-LIC-REST)	3,750.00
AC-HID-EL-AST-ID150A	AssureTec ID-150A (reads/authenticates driver's license, data and photo capture) (COO: South Korea) (HID # EL-AST-ID150A)	3,900.00
AC-HID-EL-AST-UPDATEA	AssureTec PRO software library updates for 1 year (data and authentication) (HID # EL-AST-UPDATEA )	850.00
AC-HID-EL-AST-ID150	AssureTec ID-150 (reads driver's license, data and photo capture) (COO: South Korea) (HID # EL-AST-ID150)	2,850.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Avigilon Professional Services

Please contact an Avigilon Sales Engineering to discuss your needs before purchasing.

### Purchased Professional Services – Terms of Use

The purchase and use of ACM and ACC Professional Services (“Professional Services”) is subject to the following principal terms of use. In purchasing and using the Professional Services, the purchasing entity (the “Purchaser”) acknowledges and agrees to these terms of use.

For the purposes of these terms of use, “Avigilon” means, collectively, Avigilon Corporation and its affiliates, and their respective directors, officers, employees and consultants.

1. Avigilon will take commercially reasonable efforts to provide the Professional Services in a timely and diligent manner. Avigilon will not be responsible or liable for any damage inflicted on the Purchaser (or any other person) as a direct or indirect consequence of Avigilon being delayed or prevented in providing the Professional Services due to circumstances beyond the reasonable control of Avigilon.
2. The Professional Services are advisory services only and not a substitute or replacement for the duties, obligations and responsibilities the Purchaser has to its clients (collectively, the “Purchaser’s Duties”). For greater certainty, the purchase and use of the Professional Services by the Purchaser does not, in any manner: (a) transfer any of the Purchaser’s Duties (or portion thereof) from the Purchaser to Avigilon; (b) obligate Avigilon to complete or provide the work or services the Purchaser’s clients have purchased from the Purchaser; or (c) guarantee that any issues the Purchaser is having with fulfilling the Purchaser’s Duties (or portion thereof) will be satisfactorily resolved.
3. Any payment for the Professional Services is non-refundable, irrespective of whether or not the Purchaser is able to fulfill the Purchaser’s Duties.

Professional Services are available to the Purchaser only and may not be assigned (in whole or in part).

Model No.	Description	MSRP \$
PRO-ACM-REMOTE-4H	ACM Professional Services, 4 hours remote consulting	2,500.00
PRO-ACM-REMOTE-8H	ACM Professional Services, 8 hours remote consulting	5,000.00
PRO-ACM-ONSITE-8H	ACM Professional Services, 8 hours on-site consulting (Includes all travel costs)	8,000.00

**All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit [www.avigilon.com](http://www.avigilon.com) to get a copy of the EULA.**

## Avigilon Warranty & Support Information

For warranty terms and conditions applicable to Avigilon's hardware products (including the availability of an extended warranty for certain products), and Avigilon's Return and Repair Policy, please refer to the Avigilon Warranty and Product Policies available at [www.avigilon.com/warranty](http://www.avigilon.com/warranty) <<http://www.avigilon.com/warranty>>

Warranty service and technical support can be obtained by contacting Avigilon Technical Support : [www.avigilon.com/contact-us/](http://www.avigilon.com/contact-us/) <<http://www.avigilon.com/contact-us/>>

For the service warranty applicable to the Avigilon Blue™ platform, refer to the Terms and Conditions of Service for Avigilon Blue™ available at <https://help.avigilon.com/blue/#0Common/legal.htm> <<https://help.avigilon.com/blue/>>

### Optional Extended Warranty for Avigilon Products with 3 Year Warranty

For Avigilon cameras, presence detectors, encoders, NVR hardware (including rackmount NVRs, workstations, and remote monitoring workstations), and Avigilon Blue Connect devices that have a 3 year warranty, the warranty period can be extended up to a total warranty period of 5 years.

Avigilon cameras, presence detectors, encoders, and Avigilon Blue Connect Devices warranties can be extended at a cost of 10% of the purchase price of the product per year of additional warranty coverage. ACM appliances and NVR hardware warranty can be extended at a cost as outlined in the price list.

The original consumer purchaser may purchase this extended warranty from an authorized reseller of Avigilon products at the time of purchase of the applicable product , or within 1 year (or 3 years in the case of NVR hardware) of shipment of such product from Avigilon . Notwithstanding the foregoing, the extended warranty does not apply to moving parts of pan-tilt-zoom cameras.

## Index

Page	Description
3	Avigilon Access Control Manager Professional Appliance
4	Avigilon Access Control Manager Enterprise Appliance
6	Avigilon Access Control Manager Enterprise Plus Appliance
8	Avigilon Access Control Manager Virtual
10	Additional Software Licenses for Avigilon Access Control Manager Professional , Enterprise, Enterprise Plus & Virtual
15	Access Control Manager Bundled Kits
17	Access Control Manager Embedded Controller
18	HID VertX Hardware
19	Mercury Hardware & Accessories
21	Avigilon Access Control Manager OEM - Mercury Security Hardware - M5 (Casi Retrofit)
22	Avigilon Access Control Manager OEM - Mercury Security Hardware – MS Bridge (Software House)
23	LifeSafety Power Kits
31	LifeSafety Power Enclosures
39	LifeSafety Power Rackmount Enclosures
43	LifeSafety Regulated Power Supply Replacement Boards and Accessories
46	LifeSafety Power Supply & Enclosure Kit
50	Rolec Power Supply Enclosures
51	HID Global - Readers and Credentials - 13.56 MHz Products
57	HID Global - Readers & Credentials - 125 kHz Products
58	HID Global - Readers & Credentials - UHF Credentials
61	HID Mobile Readers & Credentials
74	Allegion Readers and Credentials
78	Allegion Schlage AD400 Wireless Locks
140	Allegion Schlage AD300 Wireless Locks
150	Allegion Schlage NDE Wireless Locks
158	Allegion Schlage LE Wireless Locks
165	ASSA ABLOY Aperio Wireless Locks
183	Farpointe Data - Readers & Cards
189	ViRDI Biometric Readers
192	HID EasyLobby® Visitor Management
194	Avigilon Professional Services
195	Avigilon Warranty & Support Information