

Video Surveillance MSRP - USD

US Pricelist effective April 8, 2024

CONFIDENTIAL

The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

Summary Of Changes

- 2022-03-07 : Effective Mar. 7, 2022, in all currencies, price increase on all Pelco Video Products by ~5%, Compass Decision Management System by ~7%, VxPro Servers by ~10-12%, Core Media Gateway Server by ~10%, and varied price increase for select accessories.
- 2022-01-09 : New Pelco price lists are now available. For Dell extended warranty, please contact sales or order management to quote and order, using part number EW-DELL.
- 2022-07-05 : Effective Jul. 5, 2022, in all currencies, Motorola Solutions is increasing prices by 6% on all fixed video products due to rising costs. This price increase does not apply to specific SKUs of the Spectra Enhanced 7 IR Series, the upcoming Esprit Compact, any software, body-worn cameras, and access control products.

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

Accessories

Miscellaneous

MODEL NUMBER	DESCRIPTION	MSRP \$
IME3LD-0	Smoked Bubble Lower Dome For Sarix Enhanced 3 Indoor Dome Cameras Indoor	111.30
IME3LD-0E	Smoked Bubble Lower Dome For Sarix Enhanced 3 Environmental Dome Cameras	111.30
IME3LD-1	Clear Bubble Lower Dome For Sarix Enhanced 3 Indoor Dome Cameras Indoor	105.74
IME3LD-1E	Clear Bubble Lower Dome For Sarix Enhanced 3 Environmental Dome Cameras	105.74
IMP3LD-0E	Smoked lower dome for Sarix Professional 3 Environmental Dome camera	73.46
IMP3LD-0I	Smoked lower dome for Sarix Professional 3 Indoor Dome camera	67.89
IMP3LD-1E	Clear lower dome for Sarix Professional 3 Environmental Dome camera	73.46
IMP3LD-1I	Clear lower dome for Sarix Professional 3 Indoor Dome camera	86.81

Accessories Other

MODEL NUMBER	DESCRIPTION	MSRP \$
AVIO-3500	3.5 mm audio I/O jack with 1.8 m fly wire	18.51
CBL2M-1001	2m (6 ft) HD BNC Cable for Modular Camera	58.30
CBL5M-1001	5m (16 ft) HD BNC Cable for Modular Camera	84.80
ES-BLADE-10	Esprit replacement wiper blades, 10 pieces	52.31
ES-BLADE-2	Esprit replacement wiper blades, 2 pieces	28.94
EXPRO1CABLARM41	ExSite PRO 4m arm. cable barrier gland	1,009.84
FERR-1001	Ferrite clamp for use with Multi sensor Multi directional cameras aux power cable to meet EN-50121-4 5 pack	32.28
HOV32KIT3PTC	24Vac triple heating kit for HOV housing	141.68
IME3EBAP-E	Adaptor plate for Electrical box for Sarix Enhanced 3 dome cameras	46.75
IMF-INSTKT	Replacement Install Kit for Surface Mount IMF Pelco Fisheye Camera includes necessary tools fasteners grommets	21.15
IMFI-INSTKT	Replacement Install Kit for in ceiling Pelco Fisheye Camera includes necessary tools fasteners grommets	20.14
IWPWPC	Waterproof RJ45 connector cover Sarix IWP	10.02
NXW0K1000	LiqCool SS house air barrier no glass	1,918.29
NXW0K1025	LiqCool SS house barrier IR-proof glass	2,697.35
OHEH24B	Heater IN 120 230Vac	26.15
PEL-AA-GUNSHOT	Pelco Camera Gunshot Audio Analytics Channel	250.00
SRXE4-EBT2SLD	Replacement sunshield for Sarix Enh 4 Long Bullet Cameras	7.75
SRXE4-EBTSLD	Replacement sunshield for Sarix Enh 4 Short Bullet Cameras	36.00
SRXP4-DMSLD	Weathershield for Sarix Pro 4 Environmental Dome cameras	21.00
SRXP4-LD-0E	Smoked lower dome for Sarix Pro 4 Environmental Dome camera	35.00

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

SRXP4-LD-0I	Smoked lower dome for Sarix Pro 4 indoor dome camera	35.00
SRXP4-LD-1E	Clear lower dome for Sarix Pro 4 Environmental Dome camera	35.00
SRXP4-LD-1I	Clear lower dome for Sarix Pro 4 indoor dome camera	35.00
SRXV-BBC	Sarix Value Clear Bubble for IMV229	55.00
USB-AC56-EU-MSI	USB Wi-Fi dongle for camera configuration, Europe	170.00
USB-AC56-NA-MSI	USB Wi-Fi dongle for camera configuration, North America	170.00

Body-Worn

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-LANYARD-05	Lanyard for Body-worn cameras	10.00
AC-USB-DOCK-050	USB Cable for Body-worn cameras	25.00
AC-USB-DOCK-200	USB Cable for Body-worn cameras	25.00
DC-200-12MW	12 Month Warranty for DC-200	160.00
DC-200-24MW	Warranty: +24 months warranty for DC-200	260.00
DC-200/AUS	DockController DC-200, PSU, AUS power & LAN cable. Available only for EU, EFTA, US, Australia, New Zealand and Canada. For use with	720.00
DC-200/EU	DockController (EU)	720.00
DC-200/ROW	DockController (ROW)	720.00
DC-200/UK	DockController DC-200, PSU, UK power & LAN cable. Available only for EU, EFTA, US, Australia, New Zealand and Canada. For use with body worn cameras.	720.00
DC-200/US	DockController DC-200, PSU, US power & LAN cable. Available only for EU, EFTA, US, Australia, New Zealand and Canada. For use with body worn cameras.	720.00
KF-DOCK05BVELCRO	Klick Fast Belt Loop	25.00
KF-DOCKBUTTONF	Klick Fast Button Dock Female	20.00
KF-DOCKBUTTONM	Klick Fast Button Dock Male	20.00
KF-DOCKCLAMP	Klick Fast Dock Clamp (pocket klick fast dock). For use with body worn cameras.	35.00
KF-DOCKCROCCLAT	Klick Fast Crocodile clip with Anti-Tilt Attachment	30.00
KF-DOCKCROCCCLIP	Klick Fast crocodile clip	25.00
KF-DOCKEP	Klick Fast Dock Epaulette (epaulette klickfast dock)	25.00
KF-DOCKRUCKSACK	Klick Fast Rucksack Dock	20.00
KF-HARN3	Klick Fast 3-point chest harness	60.00
KF-HARN4	Klick Fast 4-point chest harness	60.00
KF-HARN5	Klick Fast shoulder harness. For use with body worn cameras.	60.00
KF-LOOP	Klick Fast radio loop dock. For use with body worn cameras.	25.00
KF-MAGMOUNT2	Klick Fast Magnetic Mounting Set (w/Magnets)	60.00
KF-MOLLEVEST	Klick Fast Dock for MOLLE vests. For use with body worn cameras.	25.00
KF-SCREW	Klick Fast uniform screw-on dock. For use with body worn cameras.	25.00
RF-220	RFID RF-220 reader & base (MIFARE, MULTI-ISO, and LF). For use with body worn cameras.	725.00
RF-220-12MW	Warranty: +12 Months warranty for RF-220	130.00
RF-220-24MW	Warranty: +24 Months warranty for RF-220	230.00
RF-CARD-10	10x RFID plastic cards. For use with body worn cameras.	20.00
RF-STICKER-10	10x RFID sticker-style tags. For use with body worn cameras.	15.00
VB-400-DOCK-SOLO	VB400 1-Port Dock	85.00
VB-400-DOCK14/AUS	VB400 14-Port Dock with AUS power cable	800.00
VB-400-DOCK14/EU	VB400 14-Port Dock with EU power cable	800.00

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

VB-400-DOCK14/ROW	VB400 14-Port Dock with no power cable	800.00
VB-400-DOCK14/UK	VB400 14-Port Dock with UK power cable	800.00
VB-400-DOCK14/US	VB400 14-Port Dock with US power cable	800.00
VB-400-EXT-CHARGE	USB Type-A to VB400 cable including VB400 adaptor	75.00
VB-400-ID-CUS-1000	1000 Custom front-button sticker for VB-400 camera	1,010.00
VB-400-ID-CUS-250	Custom VB400 Front-button Stickers (250)	665.00
VB-400-ID-CUS-5000	5000 Custom front-button sticker for the VB-400 camera	1,335.00
VB-400-QR-KFSTUD	Klick Fast Quick Release Stud for VB-440-64-QR-N	25.00
VB-400-QR-KFTILT	VB-400 Tilting KlickFast for QR base	35.00
VB-400-QR-KFTILT2	Klick Fast Quick Release Wide Tilt Mount for VB-440-64-QR-N	60.00
VB-400-QR-SPORT	VB-400 Sports Camera fitting for QR base	25.00
VB-400-VF-MAG	Close-Fit Magnetic Mount for VB-440-64-VF-N	35.00
VB-400-VF-MOL2	Close-Fit Double MOLLE Mount for VB-440-64-VF-N	70.00
VB-440-64-KF-N	VB400 Klick Fast Stud Body-worn camera	640.00
VB-YA-HA-1	Holster Aware sensor fixing kit 1-off	500.00
VB-YA-HA-100	Holster Aware sensor fixing kit 100-off	41,250.00
VB-YA-HA-1000	Holster Aware sensor fixing kit 1000-off	332,500.00
VB-YA-HA-PRIMER	Spare fixing primer for Holster Aware	40.00
VM-EPL-3PVMMS	3rd party VMS support for VideoManager	6,250.00
VM-EPL-STORE-1TB	VideoManager object storage access license, 1TB	800.00

Camera

MODEL NUMBER	DESCRIPTION	MSRP \$
WASEX2T4KC	Water tank 10l with integrated pump controlled by electrovalve certified KCs, with delivery pipe 20m (66ft) (max delivery head 30m (98ft) with optional pipe), IN 24Vdc. KCs Ex d mb IIC T4, Ex mb tD A21 IP67 T135°C, -40°C Ta +55°C.	2,700.00
WASEX2T4UL	Water tank 10l with integrated pump controlled by electrovalve certified cULus, with delivery pipe 20m (66ft) (max delivery head 30m (98ft) with optional pipe), IN 24Vac/dc. cULus CLASS I, DIV I, GROUP B, C, D, CLASS II, DIV I, GROUP E, F, G, CLASS III, DIV I - 60°C Ta 55°C FOR T6, - 60°C Ta 70°C FOR T5, - 60°C Ta 100°C FOR T4	2,500.00

Camera Accessories

MODEL NUMBER	DESCRIPTION	MSRP \$
ACMICR-1001	Internal microphone accessory for Dome Cameras	10.00
CAM-FIPS	FIPS Camera license	10.91
CBLKIT-1011	USB C to USB A female cable	6.00
CLADP-1001	Adapter, In-ceiling, 7.5" Dia, Grey	85.00
CLPNL-1011	Ceiling Panel, 2ft x 2ft, 7.5" Dia, Grey	135.00
CNCVR-1001	Adapter 3/4 inch conduit for 6.1" (156mm) dome camera 5-pack	35.00
COMB100A	Comm box polycarbonate 220-230Vac	1,328.20
COMB200A	Comm box polycarbonate 24Vac	1,328.20
COMB300A	Comm box polycarbonate 120-127Vac	1,328.20
COMBMP2	Pole or corner mount adapter for COMB	253.46
CRNMT-1001	CORNER MNT FOR LRGE PENDT WLMT-1001	145.00
DBHWGC	Pole adapter 210 to 225mm	112.19
DCZ	USB keyboard	808.40

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

DMBBL-1001	Dome bubble replacement, 4.7" Dia	52.00
DMBBL-1011	IR Dome bubble replacement, 4.7" Dia	75.00
DMSBL-1001	Smoked dome bubble, 4.7" Dia	52.00
DMSLD-1001	Weathershield, Large Outdoor Domes	30.00
DTWRX	Housing washer control RS485 For WASPT	59.36
EXBJ000	Ball joint for EXH RAL9002	505.59
EXHC003G	Explosion- proof housing for thermal cameras RAL9002, triple heater 24Vac, -40°C/50°C (-40°F/+122°F) with germanium window. Sunshield and cable glands not included. ATEX Ex II 2G Ex db IIC T6 Gb, Ex II 2D Ex tb IIIC T85°C Db, -40°C Ta +50°C. IECEx Ex db IIC T6 Gb, Ex tb IIIC T85°C Db, -40°C Ta +50°C. UK Ex Ex II 2G Ex db IIC T6 Gb, Ex II 2D Ex tb IIIC T85°C Db, -40°C Ta +50°C. EAC Ex 1Ex db IIC T6 Gb X, Ex tb IIIC T85°C Db X, -40°C Ta +50°C.	22,624.64
EXHC003R	Housing RAL9002, triple heater 24Vac, -40°C/50°C (-40°F/+122°F). Sunshield and cable glands not included. ATEX Ex II 2G Ex db IIC T6 Gb, Ex II 2D Ex tb IIIC T85°C Db, -40°C Ta +50°C. IECEx Ex db IIC T6 Gb, Ex tb IIIC T85°C Db, -40°C Ta +50°C. UK Ex Ex II 2G Ex db IIC T6 Gb, Ex II 2D Ex tb IIIC T85°C Db, -40°C Ta +50°C. EAC Ex 1Ex db IIC T6 Gb X, Ex tb IIIC T85°C Db X, -40°C Ta +50°C.	2,251.79
EXHC203R	Housing RAL9002, triple heater 230Vac, -40°C/50°C (-40°F/+122°F). Sunshield and cable glands not included. ATEX Ex II 2G Ex db IIC T6 Gb, Ex II 2D Ex tb IIIC T85°C Db, -40°C Ta +50°C. IECEx Ex db IIC T6 Gb, Ex tb IIIC T85°C Db, -40°C Ta +50°C. UK Ex Ex II 2G Ex db IIC T6 Gb, Ex II 2D Ex tb IIIC T85°C Db, -40°C Ta +50°C. EAC Ex 1Ex db IIC T6 Gb X, Ex tb IIIC T85°C Db X, -40°C Ta +50°C.	2,251.79
EXHS000	Sunshield 640mm for EXHC housings	143.27
FM1010	EMC Filter for Marine Certification	50.70
GROM-1001	Camera sealing grommet, pack of 10	18.06
GROM-1011	Pipe grommet, pack of 10	18.00
HEB32K1A000B	HEB house 320 shield heat IN 120 230Vac	198.77
HEB32K2A000B	HEB house 320 shld heat IN 12Vdc 24Vac	198.77
HEG37K1A000	HEG house 365 shield heat IN 120 230Vac	280.14
HEG37K1A074	HEG house 365 shld 2 heat IN 120 230Vac	336.17
HEG37K2A000	HEG house 365 shld heat IN 12Vdc 24Vac	280.14
HEG47K1A000	HEG house 450 shield heat IN 120 230Vac	297.48
HEG47K2A000	HEG house 450 shld heat IN 12Vdc 24Vac	297.48
HGV52K1A100	HGV 520 shld 3 fan heat wipe 100 240VAC	1,855.59
HGV52K2A200	HGV house 520 sld 3 fan heat wipe 24Vac	1,855.59
HOT39D0A000	PUNTO housing	65.23
HOT39D1A000	PUNTO housing with heater IN 120 230Vac	81.11
HOT39D1A085	PUNTO house heat IN 120 230Vac WBOVA2	114.59
HOT39D2A000	PUNTO house heater IN 12Vdc 24Vac	81.11
HOT39D2A085	PUNTO house heater IN 12Vdc 24Vac BOV2A	114.59
HOT39K1A000	PUNTO house shield heat IN 120 230Vac	96.98
HOT39K2A000	PUNTO house shield heat IN 12Vdc 24Vac	96.98
HOT39K2A700	PUNTO Hi-PoE housing	230.78
HOV32K1A000	HOV house 300mm shld heat IN 120 230Vac	197.17
HOV32K1A018	HOV house 300 shld heat blow 120 230Vac	356.18
HOV32K1A100	HOV hous 300 sld heat IN 120 230Vac wipe	597.63
HOV32K2A000	HOV house 300 sld heat IN 12 24 Vac dc	197.17
HOV32K2A016	HOV house 300mm shield heat blow 24Vac	306.82
HOV32K2A200	HOV hous 300 sld heat IN 12 24 Vac dc wp	597.63
HOV32K2A700	HOV house for PoE cameras IPM	416.21
HOV32K2A716	HOV house for PoE cameras IPM blower	465.57

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

HOV32K2A720	HOV house for PoE cameras IPM heater	582.96
HPV36D0A000B	VERSO COMPACT housing 360mm	88.44
HPV36K0A000B	VERSO CPT house 360mm shield	102.98
HPV36K1A000B	VERSO CPT 360mm shld heat IN 120 230Vac	125.80
HPV36K2A000B	VERSO CPT 360 shld heat IN 12Vdc 24Vac	125.80
HPV36K2A015B	VERSO CPT house 360 sld fan heat 24Vac	161.95
HPV42K0A000	VERSO house 420mm shield	136.47
HPV42K1A000	VERSO house 420 sld heat IN 120 230Vac	161.68
HPV42K1A160	VERSO POLAR 420mm shld IN 120 230Vac	241.45
HPV42K2A000	VERSO hous 420 sld heat IN 12Vdc 24Vac	161.68
HPV42K2A016	VERSO house 420mm shield heat blow 24Vac	286.81
HPV42K2A017	VERSO house 420mm shield heat blow 12Vdc	286.81
HPV42K2A160	VERSO POLAR 420 shld heat IN 12Vdc 24Vac	241.45
HPV42K2A700	VERSO house for PoE cameras IPM	366.85
HPV42K2A716	VERSO house for PoE cameras IPM blow	413.54
HTG37K1A000	HTG house 365mm shld heat IN 120 230Vac	1,558.11
HTG37K2A000	HTG house 365mm shld heat IN 12Vdc 24Vac	1,558.11
IMD1-INCLD0	Product description shown in the price listLower dome smoked for in ceiling mounted Sarix Multi cameras	77.55
IMD1-INCLD1	Lower dome clear for in ceiling mounted Sarix Multi cameras	77.55
IMD1-SPLD0	Lower dome smoked for Surface or Pendant mounted Sarix Multi cameras	175.72
IMD1-SPLD1	Lower dome clear for Surface or Pendant mounted Sarix Multi cameras	175.72
IMD1-SPLD1	Lower dome clear for Surface or Pendant mounted Sarix Multi cameras	175.72
IRH10H9A	IR LED 10d Hi 940nm 12 24Vdc-24Vac 100m	550.94
IRH30H8A	IR LED 30d Hi 850nm 12 24Vdc-24Vac 84m	325.50
IRH30H9A	IR LED 30d Hi 940nm 12 24Vdc-24Vac 60m	550.94
IRH30HWA	LED whitelight 30d 24Vac 12 24Vdc 60m	409.54
IRH30L8A	IR LED 30d Low 850nm 12 24Vdc-24Vac 60m	254.79
IRH60H8A	IR LED 60d Hi 850nm 12 24Vdc-24Vac 56m	325.50
IRH60H9A	IR LED 60d Hi 940nm 12 24Vdc-24Vac 40m	550.94
IRH60HWA	LED white light 60d 24Vac 12 24Vdc 40m	409.54
IRH60L8A	IR LED 60d Lo 850nm 12 24Vdc 24Vac 40m	254.79
IRHPS120	Power IN 120Vac 50 60Hz OUT 24Vac 30W	131.13
IRHPS230	Power IN 230Vac 50 60Hz OUT 24Vac 30W	131.13
IRN10A9AS00	IR LED 10d 940nm 100 240Vac 140m	1,159.25
IRN10B9AS00	IR LED 10d 940nm 24Vac-12 24Vdc 140m	1,004.50
IRN30A8AS00	IR LED 30d 850nm 100 240Vac 130m	692.35
IRN30A9AS00	IR LED 30d 940nm 100 240Vac 80m	1,159.25
IRN30AWAS00	LED white light 30d 100 240Vac 120m	749.71
IRN30B8AS00	IR LED 30d 850nm 24Vac 12 24Vdc 130m	565.62
IRN30B9AS00	IR LED 30d 940nm 24Vac 12 24Vdc 80m	1,004.50
IRN30BWAS00	LED white light 30d 24Vac 12 24Vdc 120m	621.64
IRN60A8AS00	IR LED 60d 850nm 100 240Vac 80m	692.35
IRN60A9AS00	IR LED 60d 940nm 100 240Vac 60m	1,159.25
IRN60AWAS00	LED white light 60d 100 240Vac 90m	749.71
IRN60B9AS00	IR LED 60d 940nm 24Vac 12 24Vdc 60m	1,004.50
IRN60BWAS00	LED white light 60d 24Vac 12 24Vdc 90m	621.64

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

MBX1MAA	Explosion-proof communication box in AISI 316L stainless steel, IN 230Vac OUT 24Vac. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. IECEx Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. EAC Ex 1Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. KCs Ex d IIC T6...T5, Ex tb IIIC T85°C...T100°C, -40°C Ta +60°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T5 Gb, Zone 21, AEx tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for Canada Ex db IIC T6...T5 Gb X Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. UK Ex Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C.	2,204.09
MBX2MAA	Explosion-proof communication box in AISI 316L stainless steel, IN 24Vac OUT 24Vac. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. IECEx Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. EAC Ex 1Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. KCs Ex d IIC T6...T5, Ex tb IIIC T85°C...T100°C, -40°C Ta +60°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T5 Gb, Zone 21, AEx tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for Canada Ex db IIC T6...T5 Gb X Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. UK Ex Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C.	2,204.09
MBX3MAA	Explosion-proof communication box in AISI 316L stainless steel, IN 120Vac OUT 24Vac. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. IECEx Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. EAC Ex 1Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. KCs Ex d IIC T6...T5, Ex tb IIIC T85°C...T100°C, -40°C Ta +60°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T5 Gb, Zone 21, AEx tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for Canada Ex db IIC T6...T5 Gb X Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. UK Ex Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C.	2,204.09
MBXMP	Plate for MBX with MPXCWL or MPXCW	371.20
MBXWRE	Key for opening and closing MAXIMUS MBX	70.91
MHX1CS000A	MHX AISI 316L housing 230Vac, sunshield. ATEX Ex II 2 G Ex db IIC T6 Gb, Ex II 2 D Ex tb IIIC T85°C Db, -40°C Ta +60°C. IECEx Ex db IIC T6 Gb, Ex tb IIIC T85°C Db, -40°C Ta +60°C. EAC Ex 1Ex db IIC T6 Gb X, Ex tb IIIC T85°C Db X, -40°C Ta +60°C. KCs Ex db IIC T6 Gb, Ex tb IIIC T85°C Db, -40°C Ta +60°C. UK Ex Ex II 2 G Ex db IIC T6 Gb, Ex II 2 D Ex tb IIIC T85°C Db, -40°C Ta +60°C.	4,954.48
MHX1CW000A	MHX AISI 316L housing 230Vac, wiper, sunshield. ATEX Ex II 2 G Ex db IIC T6 Gb, Ex II 2 D Ex tb IIIC T85°C Db, -40°C Ta +60°C. IECEx Ex db IIC T6 Gb, Ex tb IIIC T85°C Db, -40°C Ta +60°C. EAC Ex 1Ex db IIC T6 Gb X, Ex tb IIIC T85°C Db X, -40°C Ta +60°C. KCs Ex db IIC T6 Gb, Ex tb IIIC T85°C Db, -40°C Ta +60°C. UK Ex Ex II 2 G Ex db IIC T6 Gb, Ex II 2 D Ex tb IIIC T85°C Db, -40°C Ta +60°C.	5,999.00
MHX2CS000A	MHX AISI 316L housing 24Vac, sunshield. ATEX Ex II 2 G Ex db IIC T6 Gb, Ex II 2 D Ex tb IIIC T85°C Db, -40°C Ta +60°C. IECEx Ex db IIC T6 Gb, Ex tb IIIC T85°C Db, -40°C Ta +60°C. EAC Ex 1Ex db IIC T6 Gb X, Ex tb IIIC T85°C Db X, -40°C Ta +60°C. KCs Ex db IIC T6 Gb, Ex tb IIIC T85°C Db, -40°C Ta +60°C. UK Ex Ex II 2 G Ex db IIC T6 Gb, Ex II 2 D Ex tb IIIC T85°C Db, -40°C Ta +60°C.	4,954.48
MHX2CW000A	MHX AISI 316L housing 24Vac, wiper, sunshield. ATEX Ex II 2 G Ex db IIC T6 Gb, Ex II 2 D Ex tb IIIC T85°C Db, -40°C Ta +60°C. IECEx Ex db IIC T6 Gb, Ex tb IIIC T85°C Db, -40°C Ta +60°C. EAC Ex 1Ex db IIC T6 Gb X, Ex tb IIIC T85°C Db X, -40°C Ta +60°C. KCs Ex db IIC T6 Gb, Ex tb IIIC T85°C Db, -40°C Ta +60°C. UK Ex Ex II 2 G Ex db IIC T6 Gb, Ex II 2 D Ex tb IIIC T85°C Db, -40°C Ta +60°C.	5,999.00
MHX3CS000A	MHX AISI 316L housing 120Vac, sunshield. ATEX Ex II 2 G Ex db IIC T6 Gb, Ex II 2 D Ex tb IIIC T85°C Db, -40°C Ta +60°C. IECEx Ex db IIC T6 Gb, Ex tb IIIC T85°C Db, -40°C Ta +60°C. EAC Ex 1Ex db IIC T6 Gb X, Ex tb IIIC T85°C Db X, -40°C Ta +60°C. KCs Ex db IIC T6 Gb, Ex tb IIIC T85°C Db, -40°C Ta +60°C. UK Ex Ex II 2 G Ex db IIC T6 Gb, Ex II 2 D Ex tb IIIC T85°C Db, -40°C Ta +60°C.	4,954.48
MHX3CW000A	MHX AISI 316L housing 120Vac, wiper, sunshield. ATEX Ex II 2 G Ex db IIC T6 Gb, Ex II 2 D Ex tb IIIC T85°C Db, -40°C Ta +60°C. IECEx Ex db IIC T6 Gb, Ex tb IIIC T85°C Db, -40°C Ta +60°C. EAC Ex 1Ex db IIC T6 Gb X, Ex tb IIIC T85°C Db X, -40°C Ta +60°C. KCs Ex db IIC T6 Gb, Ex tb IIIC T85°C Db, -40°C Ta +60°C. UK Ex Ex II 2 G Ex db IIC T6 Gb, Ex II 2 D Ex tb IIIC T85°C Db, -40°C Ta +60°C.	5,999.00

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

MHXT1C000B	MHXT housing 230Vac for thermal cameras, sunshield. ATEX Ex II 2 G Ex db IIC T6 Gb, Ex II 2 D Ex tb IIIC T85°C Db, -40°C Ta +60°C. IECEx Ex db IIC T6 Gb, Ex tb IIIC T85°C Db, -40°C Ta +60°C. EAC Ex 1Ex db IIC T6 Gb X, Ex tb IIIC T85°C Db X, -40°C Ta +60°C. KCs Ex db IIC T6 Gb, Ex tb IIIC T85°C Db, -40°C Ta +60°C. UK Ex Ex II 2 G Ex db IIC T6 Gb, Ex II 2 D Ex tb IIIC T85°C Db, -40°C Ta +60°C.	9,087.21
MHXT2C000B	MHXT housing 24Vac for thermal cameras, sunshield. ATEX Ex II 2 G Ex db IIC T6 Gb, Ex II 2 D Ex tb IIIC T85°C Db, -40°C Ta +60°C. IECEx Ex db IIC T6 Gb, Ex tb IIIC T85°C Db, -40°C Ta +60°C. EAC Ex 1Ex db IIC T6 Gb X, Ex tb IIIC T85°C Db X, -40°C Ta +60°C. KCs Ex db IIC T6 Gb, Ex tb IIIC T85°C Db, -40°C Ta +60°C. UK Ex Ex II 2 G Ex db IIC T6 Gb, Ex II 2 D Ex tb IIIC T85°C Db, -40°C Ta +60°C.	9,087.21
MHXT3C000B	MHXT housing 120Vac for thermal cameras, sunshield. ATEX Ex II 2 G Ex db IIC T6 Gb, Ex II 2 D Ex tb IIIC T85°C Db, -40°C Ta +60°C. IECEx Ex db IIC T6 Gb, Ex tb IIIC T85°C Db, -40°C Ta +60°C. EAC Ex 1Ex db IIC T6 Gb X, Ex tb IIIC T85°C Db X, -40°C Ta +60°C. KCs Ex db IIC T6 Gb, Ex tb IIIC T85°C Db, -40°C Ta +60°C. UK Ex Ex II 2 G Ex db IIC T6 Gb, Ex II 2 D Ex tb IIIC T85°C Db, -40°C Ta +60°C.	9,087.21
MHXWBS	Wall bracket for housing MHX MHXT NX	610.97
MHXWFWCA	Parapet bracket house MHX MVX and NX	294.54
MLX2830AA	MLX explosion-proof illuminator in AISI 316L, 24Vdc, 24Vac, PoE+, IR 850nm 70° lens, no cable, wall/ceiling/parapet bracket. ATEX Ex II 2 G Ex db IIB T6...T5 Gb, Ex II 2 D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. IECEx Ex db IIB T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. INMETRO Ex db IIB T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. EAC Ex 1Ex db IIB T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +55°C or +70°C. KCs Ex db IIB T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIB T5...T4 Gb, Zone 21, AEx tb IIIC T100°C...T135°C Db, -40°C Ta +45°C or +70°C. UL listed for Canada Ex db IIB T5...T4 Gb, Ex tb IIIC T100°C...T135°C Db, -40°C Ta +45°C or +70°C. UK Ex Ex II 2 G Ex db IIB T6...T5 Gb, Ex II 2 D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C.	2,615.97
MLX2W30AA	MLX explosion-proof illuminator in AISI 316L, 24Vdc, 24Vac, PoE+, White 70°, no cable, wall/ceiling/parapet bracket. ATEX Ex II 2 G Ex db IIB T6...T5 Gb, Ex II 2 D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. IECEx Ex db IIB T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. INMETRO Ex db IIB T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. EAC Ex 1Ex db IIB T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +55°C or +70°C. KCs Ex db IIB T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIB T5...T4 Gb, Zone 21, AEx tb IIIC T100°C...T135°C Db, -40°C Ta +45°C or +70°C. UL listed for Canada Ex db IIB T5...T4 Gb, Ex tb IIIC T100°C...T135°C Db, -40°C Ta +45°C or +70°C. UK Ex Ex II 2 G Ex db IIB T6...T5 Gb, Ex II 2 D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C.	2,403.87
MMXCWCOL	MMX corner and pole adaptor	119.60
MPX2CABL101	MPX2 10m unarm cable barrier gland	1,315.44
MPX2CABL41	MPX2 4m unarm cable barrier gland	878.12
MPX2CABLARM101	MPX2 10m armoured cable barrier gland	1,315.44
MPX2CABLARM41	MPX2 4m armoured cable barrier gland	878.12
MPXCOL	Pole mount adaptor	437.32
MPXCW	Corner mount adaptor	319.00
MPXWBA	Wall bracket	591.60
MPXWBTA	Parapet or ceiling mounting bracket	255.20
MVXT2D0SAZ00B	MVXT thermal camera with radiometric functions, in AISI 316L, 12-24Vdc/24Vac, version IP H264/AVC, 35mm, 640x512, 7.5Hz, armoured cable 4m, sunshield. ATEX Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/68. IECEx Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/68. EAC Ex 1Ex db IIC T5 Gb X, Ex tb IIIC T100°C Db X, -60°C Ta +65°C, IP66/68. INMETRO Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/68. UK Ex Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/68.	20,480.90
MVXT2D0SAZ00BH	MVXT thermal camera with radiometric functions, in AISI 316L, 12-24Vdc/24Vac, version IP H264/AVC, 35mm, 640x512, 30Hz, armoured cable 4m, sunshield. ATEX Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/68. IECEx Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/68. EAC Ex 1Ex db IIC T5 Gb X, Ex tb IIIC T100°C Db X, -60°C Ta +65°C, IP66/68. INMETRO Ex db IIC T5	20,985.15

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

Gb, Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/IP68. UK Ex Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/68.

MVXT2D0SFZ01B	MVXT thermal camera with radiometric functions, in AISI 316L, 12-24Vdc/24Vac, version IP H264/AVC, 35mm, 640x512, 7.5Hz, cable tail 4m, sunshield. ATEX Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/68. IECEx Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/68. EAC Ex 1Ex db IIC T5 Gb X, Ex tb IIIC T100°C Db X, -50°C Ta +65°C, IP66/68. INMETRO Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/IP68. ETL listed for USA Class I Zone 1 AEx db IIC T5 Gb, Zone 21 AEx tb IIIC T100°C Db, -50°C Ta +65°C. ETL listed for Canada Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -50°C Ta +65°C. UK Ex Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/68.	20,220.77
MVXT2D0SFZ01BH	MVXT thermal camera with radiometric functions, in AISI 316L, 12-24Vdc/24Vac, version IP H264/AVC, 35mm, 640x512, 30Hz, cable tail 4m, sunshield, ATEX Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/68. IECEx Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/68. EAC Ex 1Ex db IIC T5 Gb X, Ex tb IIIC T100°C Db X, -50°C Ta +65°C, IP66/68. INMETRO Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/IP68. ETL listed for USA Class I Zone 1 AEx db IIC T5 Gb, Zone 21 AEx tb IIIC T100°C Db, -50°C Ta +65°C. ETL listed for Canada Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -50°C Ta +65°C. UK Ex Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/68.	20,725.02
MVXT2H0SAZ00B	MVXT with radiometric functions, in AISI 316L, 12-24Vdc/24Vac, IP H264/AVC version, thermal camera 9mm, 640x512, 7.5Hz, armoured cable 4m (13 ft), sunshield. ATEX Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/68. IECEx Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/68. EAC Ex 1Ex db IIC T5 Gb X, Ex tb IIIC T100°C Db X, -60°C Ta +65°C, IP66/IP68. INMETRO Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/IP68. UK Ex Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/68.	19,471.06
MVXT2H0SAZ00BH	MVXT thermal camera with radiometric functions, in AISI 316L, 12-24Vdc/24Vac, version IP H264/AVC, 9mm, 640x512, 30Hz, armoured cable 4m, sunshield. ATEX Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/68. IECEx Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/68. EAC Ex 1Ex db IIC T5 Gb X, Ex tb IIIC T100°C Db X, -60°C Ta +65°C, IP66/IP68. INMETRO Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/IP68. UK Ex Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/68.	19,976.65
MVXT2H0SFZ01B	MVXT thermal camera with radiometric functions, in AISI 316L, 12-24Vdc/24Vac, version IP H264/AVC, 9mm, 640x512, 7.5Hz, cable tail 4m, sunshield. ATEX Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/68. IECEx Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/68. EAC Ex 1Ex db IIC T5 Gb X, Ex tb IIIC T100°C Db X, -50°C Ta +65°C, IP66/68. INMETRO Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/IP68. ETL listed for USA Class I Zone 1 AEx db IIC T5 Gb, Zone 21 AEx tb IIIC T100°C Db, -50°C Ta +65°C. ETL listed for Canada Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -50°C Ta +65°C. UK Ex Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/68.	19,210.93
MVXT2H0SFZ01BH	MVXT thermal camera with radiometric functions, in AISI 316L, 12-24Vdc/24Vac, version IP H264/AVC, 9mm, 640x512, 30Hz, cable tail 4m, sunshield, ATEX Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/68. IECEx Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/68. EAC Ex 1Ex db IIC T5 Gb X, Ex tb IIIC T100°C Db X, -50°C Ta +65°C, IP66/68. INMETRO Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/IP68. ETL listed for USA Class I Zone 1 AEx db IIC T5 Gb, Zone 21 AEx tb IIIC T100°C Db, -50°C Ta +65°C. ETL listed for Canada Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -50°C Ta +65°C. UK Ex Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/68.	19,716.52
MVXT2Q0SAZ00B	MVXT with radiometric functions, in AISI 316L, 12-24Vdc/24Vac, IP H264/AVC version, thermal camera 9mm, 336x256, 7.5Hz, armoured cable 4m (13 ft), sunshield. ATEX Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/68. IECEx Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/68. EAC Ex 1Ex db IIC T5 Gb X, Ex tb IIIC T100°C Db X, -60°C Ta +65°C, IP66/IP68. INMETRO Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/IP68. UK Ex Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/68.	12,534.26
MVXT2Q0SAZ00BH	MVXT thermal camera with radiometric functions, in AISI 316L, 12-24Vdc/24Vac, version IP H264/AVC, 9mm, 336x256, 30Hz, armoured cable 4m, sunshield. ATEX Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/68. IECEx Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/68. EAC Ex 1Ex db IIC T5 Gb X, Ex tb IIIC T100°C Db X, -60°C Ta +65°C, IP66/68.	12,620.97

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

IIIC T100°C Db X, -60°C Ta +65°C, IP66/IP68. INMETRO Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/IP68. UK Ex Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/68.

MVXT2Q0SFZ01B	MVXT thermal camera with radiometric functions, in AISI 316L, 12-24Vdc/24Vac, version IP H264/AVC, 9mm, 336x256, 7.5Hz, cable tail 4m, sunshield, -50°C/+65°C. ATEX Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/68. IECEx Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/68. EAC Ex 1Ex db IIC T5 Gb X, Ex tb IIIC T100°C Db X, -50°C Ta +65°C, IP66/68. INMETRO Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/IP68. ETL listed for USA Class I Zone 1 AEx db IIC T5 Gb, Zone 21 AEx tb IIIC T100°C Db, -50°C Ta +65°C. ETL listed for Canada Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -50°C Ta +65°C. UK Ex Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/68.	12,274.13
MVXT2Q0SFZ01BH	MVXT thermal camera with radiometric functions, in AISI 316L, 12-24Vdc/24Vac, version IP H264/AVC, 9mm, 336x256, 30Hz, cable tail 4m, sunshield. ATEX Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/68. IECEx Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/68. EAC Ex 1Ex db IIC T5 Gb X, Ex tb IIIC T100°C Db X, -50°C Ta +65°C, IP66/68. INMETRO Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/IP68. ETL listed for USA Class I Zone 1 AEx db IIC T5 Gb, Zone 21 AEx tb IIIC T100°C Db, -50°C Ta +65°C. ETL listed for Canada Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -50°C Ta +65°C. UK Ex Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/68.	12,359.51
NTM36K1000	SS therm house shld heater IN 120 230Vac	2,301.15
NTM36K2000	SS therm house shld heat IN 12Vdc 24Vac	2,301.15
NTW0K2000	LiqCool SS house Zinc Selenide glass	7,573.12
NTW0K3000	LiqCool SS house Zinc Sapphire glass	4,078.04
NXC0L	Pole mount adpt for NXWBS1 NXWBPT NXWBL	319.00
NXCTPG13SS	2xPG 13.5 SS cable glands IP68 housings	222.78
NXCW	Corner mount adpt NXWBS1 NXWBPTH1 NXWBL	159.27
NXFIGRU2	Filtering group compressed air cleaning	509.59
NXFWBT	Extension bracket for parapet mounting	247.08
NXM36K1000	SS house 360mm shield heat IN 120 230Vac	944.47
NXM36K1050	SS house 360mm shld 2heat IN 120 230Vac	989.83
NXM36K2000	SS house 360mm shld heat IN 12Vdc 24Vac	944.47
NXM36K2700	SS Hi-PoE house shield PoE cameras	1,108.55
NXMTUB2	Dust protection frontal shield	198.36
NXPTZHD12VW0Z00C	NXPTZ2 230Vac Full HD 30x wiper cable 3m	12,612.97
NXPTZHD32VW0Z00C	NXPTZ2 120Vac Full HD 30x wiper cable 3m	12,612.97
NXPTZSFP	Adapter optical fiber for NXPTZ SERIES2	585.80
NXPTZT32BW0Z00C	NXPTZT2 120Vac HD30x 25mm QVGA 7.5Hz W3m	22,904.78
NXPTZT32BW0Z00CH	NXPTZT2 120Vac HD30x 25mm QVGA 30Hz W3m	23,337.00
NXPTZT32EW0Z00CH	NXPTZT2 120Vac HD30x 25mm VGA 30Hz W3m	32,242.78
NXPTZTW	Bracket for ceiling or parapet mounting	262.80
NXPTZWB	Wall bracket	610.97
NXWBL	SS wall bracket for NXL housing	636.32
NXWBS1	Wall bracket for SS housings	306.24
NXWTU	Adpt wall mnt NXWBS1 WBJA WBMA WBOVA2	505.76
OBJA	Ball joint for housing	20.14
OCTEX1/2-3/4P	Cable gland reduction NPB 3q half NPT	43.50
OCTEX1/2C	Gland NPB half NPT nAC IECEx-ATEX-EAC	39.75
OCTEX3/4	Gland NPB 3q NPT nAC ATEX	66.17
OCTEX3/4C	Gland NPB 3q NPT nAC IECEx-ATEX-EAC	60.12
OCTEXA1/2C	Gland NPB half NPT AC IECEx-ATEX-EAC	72.17

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

OCTEXA3/4	Gland NPB 3q NPT AC ATEX	72.17
OCTEXA3/4C	Gland NPB 3q NPT AC IECEX-ATEX-EAC Ex	126.79
OCTEXB1/2P	BarrierGland NPB half NPT nAC IECEX-ATEX	125.00
OCTEXB3/4P	Barrier Gland NPB 3q NPT nAC IECEX-ATEX	202.75
OCTEXBA1/2P	Barrier Gland NPB half NPT AC IECEX-ATEX	128.91
OCTEXBA3/4P	Barrier Gland NPB 3q NPT AC IECEX-ATEX	243.10
OCTEXP3/4C	Conduit Gland NPB 3q NPT IECEX-ATEX-EAC	454.89
OEXPLUG1/2P	Plug EX half NPT IECEC ATEX -100 +400dC	22.39
OEXPLUG3/4P	Plug EX 3Q NPT IECEX ATEX -100 +400dC	25.00
OHEGBB	Weatherproof junction box IP55	65.63
OHEGBPS1B	Power IN 100 240Vac OUT 12Vdc wthrproof	107.79
OHEGBPS2B	Power IN 230Vac OUT 24Vac weatherproof	107.79
OHEH01B	Heater IN 12Vdc 24Vac	24.01
OHEH02B	Heater IN 120 230Vac	46.02
OHEH05B	Heater IN 12Vdc 24Vac	27.35
OHEH06B	Heater IN 120 230Vac	27.35
OHEH25B	Heater IN 12Vdc 24Vac	26.15
OHEH26	Heater IN 120 230Vac	20.41
OHEH27	Heater IN 12Vdc 24Vac	20.41
OHEP90INJO	Power Injector PoE 90W 1 channel outdoor	1,223.28
OHEPOWINJ	Hi-PoE Power Injector 1 channel	131.13
OHEPS01B	Power IN 100-240Vac OUT 12Vdc	64.97
OHEPS02B	Power IN 230Vac OUT 24Vac	57.10
OHEPS19B	Power IN 100-240Vac OUT 12Vdc	49.36
OHEPS20	Power IN 230Vac OUT 24Vac	35.48
OHEPS25	Power IN 230Vac OUT 24Vac 400mA	50.16
OHOTPS1	Power IN 100-240Vac OUT 12Vdc 1A	44.82
OHOTPS2	Power IN 230Vac OUT 24Vac 400mA	35.48
OHOTS	Sunshield	11.34
OHOVPOEIPM	Kit retrofit IPM tech HOV housings	222.78
OHOVPS1B	Power IN 100-240Vac OUT 12Vdc	44.82
OHOVPS2B	Camera power supply IN 230Vac OUT 24Vac	35.48
OHOVV1	Heater fan continuous duty IN 12Vdc	32.15
OHOVV2	Heater fan continuous duty IN 24Vac	32.15
OHOVV3	Heater fan cont duty IN 100 240Vac	64.03
OHPVCF3	Blower kit thermo filter IN 110 240Vac	71.37
OHPVPOEIPM	Kit retrofit IPM technology VERSO	222.78
OHPVTA1	Tamper switch tamper proof screws key	36.42
OHPVV1	Heater fan continuous duty IN 12Vdc	32.15
OHPVV2	Heater fan continuous duty IN 24Vac	32.15
OHPVV3	Heater fan cont duty IN 100-240Vac	64.03
OMPXCRWRENCH	MPX opening wrench accessory	233.45
ONXAB1025B	Air barrier with IR-proof glass	1,085.88
ONXAB2	Air barrier with tempered glass for NXW	490.91
ONXMAIRB	Ant flange air barrier temp glass NXM36	602.97
ONXMAIRBIR	Ant flange air barrier IR-proof NXM36	1,197.93
ONXPS1B	Power IN 100-240Vac OUT 12Vdc	54.43

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

ONXPS2B	Camera power supply IN 230Vac OUT 24Vac	46.16
ONXWPS1B	Pow IN 100 240Vac OUT 12Vdc for NXW NTW	54.83
ONXWQG	Quartz Glass	422.88
ONXWTG	Tempered glass	30.55
OSUPPIR	Bracket 1 GEKO IRH illuminator housing	27.75
OWBIP2	IP66 gaskets for WBOVA2 WCM4A2 brackets	10.67
OWBIP3	IP66 gaskets for WBOVA2 WCM4A2 brackets	10.67
PTCC1	Pole mount adaptor 80 to 150mm	140.74
SURGEPR	Lightning surge protection device	291.16
UEAC	Corner adaptor stainless AISI 316L	155.10
UEAP	Pole adaptor stainless steel AISI 316L	119.95
UEAW	Counter-plate stainless AISI 316L	169.48
UEBP0AA	Parapet bracket internal cable RAL9002	85.00
UEBP4AA	Parapet bracket RJ45-PoE4PWR- IO RAL9002	215.00
UEBP7AA	Parapet bracket RJ45-PoE7PWR- IO RAL9002	265.00
UEBWAA	Wall bracket for ULISSE EVO (RAL9002)	78.18
UEI8AA	850nm IR 175m (574ft) for EVO RAL9002	331.76
UEI8AAP	850nm IR 270m (885ft) for Esprit Compact	331.76
UEI9AA	940nm IR 100m (328ft) for EVO RAL9002	383.96
UEIWAA	White light 175m (574ft) for EVO RAL9002	331.76
UEIWAAP	White light 270m (885ft) for EVO RAL9002	331.76
UPT1SLGAN00E	ULISSE MAXI thermal 230Vac wiper	12,635.65
UPT1SLWAN00E	ULISSE MAXI 230Vac wiper	8,389.53
UPT2SLGAN00E	ULISSE MAXI thermal 24Vac wiper	12,635.65
UPT2SLJAN00E	ULISSE MAXI 24Vac wipe bracket for illum	8,389.53
UPT3SLGAN00E	ULISSE MAXI thermal 120Vac wiper	12,635.65
UPT3SLWAN00E	ULISSE MAXI 120Vac wiper	8,389.53
UPTIRN108A00	ULISSE IR Illum 10d 850nm 24Vac 12 24Vdc	621.64
UPTIRN109A00	ULISSE IR Illum 10d 940nm 24Vac 12 24Vdc	1,004.50
UPTIRN10WA00	ULISSE white light 10d 24Vac-12 24Vdc	621.64
UPTIRN308A00	ULISSE IR Illum 30d 850nm 24Vac 12 24Vdc	621.64
UPTIRN309A00	ULISSE IR Illum 30d 940nm 24Vac 12 24Vdc	1,004.50
UPTIRN30WA00	ULISSE white light 30d 24Vac-12 24Vdc	621.64
UPTIRN608A00	ULISSE IR Illum 60d 850nm 24Vac 12 24Vdc	621.64
UPTIRN60WA00	ULISSE white light 60d 24Vac-12 24Vdc	621.64
UPTIRNBKT	Bracket mount LED illuminators UPTIRN	277.47
UPTIRPS100N	Power ULISSE illum IN 100Vac WP metal	510.92
UPTIRPS120UL	Power ULISSE illum IN 120Vac WP metal UL	640.32
UPTIRPS230N	Power ULISSE illum IN 230Vac WP metal	510.92
UPTJBUL	UL junction weatherproof box	276.14
UPTWBA	Wall bracket with internal cable chan	140.34
UPTWBTAB	Parapet bracket with internal cable chan	140.34
USB-AC56-EU-MSI-B	Camera Install Kit WiFi USB Adapter EU	180.00
USB-AC56-NA-MSI-B	Camera Install Kit WiFi USB Adapter NA	180.00
VIP6A1	Wiper kit 230Vac	550.94
VIP6A2	Wiper kit 24Vac	550.94

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

VIPNX1C	Stainless steel wiper 230Vac	1,025.85
VIPNX2C	Stainless steel wiper 24Vac	1,025.85
WAS0V23L11M00	Tank 23l IN 230 24 120Vac wash pump 11m	817.74
WAS0V23L5M00	Tank 23l IN 230 24 120Vac wash pump 5m	564.28
WAS0V5L5M00	Tank 5l IN 230 24 120Vac wash pump 5m	504.25
WAS1V23L30M00	Tank 23l IN 230Vac wash pump 30m float	1,544.77
WAS3V23L30M00	Tank 23l IN 120Vac wash pump 30m float	1,544.77
WASCAB	Wash SS Cabinet WAS and WASPT 5 11m	1,249.96
WASEX2T4AT	Tank 10l with integrated pump controlled by solenoid valve, certified ATEX, with delivery pipe 20m (66ft) (max delivery head 30m (98ft) with optional pipe), IN 24Vac/dc. ATEX Ex II 2GD Ex d IIC T6 or T5 or T4 Gb, Ex tb IIIC T80°C or 95°C or T130°C Db IP66, Tamb -40°C to +35°C or +50°C or +60°C.	2,226.00
WASEX2T4ATPR	Water tank 10l with integrated pump controlled by electrovalve certified ATEX, with delivery pipe 20m (66ft) (max delivery head 30m (98ft) with optional pipe), IN 24Vac/dc, with ATEX pressure switch	3,332.33
WASEX2T4GOR	Water tank 10l with integrated pump controlled by electrovalve certified EAC Ex, with delivery pipe 20m (66ft) (max delivery head 30m (98ft) with optional pipe), IN 24Vac/dc. EAC Ex II Gb c IIC T6...T4 X, III Db c IIIC T85°C...T130°C X. 1Ex db IIC T6...T4 Gb X, Ex tb IIIC T80°C...T130°C Db X, -40°C Ta +35°C or +50°C or +60°C.	2,226.00
WASEX2T4IN	Water tank 10l with integrated pump controlled by electrovalve certified INMETRO, with delivery pipe 20m (66ft) (max delivery head 30m (98ft) with optional pipe), IN 24Vac/dc. INMETRO Ex d IIC T4 Gb, IP66, Ex tb IIIC T135°C Db IP66, -40°C/+60°C.	2,226.00
WASN1V10L20M00	Tank 10l solenoid 230Vac man pump 30m	1,962.72
WASN2V10L20M00	Tank 10l solenoid 24Vac man pump 30m	1,962.72
WASN3V10L20M00	Tank 10l solenoid 120Vac man pump 30m	1,962.72
WASPT0V23L11M00	Tank 23l IN 230 24 120Vac wash 11m float	955.84
WASPT0V23L5M00	Tank 23l IN 230 24 120Vac wash pump 5m	712.36
WASPT0V5L5M00	Tank 5l IN 230 24 120Vac wash pump 5m	581.16
WASPT1V23L30M00	Tank 23l IN 230Vac wash pump 30m float	1,653.00
WASPT3V23L30M00	Tank 23l IN 120Vac wash pump 30m float	1,700.00
WBMA	Housing wall bracket with ball joint	26.01
WCM3A	Ceiling bracket with ball joint	87.51
WCPA	Wall bracket adaptor plate	40.55
WCWA	Corner mount adaptor	63.90
WCWGC	Corner adaptor	106.05
WEXTUB30	Antistatic water pipe delivery 30m	260.13
WFWCA	Column mount ball joint for housing	109.12

Encoder

MODEL NUMBER	DESCRIPTION	MSRP \$
NET5500-XPWR-AU	Extended Temp Encoder AU Power Supply	34.50
NET5501	Single channel rack mount Encoder	601.02
NET5501-AR	Single channel rack mount Encoder AR power cord	601.02
NET5501-AU	Single channel rack mount Encoder AU power cord	595.46
NET5501-CN	Single channel rack mount Encoder No power cord	601.02
NET5501-EU	Single channel rack mount Encoder EU power cord	612.15
NET5501-I	Single-channel Inline Encoder	46.50
NET5501-UK	Single channel rack mount Encoder UK power cord	612.15
NET5501-US	Single channel rack mount Encoder US power cord	595.46

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

NET5501-XT	Single channel temperature-hardened encoder	86.00
NET5501-XT-AU	Single channel temperature-hardened encoder AU power cord	930.47
NET5501-XT-EU	Single channel temperature-hardened encoder EU power cord	912.66
NET5501-XT-UK	Single channel temperature-hardened encoder UK power cord	912.66
NET6504-AU	Rack Mount Encoder 4-CH, AU Power Cord	510.00
NET6504-EU	Rack Mount Encoder 4-CH, EU Power Cord	510.00
NET6504-UK	Rack Mount Encoder 4-CH, UK Power Cord	510.00
NET6504-US	Rack Mount Encoder 4-CH, US Power Cord	510.00
NET6516-AU	Rack Mount Encoder16-CH, AU Power Cord	1,659.00
NET6516-EU	Rack Mount Encoder16-CH, EU Power Cord	1,659.00
NET6516-UK	Rack Mount Encoder16-CH, UK Power Cord	1,659.00
NET6516-US	Rack Mount Encoder16-CH, US Power Cord	1,659.00

Encoders

MODEL NUMBER	DESCRIPTION	MSRP \$
NET5508-AR	8 channel rack mount Encoder AR power cord	1,383.46
NET5508-AU	8 channel rack mount Encoder AU power cord	1,394.59
NET5508-CN	8 channel rack mount Encoder No power cord	1,370.10
NET5508-EU	8 channel rack mount Encoder EU power cord	1,356.75
NET5508-UK	8 channel rack mount Encoder UK power cord	1,356.75
NET5516-UK	16 channel rack mount Encoder UK power cord	2,264.96

Housings

MODEL NUMBER	DESCRIPTION	MSRP \$
EH14-2	General purpose camera housing with megapixel window IP66 environmental protection CE certification 24VAC power supply heater and blower and optional	116.87
EH14-3	General purpose camera housing with megapixel window IP66 environmental protection CE certification 230VAC power supply and heater and blower and optional mounts and brackets	160.27
EH16	General purpose camera housing with megapixel window IP66 environmental protection UL and CE certification and optional mounts and brackets	125.77
EH20	General purpose housing IP66, No Heater/Blower, Sunshade, Without Feedthrough Mount	159.16
EH20-2-H	General purpose housing IP66, 24VAC with Heater/Blower, Sunshade and Feedthrough Mount	259.33
EH20-3-H	General purpose housing IP66, 110-230VAC with Heater/Blower, Sunshade and Feedthrough Mount	341.69
EH20-M	General purpose housing IP66, No Heater/Blower, With Feedthrough Mount	197.00
EH20-P-H	General purpose housing IP66, PoE+/HPoE with Heater/Blower, Sunshade and Feedthrough Mount	407.36
EHS8000-2-H	Stainless Steel Housing IP66, 24VAC with Heater/Blower	1,988.93
EHS8000-3-H	Stainless Steel Housing IP66, 230VAC with Heater/Blower	2,510.93
EHS8000-P-H	Stainless Steel Housing IP66, HPoE with Heater/Blower	2,262.73
UPTB1STA00A	ULISSE2 PTZ Germanium Glass 230 Vac	6,532.60

Lens

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

MODEL NUMBER	DESCRIPTION	MSRP \$
13M2.8-8	Lens, 1/3-inch format 3 megapixel varifocal 2.8-8mm F/1.2-1.9 auto iris CS-mount	174.74
13VA5-50	Lens, 1/3-inch format varifocal zoom, 5-50mm manual iris, manual focus and zoom, f1.4-closed, CS-mount.	183.65
AG3Z2812KCS-MPWIR-MSI	LENS, CS, 2.8-8.5mm f1.2, 1/2.8, 6MP	230.00
AG3Z2812TCS-MPWIR-MSI	LENS, iCS, 2.8-8.5mm f1.2, 1/2.8, 6MP	303.00
EG3Z3915TCS-MPWIR-MSI	LENS, iCS, 3.9-10mm f1.5, 1/1.8, 4K	380.00
EG6Z0915TCS-MPWIR-MSI	LENS, iCS, 9-50mm f1.5, 1/1.8, 4K	570.00
M1.8-3	Megapixel CS 1.8-3mm F1.8 Lens For Sarix Box IP Cameras SL183A	362.84
M13VG2713IR-MSI	LENS, CS, 2.7-13mm f1.4, 1/2.7, 3MP	150.00
M2.7-13	Megapixel CS 1/2.7Inch 2.7-13mm F1.4 Lens DC Iris for Sarix Box IP Cameras M13VG2713IR	249.31
M2.8-8.5P	Megapixel CS 1/2.7Inch 2.8-8.5mm F1.2 P-iris Lens for Sarix Box IP Cameras AG3Z2812KCS-MPWIR	272.69
M8-80	Megapixel CS 8-80mm for Sarix Box IP Cameras DV10X8SRA-SA1L	567.63
M9-40P	Megapixel CS 1/2.5Inch 9-40mm F1.5 P-iris Lens for Sarix Box IP Cameras SL940P	362.84
MCS4-2B	Allows 4 outputs with total capacity of 2Amp. Each output has a self-resetting circuit breaker. No master power switch. UL Listed. 120 VAC input, 24 VAC output.	367.29
MI2.8-8.5P	Megapixel I-CS Lens 2.8-8.5mm for Sarix box IP cameras AG3Z2812TCS-MPWIR	302.74
MI3.9-10P	Megapixel I-CS 3.9-10Mm F1.5 Lens For Sarix Box IP CamerasEG3Z3915TCS-MPWIR	402.91
MI9-50P	Megapixel I-CS 9-50mm F1.5 Lens for Sarix Box IP Cameras EG6Z0915TCS-MPWIR	705.64
SL1250P-MSI	LENS, CS, 12-50mm f1.8, 1/1.7, 4K	340.00
SL183A-MSI	LENS, CS, 1.8-3mm f1.8, 1/2.7, 5MP	363.00
SL940P-MSI	LENS, CS, 9-40mm f1.5, 1/2.7, 5MP	363.00
YV2.7X2.2SR4A	1/3" or 1/2.7" CS mount lens 2.2-6mm, DC auto iris, F1.3	304.96
YV2.8X2.8SR4A	1/3" or 1/2.7" CS mount lens 2.8-8mm, DC auto iris, F1.3	244.86
YV3.3X15SR4A	1/3" or 1/2.7" CS mount lens 15-50mm, DC auto iris, F1.5	418.49

Monitors

MODEL NUMBER	DESCRIPTION	MSRP \$
PMCL2-CM	Monitor Mount, Ceiling Mount And VESA Head For LCD Monitors	473.03
PMCL2-CMPL	Ceiling Mount And Telescoping Pole for 34-56" monitors	823.62
PMCL2-CMPS	Ceiling Mount And Telescoping Pole for 23-31" monitors	779.10
PMCL2-WM	VESA Wall Mount For LCD Monitor up to 50 lb	133.56
PMCL2-WM1A	1 Arm Wall Mount with Tilt/Swivel Head	350.60
PMCL2-WMT	Wall Mount With Tilt/Swivel Head	211.47
PMCL622	21.5" LED Backlit 1080p Resolution Security Display	579.87
PMCL624	24" LED Backlit 1080p Resolution Security Display	678.93
PMCL632	32" LED Backlit 1080p Resolution Security Display	980.55
PMCL643K	43" LED Backlit 4K Monitor	2,180.37
PMCL649K	49" LED Backlit 4K Monitor	2,569.92
PMCL655K	55" LED Backlit 4k Resolution Security Display	2,820.34
PMCL665K	65" LED Backlit 4K Monitor	3,101.93
PMCLNBWMF	Flat wall mount for Narrow Bezel LCD monitors compatible with PMCL542NB PMCL546NB PMCL555NB	222.60

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

PMCLNBWMS	Swing out arm wall mount for Narrow Bezel LCD monitors compatible with PMCL542NB PMCL546NB PMCL555NB	735.69
PMCLNBWMT	Tilt wall mount for Narrow Bezel LCD monitors compatible with PMCL542NB PMCL546NB PMCL555NB	267.12

Mount / Bracket

MODEL NUMBER	DESCRIPTION	MSRP \$
BB5-PCA-GY	Spectra II pendant mount conduit adapter kit, gray, for Spectra and DF5 domes. Use in pendant mount when conduit is being used for electrical connections. Must be used with BB5A-PG or BB5T-PG.	120.20
BRKTMD-1001	DIN Rail Mount for Modular Camera Main Unit	44.40
BRKTMD-1011	Replacement L Bracket for Modular Camera Microbullet Sensor Head	37.83
BRKTMD-1021	Replacement Flat Bracket for Modular Camera Right Angle Sensor Head	33.19
BRKTMD-1031	Replacement Trimring Bracket for Modular Camera Microbullet Sensor head	30.60
BU-ADAPTER	Adapter plate for conduit box for IR bullet surface mounting	46.75
C11-UM	Universal camera mount for Sarix Box cameras	122.43
CBLKT-1001	Cable kit replacement for for Multi sensor Multi directional cameras	76.80
CLPNL-1001	Ceiling panel metal white 2 ft X 2 ft to replace existing ceiling tile for Multi Sensor Multi directional camera	110.19
CM1751	Light Duty mount ceiling/pendant/wall	61.22
CM400	Corner adapter for LWM41 Legacy, IWM, or IWM24 wall mounts for Legacy and Intercept series or Spectra and DF5 pendant series. Supports up to 75 lbs.	95.72
CM400-SW	Corner Mount Adaptor For IWM-SW for Spectra Enhanced 7 IP PTZ Cameras RAL 9003	95.72
DCLPNL-1001	Metal ceiling panel for dome camera installations in suspended ceilings	112.11
EC20	Ceiling Mount For EH20 Enclosures	310.53
ECM101	Corner mount adapter for Esprit	123.21
EH14	General purpose General purpose camera housing with megapixel window IP66 environmental protection CE certification and optional mounts and brackets	61.22
EH16-3MTS		244.86
EH16-MT	General purpose camera housing with megapixel window IP66 environmental protection UL and CE certification and mount	150.26
EM14A	Light Duty Wall Mount For EH14 Enclosure Ral 9002	50.09
EM16	Feed through mount for EH16 Housing	27.83
EM20	Feedthrough mount for EH2000 Enclosures - MOUNT ONLY	52.31
EM20JB	Wall mount junction box for EM20	149.14
EM3512	Wall mount, feedthrough for EH3512 24V	184.76
EMS8000	Mount For EHS8000 Stainless Steel	276.02
EP20	Pole Mount For EH20 Enclosures	103.51
EP21	Pole Mount For EM20 Enclosure Mount	76.80
EPM	Pole adapter for Esprit systems. Adapts any wall mounted Esprit system (models which include the EWM wall mount) for pole mounting applications.	95.72
EPP2	Esprit Pedestal Plate	63.44
EPS8000	Pole Mount For EHS8000 Enclosures	103.51
EWM	Wall mount for Esprit systems. Provides indoor and outdoor wall mounting to any vertical load bearing surface. Use optional adapter, EPM, for pole mounting applications.	80.00
IBD3-FP	Replacement front plate kit for IBD Series 3 High Security Corner Camera Rolled Steel Pantone 427C	274.54
IBD3-FPSS		338.14

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

	Replacement front plate kit for IBD Series 3 High Security Corner Camera Stainless Steel	
IBP3-PLMT	Pole Mount for Sarix Enhanced 3 and Sarix Professional 3 Bullet cameras	76.80
IBP3BBAP-EI	In-ceiling Mount for Sarix Professional 3 and Sarix Enhanced 3 Environmental Bullet cameras	113.53
IBP3BBAP-ES	Surface Mount for Sarix Professional 3 and Sarix Enhanced 3 Environmental Bullet cameras	117.98
IBV-A4S	4S Adapter Plate for IBV Series Varifocal Lens Sarix Value Bullets	54.54
IFBV-JB	Junction Box for IFV Series Sarix Value Environmental Fixed Lens Turrets and IBV Series Environmental Bullets	95.72
IJTFV-PA	Pendant Adapter Plate for IJV Fixed Focal Dome ITV Varifocal Turret IFV Fixed Focal Turret Sarix Value IP Cameras	45.63
IJTV-AP	Adapter Plate for IJV Fixed Focal Dome ITV Varifocal Turret Sarix Value IP Cameras	33.39
IMD1-INC	Inceiling mount adapter for Sarix Multi cameras	156.09
IMD1-IR	IR illuminator ring for Sarix Multi cameras	388.44
IMD1-PMT	Pendant mount adapter for Sarix Multi cameras	175.72
IMD1-SMT	Surface mount adapter for Sarix Multi cameras	175.72
IME3ICM-E	Inceiling Mount For Sarix Enhanced 3 Dome Cameras Environmental And Indoor	105.74
IME3PM-E	Pendant Mount For Sarix Enhanced 3 Dome Cameras Environmental And Indoor	105.74
IMEBB-S	Backbox Surface Mount White for IP Sarix Enhanced Range Indoor Mini Dome	24.49
IMEBB-VI	Backbox InCeiling Mount for IP Sarix Enhanced Range Vandal and Environmental Mini Dome	76.80
IMEBB-VP	Backbox Pendant Mount for IP Sarix Enhanced Range Vandal and Environmental Mini Dome	89.04
IMELBB-I	Backbox InCeiling Mount White for IP Sarix Enhanced Range Indoor Mini Dome	52.31
IMELD1-1EI	Clear Lower Dome for IP Sarix Enhanced Range Environmental Inceiling mounted Mini Dome	89.04
IMELD1-1ES	Clear Lower Dome for IP Sarix Enhanced Range Environmental Surface and Pendant mounted Mini Dome	181.42
IMF-PM	Pendant Mount Adapter for Pelco Fisheye Environmental Cameras	87.93
IMF-PNL	Metal Ceiling Panel For Inceiling Mount Pelco Fisheye cameras replaces Existing Ceiling Tile 2 Ft X 2Ft Pantone 427C	166.95
IMJTV-JB	Junction Box for Sarix Value Environmental IMV Series Varifocal Domes And IJV Series Fixed Focal And ITV Series Varifocal Turrets	104.62
IMM-CM	Corner Mount for WMVE-SR; Telegrey	144.69
IMM-CMAW	Corner Mount for WMVE-AW Pantone 427C	76.80
IMM-PNL	Ceiling Panel for Optera Inceiling Mount 2Ftx2Ft White	249.00
IMMBB0-BP	Backbox for Optera Indoor Vandal Pendant Mount Black	75.68
IMMBB0-BS	Backbox for Optera Indoor Vandal Surface Mount Black	75.68
IMMBB0-EI	Backbox for Optera Environmental Vandal Inceiling Mount Telegrey Plenum Rated	75.68
IMMBB0-EP	Backbox for Optera Environmental Vandal Pendant Mount Telegrey	75.68
IMMBB0-ES	Backbox for Optera Environmental Vandal Surface Mount Telegrey	75.68
IMMBB0-I	Backbox for Optera Indoor Vandal Inceiling Mount White Plenum Rated	75.68
IMMBB0-P	Backbox for Optera Indoor Vandal Pendant Mount White	75.68
IMMBB0-S	Backbox for Optera Indoor Vandal Surface Mount White	75.68
IMP3EBAP	Adapter Plate for Electrical Box for Sarix Professional 3 Dome camera	21.15
IMP3ICM-1E	In-ceiling mount for Sarix Professional 3 Dome camera	81.25
IMP3PM-1E	Pendant mount for Sarix Professional 3 Dome camera	109.07
IMP3PMB-1I	Wall mount for Sarix Professional 3 Dome camera	50.09

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

IMV-AP	Adapter Plate for IMV Series Varifocal Lens Sarix Value Minidomes	31.16
IMV-PA	Pendant Mount Adapter for IMV Series Varifocal Lens Sarix Value Minidomes	40.07
IMV-WMJB	Junction Box for SRXV-WMP Sarix Value Wall Mount	62.33
IWM-GY	Wall mount with cable feedthrough for pendant mounted Spectra cameras. Supports up to 75 pounds. Can also be used with PP4348 for parapet rooftop applications. Gray finish.	109.07
IWM-SR	Wall Mount Lt Gray for Sarix IE P Pnd Lg	105.74
IWM-SW	Environmental wall mount with cable feedthrough for Spectra Enhanced 7 IP PTZ cameras, RAL 9003	109.07
IWM24-GY	Wall mount (IWM-GY) with integrated weatherproof transformer. Designed for use with Intercept or Spectra and DF5 outdoor dome series. Gray finish. 120 VAC input, 24 VAC output.	328.34
IWM24-SR	Wall Mount 24 VAC Light Gray for Sarix IE Pendant Long	290.49
IWM24-SW	Environmental wall mount with cable feedthrough built in 24 VAC 100 VA for Spectra Enhanced 7 IP PTZ cameras, RAL 9003	328.34
MRCA	Ceiling adapter for domes and MR3000, MR3050, MR4000 and MRU monitor mounts.	44.52
NPTA-1001	1.5 inch NPT Adapter for Large Pendant Mount Camera	65.67
PA101	Pole adapter for EM1400, PM14, MM1000 mounts. Minimum pole diameter 1.5-inches. Mounting straps included.	74.57
PA101-AW	Pole Mount Adapter for WMVE-AW min pole diameter 1.5 inches Pantone 427C	76.80
PA101-SW	Pole mount adapter. Minimum pole diameter 1.5-inches. Mounting straps included. White	74.57
PA402	Pole adapter for LWM41 Legacy®, IWM, or IWM24 wall mounts for Legacy® and Intercept series or Spectra® and DF5 pendant series. Minimum pole diameter 3 in.	99.06
PA402-SW	Pole Mount Adaptor for IWM-SW for Spectra Enhanced 7 IP PTZ Cameras RAL 9003	99.06
PLMT-1001	POLE MOUNT FOR LRGE PENDT WLMT-1001	115.00
PM2000	Heavy-duty, for pan/tilt's or enclosures. Ceiling/pedestal mount, 24-inch height. Can be used with AH2000 adjustable head. Supports up to 125 lbs. Use ST1 support strut for increased stability.	190.32
PM2010	Heavy-duty, for pan/tilt's or enclosures. Ceiling/pedestal mount, 10-inch height. Can be used with AH2000 adjustable head. Supports up to 125 lbs. Use ST1 support strut for increased stability.	128.00
PP350	Parapet wall mount for Spectra and DF5 outdoor pendant style domes. Mounts to inside or outside of parapet wall.	496.40
PP350-AW	Parapet Wall Mount for 1.5 Inch Small Pendants Swivels for Easy Install 45 lb Load Pantone 427C	496.40
PP350-SW	Parapet wall mount for Spectra and DF5 outdoor pendant style domes. Mounts to inside or outside of parapet wall. White	496.40
PP351	Rooftop Parapet wall mount for Spectra and DF5 outdoor pendant style domes. Mounts to rooftop or flat horizontal surface.	767.59
PP351-AW	Parapet Rooftop Mount for 1.5 Inch Small Pendants Swivels for Easy Install 45 lb Load Pantone 427C	589.89
PP351-PIPE-AW	PARAPET ROOFTOP MOUNT FOR 1.5 INCH SMALL PENDANTS SWIVELS FOR EASY INSTALL 45 LB LOAD PANTONE 427C	722.34
PP351-PIPE-SW	PIPE ROOFTOP PP351 WHITE RAL9003	417.38
PP351-SW	Rooftop Parapet wall mount for Spectra and DF5 outdoor pendant style domes. Mounts to rooftop or flat horizontal surface. White	589.89
PP450	Parapet adapter mount for Spectra and DF5 series pendant domes utilizing 1.5-inch NPT threaded pipe for mounting. Mounts to inside or outside of parapet wall. Removable end cap. Gray	548.71
PP450-SW	Parapet adapter mount for Spectra and DF5 series pendant domes with 1.5 inch NPT mounting. Mounts to inside or outside of parapet wall. Removable end cap. White	548.71
PP451	Rooftop parapet adapter mount for Spectra and DF5 series pendant domes utilizing 1.5-inch NPT threaded pipe for mounting. Mounts to rooftop or flat horizontal surface. Removable end cap.	808.01

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

PP451-SW	Rooftop parapet adapter mount Intercept for Spectra and DF5 series pendant domes (any utilizing 1.5-inch NPT threaded pipe). Mounts to rooftop or flat horizontal surface. Removable end cap. White	635.52
PPX51-BASE-AW	BASE FOR PARAPET ROOFTOP MOUNT FOR 1.5 INCH SMALL PENDANTS SWIVELS FOR EASY INSTALL 45 LB LOAD PANTONE 427C	722.34
SLSPCIL-1001	In-ceiling mount for 6.1" (156mm) Dome camera	33.00
SRXE4-PM-1E	1.5 inch NPT Adapter for Sarix Enh 4 Dome Cameras	60.00
SRXP4-PM-1E	Pendant mount for Sarix Pro 4 Dome camera	43.00
SRXV-CM	Corner Mount for Wall Mounted Sarix Value IP Cameras and Bullets	197.00
SRXV-PCF	Ceiling Flange for Pendant Adapter and Pipe Extension for Sarix Value Cameras	204.79
SRXV-PLM	Pole Mount for Wall Mounted Sarix Value IP Cameras and Bullets	133.56
SRXV-PP	Pipe Extension for Pendant Adapter for Sarix Value Cameras	92.38
SRXV-WMP	Wall Mount for Sarix Value IP Cameras using Pendant Adapter Plate	62.33
SRXV-WMS	Wall Mount for Sarix Value Surface Mount Environmental IMV Series Varifocal Domes IJV Series Fixed Focal Domes ITV Series Varifocal Turrets And IJV Series Fixed Focal Domes	58.99
SWM-GY	Compact environmental wall mount for small size pendant domes camera. 1.5-inch NPT. Supports up to 4.5 kg (10 lb). RAL 9002 (env gray) color.	63.44
SWM-PA-BK	Black pole adapter for the SWM-BK. Mounts Spectra or DF5 pendant domes using two stainless steel straps and an attachment plate. Provides cable feedthrough.	45.63
SWM-PA-GY	Gray pole adapter for the SWM-GY. Mounts Spectra or DF5 pendant domes using two stainless steel straps and an attachment plate. Provides cable feedthrough.	37.84
SWM-SR	Compact environmental wall mount for small size pendant domes camera. 1.5-inch NPT. Supports up to 4.5 kg (10 lb). RAL 9047 (light grey) color.	63.44
SWM-SW	Compact environmental wall mount for small size pendant domes camera. 1.5-inch NPT. Supports up to 4.5 kg (10 lb). RAL 9003 (white) color.	86.85
TB1751	Mount,Light Duty,with Bar Clip	63.44
UEWBTA	Parapet or ceiling mounting bracket UK	293.48
WBJA	Housing wall bracket with ball joint	26.01
WBLA	Wall bracket with ball joint for housing	795.06
WBOVA2	Wall bracket with internal cable chan	38.55
WLMT-1001	Wall Mount for large pendant camera	121.32
WLMT-1021	Mount, Pendant Arm, 20cm Long, 1.5 NPT	105.00
WMVE-AW	Wall Mount Vandal Resistant Environmental For 1.5 Inch NPT Pendant Pantone 427C	62.33
WMVE-SR	Wall Mount Vandal Resistant 1.5 Inch NPT Cool Light Gray For Sarix Series IE, IM-V, IM-E, Others	62.33
WMVE-SW	Wall Mount Vandal 1.5 inch NPT with Indoor 0.75 inch NPT adapter For Sarix Professional and Enhanced Range pendants, RAL 9003	62.33
WSFPA	Pole mount adaptor 65mm to 140mm	73.24
XWBA	BRACKET, Wall, AISI 316L	680.34
XWBTA	MOUNT, Parapet, AISI 316L	293.48

Panoramic

MODEL NUMBER	DESCRIPTION	MSRP \$
IMF-LD1	Replacement Lower Dome Bubbles Clear 3 Pack For Environmental IMF Pelco Fisheye Cameras Upto 12MP Resolution	110.19
IMMLD0-1	Lower Dome for Optera Indoor Vandal White Trim Clear Bubble	75.68
IMMLD0-1E	Lower Dome for Optera Environmental Vandal Telegrey Trim Clear Bubble	75.68
IMMLD0-B0	Lower Dome for Optera Indoor Vandal Black Trim Smoked Bubble	75.68

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

Power

MODEL NUMBER	DESCRIPTION	MSRP \$
PD-9001GR/AT/AC-AU-MSI	PoE+ Single port injector 30W with Australian power cord	99.06
PD-9001GR/AT/AC-EU-MSI	PoE+ Single port injector 30W with European power cord	99.06
PD-9001GR/AT/AC-NA-MSI	PoE+ Single port injector 30W with North American power cord	99.06
PD-9001GR/AT/AC-UK-MSI	PoE+ Single port injector 30W with United Kingdom power cord	99.06
PD-9601GCAC-LNG	802.3BT 1PRT INJ PD-9601GC/AC-LNG	350.60
POE1236-ATEU	12 Port 36W per Port PoE AT Midspan 10 100 1000 Base T AC DC Input European Power Cord PD-9012G/ACDC	1,816.42
POE130-ATEU	Single Port PoE Plus 30W Midspan AC Input European Powercord PD-9001GC/AC	135.79
POE130-ATUS	Single Port PoE Plus 30W Midspan AC Input US Powercord PD-9001GC/AC	135.79
POE130-XT	Single Port 802.3AF 802.3AT Extender 100M PD-POE Extender	318.32
POE190-BT	HPOE 802.3BT Single Port Injector - US, European, UK power cords PD-9601GC/AC-LNG	286.04
POE2436-ATEU	24 Port 36W Per Port PoE AT Midspan 10 100 1000 Base T AC DC Input European Power Cord PD-9024G/ACDC	2,361.79
POE2436-ATUS	24 Port 36W Per Port PoE AT Midspan 10 100 1000 Base T AC DC Input US Power Cord PD-9024G/ACDC	2,361.79
POE430-ATEU	4 Port 30W Per Port PoE AT Midspan 10 100 1000 Base T AC Input European Power Cord PD-9004G/AC	589.89
POE430-ATUS	4 Port 30W Per Port PoE AT Midspan 10 100 1000 Base T AC Input US Power Cord PD-9004G/AC	589.89
PWRCRD-R-AR	Power Cord Round for Argentina	28.94
PWRCRD-R-AU	Power Cord Round for Australia	28.94
PWRCRD-R-EU	Power Cord Round for Europe	28.94
PWRCRD-R-UK	Power Cord Round for United Kingdom	28.94
PWRCRD-S-AR	Power Cord Standard for Argentina	28.94
PWRCRD-S-AU	Power Cord Standard for Australia	28.94
PWRCRD-S-EU	Power Cord Standard for Europe	28.94
PWRCRD-S-UK	Power Cord Standard for United Kingdom	28.94
TF2000	Camera power supply for 24 VAC cameras, 120 VAC to 24 VAC (Class 2), 20 vA.	49.00
TF9000	Camera power supply for 24 VAC cameras, 120 VAC to 24 VAC (Class 2), 50 vA.	97.00
WCS1-4	Allows 1 fused output with a total capacity of 4Amp. 120/240 VAC input, 24/26/28 VAC output.	250.43

PTZ

MODEL NUMBER	DESCRIPTION	MSRP \$
LD7AF-0	Lower bubble Spectra 7 4K Indoor White Smoked bubble	318.32
LD7AF-1	Lower bubble Spectra 7 4K Indoor White Clear bubble	318.32
LD7APB-0	Lower bubble Spectra 7 4K Environmental Black Smoked bubble	318.32
LD7APB-1	Lower bubble Spectra 7 4K Environmental Black Clear bubble	318.32
LD7F-0	Lower bubble Spectra 7 Indoor White Smoked bubble	227.05
LD7F-1	Lower bubble Spectra 7 Indoor White Clear bubble	227.05
LD7PB-0	Lower bubble Spectra 7 Environmental Black Smoked bubble	227.05

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

Transmission

MODEL NUMBER	DESCRIPTION	MSRP \$
CBS350-24FP-4G-EU	28-port Gigabit Managed Switch (24 PoE+ budget 370W, 4 Gigabit SFP) - EU	2,342.12
CBS350-24FP-4G-NA	28-port Gigabit Managed Switch (24 PoE+ budget 370W, 4 Gigabit SFP) - NA	2,342.12
CBS350-24FP-4G-UK	28-port Gigabit Managed Switch (24 PoE+ budget 370W, 4 Gigabit SFP) - UK	2,342.12
CBS350-8FP-E-2G-EU	10-port Gigabit Managed Switch (8 PoE+ budget 120W, 2 copper/SFP combo) - EU	918.70
CBS350-8FP-E-2G-NA	10-port Gigabit Managed Switch (8 PoE+ budget 120W, 2 copper/SFP combo) - NA	918.70
CBS350-8FP-E-2G-UK	10-port Gigabit Managed Switch (8 PoE+ budget 120W, 2 copper/SFP combo) - UK	918.70
EC-1501C-M	EthernetConnect Local or Remote Single Port Extender Coax with Pass Through PoE to 15 Watts Mini Case 12VDC/24VAC	359.50
EC-1501U-M	EthernetConnect Local or Remote Single Port Extender Cat5 with Pass Through PoE to 15 Watts Mini Case 12VDC/24VAC	348.37
EC-1504C-W	EthernetConnect Local or Remote Four Port Extender Coax with Pass Through PoE to 15 Watts Wall Mount	1,320.02
EC-1504U-W	EthernetConnect Local or Remote Four Port Extender Cat5 with Pass Through PoE to 15 Watts Wall Mount	1,347.84
EC-1508CL-R	EthernetConnect Local Eight Port Extender Coax with Pass Through PoE to 15 Watts 1 RU Rack Mount	2,026.77
EC-1508UL-R	EthernetConnect Local Eight Port Extender Cat5 with Pass Through PoE to 15 Watts 1 RU Rack Mount	2,026.77
EC-1516CL-R	EthernetConnect Local Sixteen Port Extender Coax with Pass Through PoE to 15 Watts 1 RU Rack Mount	4,745.83
EC-1516UL-R	EthernetConnect Local Sixteen Port Extender Cat5 with Pass Through PoE to 15 Watts 1 RU Rack Mount	4,164.85
EC-3001CLPOE-M	EthernetConnect Local Single Port Extender Coax with True PoE to 30 Watts Mini Case 12VDC/24VAC	520.88
EC-3001CRPOE-M	EthernetConnect Remote Single Port Extender Coax with True PoE to 30 Watts Mini Case 12VDC/24VAC	520.88
EC-3001ULPOE-M	EthernetConnect Local Single Port Extender Cat5 with True PoE to 30 Watts Mini Case 12VDC/24VAC	547.60
EC-3001URPOE-M	EthernetConnect Remote Single Port Extender Cat5 with True PoE to 30 Watts Mini Case 12VDC/24VAC	547.60
EC-3004CLPOE-W	EthernetConnect Local Four Port Extender Coax with True PoE to 30 Watts Wall Mount	1,968.90
EC-3004CRPOE-W	EthernetConnect Remote Four Port Extender Coax with True PoE to 30 Watts Wall Mount	1,968.90
EC-3004ULPOE-W	EthernetConnect Local Four Port Extender Cat5 with True PoE to 30 Watts Wall Mount	2,031.23
EC-3004URPOE-W	EthernetConnect Remote Four Port Extender Cat5 with True PoE to 30 Watts Wall Mount	2,031.23
EC-3008CLPOE-R	EthernetConnect Local Eight Port Extender Coax with True PoE to 30 Watts 1 RU Rack Mount	3,120.85
EC-3008ULPOE-R	EthernetConnect Local Eight Port Extender Cat5 with True PoE to 30 Watts 1 RU Rack Mount	3,149.79
EC-3016CLPOE-R	EthernetConnect Local Sixteen Port Extender Coax with True PoE to 30 Watts 1 RU Rack Mount	6,576.72
EC-3016ULPOE-R	EthernetConnect Local Sixteen Port Extender Cat5 with True PoE to 30 Watts 1 RU Rack Mount	6,592.30
EC-4BY1SWCPOE-W	EthernetConnect 4-Port Self Managed PoE Switch 30 Watts Per Port with Extended Coax Uplink Wall Mount	1,626.09

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

EC-4BY1SWUPOE-W	EthernetConnect 4-Port Self Managed PoE Switch 30 Watts Per Port with Extended Cat5 Uplink Wall Mount	1,678.40
ECPS-48VDC-10A	EthernetConnect 48VDC 10A Power Supply for 8 or 16 Channel PoE Applications	1,280.48
ECPS-48VDC-5A	EthernetConnect 48VDC 5A Power Supply for 4 Channel PoE applications	445.20
ECPS07-12VDC-3A	EthernetConnect 12VDC 3A 8 or 16 Channel non PoE applications	91.27
EUPS	Power Supply For Analog Fiber Card Cage European power cord	695.63
EURACK	Card Cage For Europe, Australia, UK	1,035.09
FEXTPS	Fiber External Power Supply 100- 240VAC 9V 2Amp European US UK Australian power cords	70.12
FEXTPS-48V	External power supply for Fiber accessories 48VDC 1.36A output 100VAC-240VAC input	172.52
FMCI-AF1MM1ST	100Mbps Media Converter (A), ST Connector, mm, 1 fiber	617.72
FMCI-AF1MM1STM	Small Size 100Mbps Media Converter (A), ST Connector, AC/DC Power, mm, 1 fiber	532.01
FMCI-AF1SM1ST	100Mbps Media Converter (A), ST Connector, sm, 1 fiber	614.38
FMCI-AF1SM1STM	Small Size 100Mbps Media Converter (A), ST Connector, AC/DC Power, sm, 1 fiber	739.03
FMCI-BF1MM1ST	100Mbps Media Converter (B), ST Connector, mm, 1 fiber	617.72
FMCI-BF1MM1STM	Small Size 100Mbps Media Converter (B), ST Connector, AC/DC Power, mm, 1 fiber	532.01
FMCI-BF1SM1ST	100Mbps Media Converter (B), ST Connector, sm, 1 fiber	614.38
FMCI-BF1SM1STM	Small Size 100Mbps Media Converter (B), ST Connector, AC/DC Power, sm, 1 fiber	739.03
FMCI-PF1	100Mbps Media Converter	617.72
FMCI-PF1M	Small Size 100Mbps Media Converter	617.72
FMCI-PF1POE	100Mbps Media Converter, Power Over Ethernet	739.03
FMCI-PF2	Dual 2 Port 100Mbps Media Converter	870.37
FMCI-PG1	1000Mbps Media Converter	988.34
FMCI-PG1M	Small Size 1000 Mbps Media Converter	988.34
FMCI-PG1POE	1000Mbps Media Converter, Power Over Ethernet	1,187.57
FMCI-PG2	Dual 1000Mbps Media Converter	1,439.11
FRD1M1ST	RS232/RS422/RS485 data transceiver RX multimode ST connector	785.78
FRD1S1FC	RS232/RS422/RS485 data transceiver RX single mode FC connector	997.25
FRD1S1ST	RS232/RS422/RS485 data transceiver RX single mode ST connector	997.25
FRD4M1ST	4 channel bi-directional RS2322/RS422/RS485 data multiplexer RX multimode ST connector	1,086.29
FRD4S1FC	4 channel bi-directional RS2322/rs422/Rs485 data multiplexer RX singlemode FC connector	1,529.26
FRD4S1ST	4 channel bi-directional RS2322/RS422/RS485 data multiplexer RX singlemode ST connector	1,529.26
FRV10D1A2M1ST	1 channel 10-bit digital video with 1 data 1 contact closure & 2 audio bi-directional RX multimode ST connector	2,134.73
FRV10D1A2S1FC	1 channel 10-bit digital video with 1 data 1 contact closure & 2 audio bi-directional RX singlemode FC connector	2,416.32
FRV10D1A2S1ST	1 channel 10-bit digital video with 1 data 1 contact closure & 2 audio bi-directional RX singlemode ST connector	2,416.32
FRV10D1M1ST	1 channel 10-bit digital video 1 channel bi-directional data receiver multimode ST connector	877.04
FRV10D1S1FC	1 channel 10-bit digital video 1 channel bi-directional data receiver singlemode FC connector	1,449.13
FRV10D1S1ST	1 channel 10-bit digital video 1 channel bi-directional data receiver singlemode ST connector	1,449.13
FRV160S1FC	16 channel 10-bit digital video multiplexer RX singlemode FC connector	11,068.79
FRV160S1ST	16 channel 10-bit digital video multiplexer RX singlemode ST connector	11,068.79

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

FRV20M2ST	2 channel 10-bit digital video 2 fiber receiver multimode ST connector	624.39
FRV20S2FC	2 channel 10-bit digital video 2 fiber receiver singlemode FC connector	1,562.65
FRV20S2ST	2 channel 10-bit digital video 2 fiber receiver singlemode ST connector	1,562.65
FRV320S1FC	32 channel 10-bit digital video multiplexer RX singlemode FC connector	26,834.43
FRV320S1ST	32 channel 10-bit digital video multiplexer RX singlemode ST connector	26,834.43
FRV40D2M1ST	4 channel 10-bit digital video multiplexer 2 data bi-directional & 1 contact closure bi-directional RX multimode ST connector	2,774.71
FRV40D2S1FC	4 channel 10-bit digital video multiplexer 2 data bi-directional & 1 contact closure bi-directional RX singlemode FC connector	3,373.50
FRV40D2S1ST	4 channel 10-bit digital video multiplexer 2 data bi-directional & 1 contact closure bi-directional RX singlemode ST connector	3,373.50
FRV40M1ST	4 channel 10-bit digital video multiplexer RX multimode ST connector	1,450.24
FRV40S1FC	4 channel 10-bit digital video multiplexer RX singlemode FC connector	2,416.32
FRV40S1ST	4 channel 10-bit digital video multiplexer RX singlemode ST connector	2,416.32
FRV80D2M1ST	8 channel 10-bit digital video multiplexer 2 data bi-directional & 1 contact closure bi-directional RX multimode ST connector	4,022.38
FRV80D2S1FC	8 channel 10-bit digital video multiplexer 2 data bi-directional & 1 contact closure bi-directional RX singlemode FC connector	5,120.91
FRV80D2S1ST	8 channel 10-bit digital video multiplexer 2 data bi-directional & 1 contact closure bi-directional RX singlemode ST connector	5,120.91
FRV80M1ST	8 channel 10-bit digital video multiplexer RX multimode ST connector	3,350.13
FRV80S1FC	8 channel 10-bit digital video multiplexer RX singlemode FC connector	4,068.02
FRV80S1ST	8 channel 10-bit digital video multiplexer RX singlemode ST connector	4,068.02
FSFP-AFMM1SC2	100fx, 1310nm, 2km, SC, 1 Fiber, Pair with SFP-26B, MSA Compliant	189.21
FSFP-AFSM1LC20	100fx, 1310nm, 20km LC, 1 Fiber, Pair with SFP-10B, MSA Compliant	204.79
FSFP-AFSM1LC60	100fx, 1310nm, 60km, LC, 1 Fiber, Pair with SFP-20B, MSA Compliant	535.35
FSFP-AFSM1SC20	100fx, 1310nm, 20km, SC, 1 Fiber, Pair with SFP-36B, MSA Compliant	278.25
FSFP-AFSM1SC60	100fx, 1310nm, 60km, SC, 1 Fiber, Pair with SFP-24B, MSA Compliant	545.37
FSFP-AGSM1LC20	1000fx, 1310nm, 20km, LC, 1 Fiber, Pair with SFP-12B, MSA Compliant	318.32
FSFP-AGSM1LC60	1000fx, 1310nm, 60km, LC, 1 Fiber, Pair with SFP-18B, MSA Compliant	535.35
FSFP-AGSM1SC20	1000fx, 1310nm, 20km, SC, 1 Fiber, Pair with SFP-14B, MSA Compliant	318.32
FSFP-AGSM1SC60	1000fx, 1310nm, 60km, SC, 1 Fiber, Pair with SFP-22B, MSA Compliant	535.35
FSFP-BFMM1SC2	100fx, 1550nm, 2km, SC, 1 Fiber, Pair with SFP-26A, MSA Compliant	189.21
FSFP-BFSM1LC20	100fx, 1550nm, 20km, LC, 1 Fiber, Pair with SFP-10A, MSA Compliant	204.79
FSFP-BFSM1LC60	100fx, 1550nm, 60km, LC, 1 Fiber, Pair with SFP-20A, MSA Compliant	545.37
FSFP-BFSM1SC20	100fx, 1550nm, 20km, SC, 1 Fiber, Pair with SFP-36A, MSA Compliant	278.25
FSFP-BFSM1SC60	100fx, 1550nm, 60km, SC, 1 Fiber, Pair with SFP-24A, MSA Compliant	545.37
FSFP-BGSM1LC20	1000fx, 1550nm, 20km, LC, 1 Fiber, Pair with SFP-12A, MSA Compliant	318.32
FSFP-BGSM1LC60	1000fx, 1550nm, 60km, LC, 1 Fiber, Pair with SFP-18A, MSA Compliant	535.35
FSFP-BGSM1SC20	1000fx, 1550nm, 20km, SC, 1 Fiber, Pair with SFP-14A, MSA Compliant	387.32
FSFP-BGSM1SC60	1000fx, 1550nm, 60km, SC, 1 Fiber, Pair with SFP-22A, MSA Compliant	535.35
FSFP-EFMM2LC2	100fx, 1310nm, 2km, LC, 2 Fiber, MSA Compliant	126.88
FSFP-EFSM2LC20	100fx, 1310nm, 20km, LC, 2 Fiber, MSA Compliant	133.56
FSFP-EFSM2LC40	100fx, 1310nm, 40km, LC, 2 Fiber, MSA Compliant	369.52
FSFP-EFSM2LC80	100fx, 1550nm, 80km, LC, 2 Fiber, MSA Compliant	476.36
FSFP-EGMM2LC.55	10/100/1000Mbps, 850nm, 550m, LC, 2 Fiber	126.88
FSFP-EGRJ45	Copper 10/100/1000Mbps RJ45, MSA Compliant	168.06
FSFP-EGSM2LC120	1000fx, 1550nm, 120km, LC, 2 Fiber, MSA Compliant	1,015.06
FSFP-EGSM2LC15	1000fx, 1310nm, 15km, LC, 2 Fiber, MSA Compliant	139.13

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

FSFP-EGSM2LC40	1000fx, 1310nm, 40km, LC, 2 Fiber, MSA Compliant	369.52
FSFP-EGSM2LC70	1000fx, 1550nm, 70km, LC, 2 Fiber, MSA Compliant	476.36
FSV10D1M1ST	1 channel 10-bit digital video 1 channel bi-directional data transmitter for Spectra multimode ST connector	779.10
FSV10D1S1FC	1 channel 10-bit digital video 1 channel bi-directional data transmitter for Spectra singlemode FC connector	1,423.53
FSV10D1S1ST	1 channel 10-bit digital video 1 channel bi-directional data transmitter for Spectra singlemode ST connector	1,423.53
FTD1M1ST	RS232/RS422/RS485 data transceiver TX multimode ST connector	785.78
FTD1S1FC	RS232/RS422/RS485 data transceiver TX single mode FC connector	1,955.54
FTD1S1ST	RS232/RS422/RS485 data transceiver TX single mode ST connector	1,955.54
FTD4M1ST	4 channel bi-directional RS2322/RS422/RS485 data multiplexer TX multimode ST connector	1,086.29
FTD4S1FC	4 channel bi-directional RS2322/rs422/Rs485 data multiplexer TX singlemode FC connector	1,489.19
FTD4S1ST	4 channel bi-directional RS2322/RS422/RS485 data multiplexer TX singlemode ST connector	1,489.19
FTV10D1A2M1ST	1 channel 10-bit digital video with 1 data 1 contact closure & 2 audio bi-directional TX multimode ST connector	2,154.77
FTV10D1A2S1FC	1 channel 10-bit digital video with 1 data 1 contact closure & 2 audio bi-directional TX singlemode FC connector	2,394.06
FTV10D1A2S1ST	1 channel 10-bit digital video with 1 data 1 contact closure & 2 audio bi-directional TX singlemode ST connector	2,394.06
FTV10D1M1ST	1 channel 10-bit digital video 1 channel bi-directional data transmitter multimode ST connector	877.04
FTV10D1S1FC	1 channel 10-bit digital video 1 channel bi-directional data transmitter singlemode FC connector	1,449.13
FTV10D1S1ST	1 channel 10-bit digital video 1 channel bi-directional data transmitter singlemode ST connector	1,449.13
FTV10M1ST	Single 10-bit digital video transmitter multimode ST connector	365.06
FTV10M1STM	Mini single 10-bit digital video transmitter multimode ST connector	445.20
FTV10S1FC	Single 10-bit digital video transmitter multimode FC connector	788.00
FTV10S1FCM	Mini single 10-bit digital video transmitter singlemode FC connector	788.00
FTV10S1ST	Single 10-bit digital video transmitter singlemode ST connector	788.00
FTV10S1STM	Mini single 10-bit digital video transmitter singlemode ST connector	788.00
FTV160S1FC	16 channel 10-bit digital video multiplexer TX singlemode FC connector	11,068.79
FTV160S1ST	16 channel 10-bit digital video multiplexer TX singlemode ST connector	11,068.79
FTV320S1FC	32 channel 10-bit digital video multiplexer TX singlemode FC connector	26,834.43
FTV320S1ST	32 channel 10-bit digital video multiplexer TX singlemode ST connector	26,834.43
FTV40D2M1ST	4 channel 10-bit digital video multiplexer 2 data bi-directional & 1 contact closure bi-directional TX multimode ST connector	2,774.71
FTV40D2S1FC	4 channel 10-bit digital video multiplexer 2 data bi-directional & 1 contact closure bi-directional TX singlemode FC connector	3,373.50
FTV40D2S1ST	4 channel 10-bit digital video multiplexer 2 data bi-directional & 1 contact closure bi-directional TX singlemode ST connector	3,373.50
FTV40M1ST	4 channel 10-bit digital video multiplexer TX multimode ST connector	1,463.60
FTV40S1FC	4 channel 10-bit digital video multiplexer TX singlemode FC connector	2,394.06
FTV40S1ST	4 channel 10-bit digital video multiplexer TX singlemode ST connector	2,394.06
FTV80D2M1ST	8 channel 10-bit digital video multiplexer 2 data bi-directional & 1 contact closure bi-directional TX multimode ST connector	4,022.38
FTV80D2S1FC	8 channel 10-bit digital video multiplexer 2 data bi-directional & 1 contact closure bi-directional TX singlemode FC connector	5,120.91
FTV80D2S1ST	8 channel 10-bit digital video multiplexer 2 data bi-directional & 1 contact closure bi-directional TX singlemode ST connector	5,120.91
FTV80M1ST	8 channel 10-bit digital video multiplexer TX multimode ST connector	3,350.13

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

FTV80S1FC	8 channel 10-bit digital video multiplexer TX singlemode FC connector	4,068.02
FTV80S1ST	8 channel 10-bit digital video multiplexer TX singlemode ST connector	4,068.02
FUMS-FFX2TX2	Unmanaged Switch, 4 Port, 100Mbps, 2 Fiber, 2 Copper, SFP Sold Separately	678.93
FUMS-FFX4TX4	Unmanaged Switch, 8 Port,100Mbps, 4 Fiber, 4 Copper, SFP Sold Separately	991.68
FUMS-FFX8	Unmanaged Switch, 8 Port, 100Mbps, 8 Fiber, SFP Sold Separately	1,160.86
FUMS-FTX8	Unmanaged Switch, 8 Port, 100Mbps, 8 Copper, SFP Sold Separately	1,148.62
FUMS-GFX4	Unmanaged Switch, 4 Port, 1000Mbps, SFP Sold Separately	885.95
FUMS-GFX8	Unmanaged Switch, 8 Port, 1000Mbps, SFP Sold Separately	1,230.98
PDS-104GO/AC/M-CC-MSI	Managed Switch outdoor rated 4 port PoE+ 30W per port or 60W on 2 ports + 1 SFP uplink	1,946.64
RACK1B	1 Slot Blank Filler Plate	32.28
SM24TAT2SA-NA	26-Port Gigabit Managed Switch (24) PoE+ budget 370W, (2) SFP - NA	1,605.90
SM8TAT2SA-NA	10-Port Gigabit Managed Switch (8) PoE+ budget 130W, (2) SFP - NA	810.90
USRACK	Card Cage For US	1,035.09

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

Body-Worn Cameras

Miscellaneous

MODEL NUMBER	DESCRIPTION	MSRP \$
VM-EPL-FIPS	VideoManager FIPS license	1,000.00

Body-Worn Camera Accessories

MODEL NUMBER	DESCRIPTION	MSRP \$
VB-YA-HA-12MW-1	Holster Aware Additional 12m warranty	75.00
VB-YA-HA-24MW-1	Holster Aware Additional 24m warranty	130.00

Software

MODEL NUMBER	DESCRIPTION	MSRP \$
VM-EPL-VB-1-N	Licence: 1x VideoManager for VB camera	400.00
VM-EPL-VB-1-NAM	Licence 1xVM for VB inc ONStream, FIPS	400.00
VM-EPL-VB-CONNECT-TO-PLUS-1	Licence: 1x VideoManager UPGRADE license for VB400 body-worn camera	125.00
VM-ESA-3PVMS-12M	12 m for VideoManager 3rd-party VMS	1,250.00
VM-ESA-3PVMS-24M	24 m for VideoManager 3rd-party VMS	2,200.00
VM-ESA-FIPS-12M	SW Assurance add 12 months for VM FIPS	200.00
VM-ESA-FIPS-24M	SW Assurance add 24 months for VM FIPS	370.00
VM-ESA-HQ-BASE-12M	12 m for VideoManager HQ Base	800.00
VM-ESA-HQ-BASE-24M	24 m for VideoManager HQ Base	1,400.00
VM-ESA-HQ-BASE-48M	SW Assurance add 48 months for HQ Base	2,400.00
VM-ESA-HQ-PRO-12M	SW Assurance: +12m VideoManager HQ Pro	9,400.00
VM-ESA-HQ-PRO-24M	SW Assurance: +24m VideoManager HQ Pro	16,500.00
VM-ESA-MIDTIER-12M	SW Assurance: +12 m for VM-EPL-MIDTIER	1,250.00
VM-ESA-VB-48M	SW Assurance add 48 months 1 VB licence	245.00

VB400

MODEL NUMBER	DESCRIPTION	MSRP \$
VB-400-ID-CUS-ART	Custom VB400 Front button Sticker Design	435.00
VB-440-64-ALIG	VB400 Alligator clip Body-worn camera	640.00
VB-440-64-QR-N	VB400 Body-worn camera with QuickRelease Mount	640.00
VB-440-64-VF-N	VB400 Close Fit Body-worn camera	640.00

VT100

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

MODEL NUMBER	DESCRIPTION	MSRP \$
VM-EPL-VT-CONNECT-1	Licence: 1x VM Connect for VT100	190.00
VM-EPL-VT-CONNECT-TO-PLUS-1	Licence: 1x Upg. to VM Plus for VT100	50.00
VM-EPL-VT-PLUS-1	Licence: 1x VM Plus for VT100	225.00

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

Camera

Miscellaneous

MODEL NUMBER	DESCRIPTION	MSRP \$
BB4-F	Spectra IV SE Back Box, indoor. For suspended or in-ceiling applications. Built-in memory to store camera and location settings. Requires 5.25 inches above ceiling and 3.25-inches below.	328.34
BB4-PG-E	Spectra IV SE Back Box, environmental pendant, gray. Built-in memory to store camera and location specific dome settings. Pendant 10.6-inch overall Length (including dome).	598.79
BB4-PR-E	Spectra IV SE Press Back Box, environmental pendant, gray. Built-in memory to store camera and location specific dome settings.	2,321.40

Analog Cameras

MODEL NUMBER	DESCRIPTION	MSRP \$
LD53PR-0	Spectra III Pressurized lower dome, pendant mount, smoke.	781.33
LD53PSB-1	Spectra III and SE stainless steel lower dome, Pendant mount, black. Clear dome.	771.31
LDHQPB-0	Spectra High Quality lower dome/bubble, smoked, for use with all standard pendant, environmental pendant, and environmental in-ceiling/flush-mounted Spectras	280.48
LDHQPB-1	Spectra High Quality lower dome/bubble, clear, for use with all standard pendant, environmental pendant, and environmental in-ceiling/flush-mounted Spectras	280.48

Anti Corrosion

MODEL NUMBER	DESCRIPTION	MSRP \$
EABE1-2X40QF06-SPT0-AC	EABE1 2MPx40 6.3mm QVGA 30Hz 24VAC	21,304.35
EABE1-2X40QF06-SPT0-AC-1	EABE1 2MPx40 6.3mm QVGA 9Hz 24VAC	21,304.35
EABE1-2X40QF06-SPT0-M1	EABE1 2MPx40 6.3mm QVGA 30Hz Main 120VAC	21,304.35
EABE1-2X40QF06-SPT0-M1-1	EABE1 2MPx40 6.3mm QVGA 9Hz Mains 120VAC	21,304.35
EABE1-2X40QF06-SPT0-M2	EABE1 2MPx40 6.3mm QVGA 30Hz 220-230VAC	21,304.35
EABE1-2X40QF06-SPT0-M2-1	EABE1 2MPx40 6.3mm QVGA 9Hz 220-230VAC	21,304.35
EABE1-2X40QF18-SPT0-AC	EABE1 2MPx40 18mm QVGA 30Hz 24VAC	22,173.91
EABE1-2X40QF18-SPT0-AC-1	EABE1 2MPx40 18mm QVGA 9Hz 24VAC	22,173.91
EABE1-2X40QF18-SPT0-M1	EABE1 2MPx40 18mm QVGA 30Hz Mains 120VAC	22,173.91
EABE1-2X40QF18-SPT0-M1-1	EABE1 2MPx40 18mm QVGA 9Hz Mains 120VAC	22,173.91
EABE1-2X40QF18-SPT0-M2	EABE1 2MPx40 18mm QVGA 30Hz 220-230VAC	22,173.91
EABE1-2X40QF18-SPT0-M2-1	EABE1 2MPx40 18mm QVGA 9Hz 220-230VAC	22,173.91
EABE1-2X40VF09-SPT0-AC	EABE1 2MPx40 8.7mm VGA 30Hz 24VAC	24,782.61
EABE1-2X40VF09-SPT0-AC-1	EABE1 2MPx40 8.7mm VGA 9Hz 24VAC	24,782.61
EABE1-2X40VF09-SPT0-M1	EABE1 2MPx40 8.7mm VGA 30Hz Mains 120VAC	24,782.61
EABE1-2X40VF09-SPT0-M1-1	EABE1 2MPx40 8.7mm VGA 9Hz Mains 120VAC	24,782.61

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

EABE1-2X40VF09-SPT0-M2	EABE1 2MPx40 8.7mm VGA 30Hz 220-230VAC	24,782.61
EABE1-2X40VF09-SPT0-M2-1	EABE1 2MPx40 8.7mm VGA 9Hz 220-230VAC	24,782.61
EABE1-2X40VF36-SPT0-AC	EABE1 2MPx40 36mm VGA 30Hz 24VAC	25,652.17
EABE1-2X40VF36-SPT0-AC-1	EABE1 2MPx40 36mm VGA 9Hz 24VAC	25,652.17
EABE1-2X40VF36-SPT0-M1	EABE1 2MPx40 36mm VGA 30Hz Mains 120VAC	25,652.17
EABE1-2X40VF36-SPT0-M1-1	EABE1 2MPx40 36mm VGA 9Hz Mains 120VAC	25,652.17
EABE1-2X40VF36-SPT0-M2	EABE1 2MPx40 36mm VGA 30Hz 220-230VAC	25,652.17
EABE1-2X40VF36-SPT0-M2-1	EABE1 2MPx40 36mm VGA 9Hz 220-230VAC	25,652.17
ESSE1-2X40-SBT-PA	Esprit Anti-Corrosion Enhanced 1 Series, 2MP 40x Zoom, Fixed Bullet, 24V/PoE+	3,749.87
ESSE1-2X40-SBT-PAP	Esprit Anti-Corrosion Enhanced 1 Series, 2MP 40x Zoom, Fixed Bullet, 24V/PoE+, with Polycarbonate window	3,749.87
ESSE1-2X40-SBT-PAW	Esprit Anti-Corrosion Enhanced 1 Series, 2MP 40x Zoom, Fixed Bullet, 24V/PoE+, with Wiper and 2 Digital Outputs	4,050.00
ESSE1-2X40-SPT-AC	Esprit Anti-Corrosion Enhanced 1 Series, 2MP 40x Zoom, Stainless Steel PTZ, 24VAC, with Wiper	12,612.97
ESSE1-2X40-SPT-M1	Esprit Anti-Corrosion Enhanced 1 Series, 2MP 40x Zoom, Stainless Steel PTZ, mains 120VAC, with Wiper	12,612.97
ESSE1-2X40-SPT-M2	Esprit Anti-Corrosion Enhanced 1 Series, 2MP 40x Zoom, Stainless Steel PTZ, mains 220-230VAC, with Wiper	12,612.97

Box

MODEL NUMBER	DESCRIPTION	MSRP \$
EXBE2-2X30QF06-SPT-ACG	ExSite Enhanced Series 2 Bispectral PTZ in stainless steel AISI316L, Visual 2MP 30x zoom, Thermal lens 6.3mm, 320x256, 30Hz, IN 24VAC, sunshield, with SD card for ONVIF G. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. IECEx Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. EAC Ex 1Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +50°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T4 Gb, Zone 21, AEx tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +65°C +70°C. UL listed for Canada Ex db IIC T6...T4 Gb X, Ex tb IIIC T85°C...T135°C Db X, -40°C Ta +50°C or +65°C +70°C. UK Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C.	33,913.04
IXE23	Sarix Enhanced 3 Box IP Camera 2MP accepts I-CS lens True WDR Advanced Analytics	446.73
IXE33	Sarix Enhanced 3 Box IP Camera 3MP accepts I-CS lens True WDR Advanced Analytics	465.73
IXP13	Sarix Professional 3 Box Camera, 1MP	417.21
IXP23	Sarix Professional 3 Box Camera, 2MP	438.97
IXP33	Sarix Professional 3 Box Camera, 3MP	508.03
IXP53	Sarix Professional 3 Box Camera, 5MP	607.37
SRXE4P-2-IBX-1	2MP Sarix Enh 4P Box Camera Compatible with CS/iCS Lens	786.97
SRXE4P-4-IBX-1	4MP Sarix Enh 4P Box Camera Compatible with CS/iCS Lens	840.00
SRXE4P-6-IBX-1	6MP Sarix Enh 4P Box Camera Compatible with CS/iCS Lens	870.00
SRXE4P-8-IBX-1	8MP Sarix Enh 4P Box Camera Compatible with CS/iCS Lens	900.00

Bullet

MODEL NUMBER	DESCRIPTION	MSRP \$
IBE129-11	Sarix Enhanced 2 Indoor IR Bullet camera 1.3MP 3-9mm PoE, 12VDC, 24VAC	848.11
IBE238-1ER		578.39

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

	Sarix Enhanced 3 Outdoor Bullet 2MP 2.8-8mm Lens IR True WDR Advanced Analytics	
IBE322-1R	SRX ENH+ ENV BULLET POE1224V 3MP 9-22MM	153.75
IBE329-1I	Sarix Enhanced 2 Indoor IR Bullet camera 3MP 3-9mm PoE, 12VDC, 24VAC	139.50
IBE332-1ER	Sarix Enhanced 3 Outdoor Bullet 3MP 8-20mm Lens IR True WDR Advanced Analytics	726.66
IBE338-1ER	Sarix Enhanced 3 Outdoor Bullet 3MP 2.8-8mm Lens IR True WDR Advanced Analytics	633.02
IBE539-1ER	Sarix Enhanced 3 Outdoor Bullet 5MP 4-9mm Lens IR True WDR Advanced Analytics	703.24
IBE832-1ER	Sarix Enhanced 3 Outdoor Bullet 4K 8MP 9-20mm Lens IR True WDR Advanced Analytics	928.45
IBP232-1ER	Sarix Professional 3 Environmental IR Bullet 2MP 9-22mm lens. Orders are non-cancellable and non returnable.	354.82
IBP235-1ER	Sarix Professional 3 Environmental IR Bullet 2MP 5-50mm lens. Orders are non-cancellable and non returnable.	372.03
IBP331-1ER	Sarix Professional 3 Environmental IR Bullet 3MP 2.8-12mm nominal lens. Orders are non-cancellable and non returnable.	354.82
IBP531-1ER	Sarix Professional 3 Environmental IR Bullet 5MP 2.8-12mm nominal lens. Orders are non-cancellable and non returnable.	431.68
IBV229-1ER	Sarix Value 2 Megapixel Varifocal 3.4-9.4 mm Environmental IR Bullet IP Camera	329.45
IBV529-1ER	Sarix Value 5 Megapixel Varifocal 3.4-9.4 mm Environmental IR Bullet IP Camera	427.39
NVX220P00A	NVX 30x 60fps 24Vac 24Vdc PoE+ polycarb	3,749.87
NVX220S00A	NVX 30x 60fps 24Vac 24Vdc PoE+	3,749.87
NVX220W00A	NVX 30x 60fps 24Vac 24Vdc PoE+ wiper	4,050.02
SRXE4-2V12-EBT-IR1	2MP Sarix Enh 4 Environmental Bullet, IR, 2.8-12mm lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	1,115.00
SRXE4-4V9-EBT-IR1	4MP Sarix Enh 4 Environmental Bullet, IR, 4.4-9.3mm lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	1,285.00
SRXE4-6V9-EBT-IR1	6MP Sarix Enh 4 Environmental Bullet, IR, 4.4-9.3mm lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	1,465.00
SRXE4-8V9-EBT-IR1	8MP Sarix Enh 4 Environmental Bullet, IR, 4.4-9.3mm lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	1,621.00
SRXE4P-4V9-EBT-IR1	4MP Sarix Enh 4P Environmental Bullet, IR, 4.4-9.3mm lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	1,477.75
SRXE4P-8V9-EBT-IR1	8MP Sarix Enh 4P Environmental Bullet, IR, 4.4-9.3mm lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	2,036.09
SRXP4-3V10-EBT-IR	3MP Sarix Pro 4 Environmental IR Bullet , 3.4-10.5mm P-iris lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	763.00
SRXP4-3V29-EBT-IR	3MP Sarix Pro 4 Environmental IR Bullet , 10.9-29mm P-iris lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	820.00
SRXP4-3V40-EBT-IR	3MP Sarix Pro 4 Environmental IR Bullet , 4.8-40.8mm P-iris lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	943.00
SRXP4-5V10-EBT-IR	5MP Sarix Pro 4 Environmental IR Bullet , 3.4-10.5mm P-iris lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	893.00
SRXP4-5V29-EBT-IR	5MP Sarix Pro 4 Environmental IR Bullet , 10.9-29mm P-iris lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	951.00
SRXP4-5V40-EBT-IR	5MP Sarix Pro 4 Environmental IR Bullet , 4.8-40.8mm P-iris lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	1,074.00
SRXP4-8V9-EBT-IR	8MP Sarix Pro 4 Environmental IR Bullet , 4.4-9.3mm P-iris lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	1,097.00

Corner

MODEL NUMBER	DESCRIPTION	MSRP \$
--------------	-------------	---------

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

IBD332-1	IBD Series 3 Sarix High Security Corner Camera 3MP Smart Analytics Rolled Steel Pantone 427C	1,086.00
IBD332-1SS	IBD Series 3 Sarix High Security Corner Camera 3MP Smart Analytics Stainless Steel	1,255.00
IBD532-1	IBD Series 3 Sarix High Security Corner Camera 5MP Smart Analytics Rolled Steel Pantone 427C	1,504.00
IBD532-1SS	IBD Series 3 Sarix High Security Corner Camera 5MP Smart Analytics Stainless Steel	1,677.00

Dome

MODEL NUMBER	DESCRIPTION	MSRP \$
IJV223-1ERS	Sarix Value 2 Megapixel Fixed Focal 3.6mm Environmental IR Minidome Surface Mount IP Camera	244.86
IJV522-1ERS	Sarix Value 5 Megapixel Fixed Focal 2.8mm Environmental IR Minidome Surface Mount IP Camera	342.80
IME238-1ERS	Sarix Enhanced Outdoor Dome 2MP 2.8-8mm lens IR Clear Bubble Surface Mount True WDR Advanced Analytics	560.81
IME238-1IRS	Sarix Enhanced Indoor Dome 2MP 2.8-8mm lens IR Clear Bubble Surface Mount True WDR Advanced Analytics	531.63
IME332-1ERS	Sarix Enhanced Outdoor Dome 3MP 8-20mm lens IR Clear Bubble Surface Mount True WDR Advanced Analytics	705.15
IME332-1IRS	Sarix Enhanced Indoor Dome 3MP 8-20mm lens IR Clear Bubble Surface Mount True WDR Advanced Analytics	662.31
IME338-1IRS	Sarix Enhanced Indoor Dome 3MP 2.8-8mm lens IR Clear Bubble Surface Mount True WDR Advanced Analytics	580.40
IME539-1IRS	Sarix Enhanced Indoor Dome 5MP 4-9mm lens IR Clear Bubble Surface Mount True WDR Advanced Analytics	638.92
IME832-1ERS	Sarix Enhanced Outdoor Dome 4K 8MP 9-20mm lens IR Clear Bubble Surface Mount True WDR Advanced Analytics	765.69
IME832-1IRS	Sarix Enhanced Indoor Dome 4K 8MP 9-20mm lens IR Clear Bubble Surface Mount True WDR Advanced Analytics	746.34
IME839-1IRS	Sarix Enhanced Indoor Dome 4K 8MP 4-9mm lens IR Clear Bubble Surface Mount True WDR Advanced Analytics	638.99
IMP131-1ERS	Sarix Professional 3 Environmental IR Dome Camera 1MP 2.8-12mm nominal clear bubble surface mount. Orders are non-cancellable and non returnable.	273.65
IMP131-1IRS	Sarix Professional 3 Indoor IR Dome Camera 1MP 2.8-12mm nominal lens clear bubble surface mount. Orders are non-cancellable and non returnable.	235.52
IMP231-1ERS	Sarix Professional 3 Environmental IR Dome Camera 2MP 2.8-12mm nominal lens clear bubble surface mount. Orders are non-cancellable and non returnable.	291.48
IMP231-1ES	Sarix Professional 3 Environmental Dome Camera 2MP 2.8-12mm nominal lens clear bubble surface mount. Orders are non-cancellable and non returnable.	268.72
IMP231-1IRS	Sarix Professional 3 Indoor IR Dome Camera 2MP 2.8-12mm nominal lens clear bubble surface mount. Orders are non-cancellable and non returnable.	264.42
IMP231-1IS	Sarix Professional 3 Indoor Dome Camera 2MP 2.8-12mm nominal lens clear bubble surface mount. Orders are non-cancellable and non returnable.	244.74
IMP331-1IS	Sarix Professional 3 Indoor Dome Camera 3MP 2.8-12mm nominal lens clear bubble surface mount. Orders are non-cancellable and non returnable.	291.48
IMV229-1ERS	Sarix Value 2 Megapixel Varifocal 3.4-9.4 mm Environmental IR Minidome Surface Mount IP Camera	329.45
IMV529-1ERS	Sarix Value 5 Megapixel Varifocal 3.4-9.4 mm Environmental IR Minidome Surface Mount IP Camera	427.39
IWP133-1ERS	Sarix Professional 3 Environmental Wedge camera 1MP 2.8mm lens	360.61
IWP232-1ERS	Sarix Professional 3 Environmental Wedge camera 2MP 2.4mm lens	440.75

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

IWP233-1ERS	Sarix Professional 3 Environmental Wedge camera 2MP 2.8mm lens	405.13
IWP234-1ERS	Sarix Professional 3 Environmental Wedge camera 2MP 4mm lens	405.13
IWP236-1ERS	Sarix Professional 3 Environmental Wedge camera 2MP 6mm lens	405.13
IWP333-1ERS	Sarix Professional 3 Environmental Wedge camera 3MP 2.8mm lens	476.36
IWP532-1ERS	Sarix Professional 3 Environmental Wedge camera 5MP 2.4mm lens	587.66
IWP533-1ERS	Sarix Professional 3 Environmental Wedge camera 5MP 2.8mm lens	552.05
SRXE4-2V12-EMD-1	2MP Sarix Enh 4 Environmental Dome, 2.8-12mm lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	959.00
SRXE4-2V12-EMD-IR1	2MP Sarix Enh 4 Environmental Dome, IR, 2.8-12mm lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	1,015.00
SRXE4-2V12-IMD-1	2MP Sarix Enh 4 Indoor Dome, 2.8-12mm lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	836.00
SRXE4-2V12-IMD-IR1	2MP Sarix Enh 4 Indoor Dome, IR, 2.8-12mm lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	892.00
SRXE4-2V29-EMD-1	2MP Sarix Enh 4 Environmental Dome, 10.9-29mm lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	1,004.00
SRXE4-2V29-EMD-IR1	2MP Sarix Enh 4 Environmental Dome, IR, 10.9-29mm lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	1,060.00
SRXE4-2V29-IMD-1	2MP Sarix Enh 4 Indoor Dome, 10.9-29mm lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	881.00
SRXE4-2V29-IMD-IR1	2MP Sarix Enh 4 Indoor Dome, IR, 10.9-29mm lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	937.00
SRXE4-4V29-EMD-1	4MP Sarix Enh 4 Environmental Dome, 10.9-29mm lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	1,174.00
SRXE4-4V29-EMD-IR1	4MP Sarix Enh 4 Environmental Dome, IR, 10.9-29mm lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	1,230.00
SRXE4-4V29-IMD-1	4MP Sarix Enh 4 Indoor Dome, 10.9-29mm lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	1,051.00
SRXE4-4V29-IMD-IR1	4MP Sarix Enh 4 Indoor Dome, IR, 10.9-29mm lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	1,107.00
SRXE4-4V9-EMD-1	4MP Sarix Enh 4 Environmental Dome, 4.4-9.3mm lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	1,129.00
SRXE4-4V9-EMD-IR1	4MP Sarix Enh 4 Environmental Dome, IR, 4.4-9.3mm lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	1,185.00
SRXE4-4V9-IMD-1	4MP Sarix Enh 4 Indoor Dome, 4.4-9.3mm lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	1,006.00
SRXE4-4V9-IMD-IR1	4MP Sarix Enh 4 Indoor Dome, IR, 4.4-9.3mm lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	1,062.00
SRXE4-6V29-EMD-1	6MP Sarix Enh 4 Environmental Dome, 10.9-29mm lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	1,354.00
SRXE4-6V29-EMD-IR1	6MP Sarix Enh 4 Environmental Dome, IR, 10.9-29mm lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	1,410.00
SRXE4-6V29-IMD-IR1	6MP Sarix Enh 4 Indoor Dome, IR, 10.9-29mm lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	1,287.00
SRXE4-6V9-EMD-1	6MP Sarix Enh 4 Environmental Dome, 4.4-9.3mm lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	1,309.00
SRXE4-6V9-EMD-IR1	6MP Sarix Enh 4 Environmental Dome, IR, 4.4-9.3mm lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	1,365.00
SRXE4-6V9-IMD-1	6MP Sarix Enh 4 Indoor Dome, 4.4-9.3mm lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	1,186.00
SRXE4-6V9-IMD-IR1	6MP Sarix Enh 4 Indoor Dome, IR, 4.4-9.3mm lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	1,242.00
SRXE4-8V29-EMD-1	8MP Sarix Enh 4 Environmental Dome, 10.9-29mm lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	1,510.00
SRXE4-8V29-EMD-IR1	8MP Sarix Enh 4 Environmental Dome, IR, 10.9-29mm lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	1,566.00
SRXE4-8V29-IMD-1	8MP Sarix Enh 4 Indoor Dome, 10.9-29mm lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	1,387.00
SRXE4-8V29-IMD-IR1		1,443.00

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

	8MP Sarix Enh 4 Indoor Dome, IR, 10.9-29mm lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	
SRXE4-8V9-EMD-1	8MP Sarix Enh 4 Environmental Dome, 4.4-9.3mm lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	1,465.00
SRXE4-8V9-EMD-IR1	8MP Sarix Enh 4 Environmental Dome, IR, 4.4-9.3mm lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	1,521.00
SRXE4-8V9-IMD-1	8MP Sarix Enh 4 Indoor Dome, 4.4-9.3mm lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	1,342.00
SRXE4-8V9-IMD-IR1	8MP Sarix Enh 4 Indoor Dome, IR, 4.4-9.3mm lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	1,398.00
SRXE4P-4V29-EMD-IR1	4MP Sarix Enh 4P Environmental Dome, 10.9-29mm lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	1,414.50
SRXE4P-4V9-EMD-IR1	4MP Sarix Enh 4P Environmental Dome, IR, 4.4-9.3mm lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	1,362.75
SRXE4P-8V29-EMD-IR1	8MP Sarix Enh 4P Environmental Dome, IR, 10.9-29mm lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	1,800.90
SRXE4P-8V9-EMD-IR1	8MP Sarix Enh 4P Environmental Dome, IR, 4.4-9.3mm lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	1,749.15
SRXP4-2V10-EBT-IR	2MP Sarix Pro 4 Environmental IR Bullet , 3.4-10.5mm P-iris lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	688.00
SRXP4-2V10-EMD	2MP Sarix Pro 4 Environmental Dome, 3.4-10.5mm P-iris lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	543.00
SRXP4-2V10-EMD-IR	2MP Sarix Pro 4 Environmental Dome, IR, 3.4-10.5mm P-iris lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	582.00
SRXP4-2V10-IMD	2MP Sarix Pro 4 Indoor Dome, 3.4-10.5mm P-iris lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	459.00
SRXP4-2V10-IMD-IR	2MP Sarix Pro 4 Indoor Dome, IR, 3.4-10.5mm P-iris lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	498.00
SRXP4-3V10-EMD	3MP Sarix Pro 4 Environmental Dome, 3.4-10.5mm P-iris lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	618.00
SRXP4-3V10-EMD-IR	3MP Sarix Pro 4 Environmental Dome, IR, 3.4-10.5mm P-iris lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	657.00
SRXP4-3V10-IMD	3MP Sarix Pro 4 Indoor Dome, 3.4-10.5mm P-iris lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	530.00
SRXP4-3V10-IMD-IR	3MP Sarix Pro 4 Indoor Dome, IR, 3.4-10.5mm P-iris lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	570.00
SRXP4-5V10-EMD	5MP Sarix Pro 4 Environmental Dome, 3.4-10.5mm P-iris lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	748.00
SRXP4-5V10-EMD-IR	5MP Sarix Pro 4 Environmental Dome, IR, 3.4-10.5mm P-iris lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	787.00
SRXP4-5V10-IMD	5MP Sarix Pro 4 Indoor Dome, 3.4-10.5mm P-iris lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	658.00
SRXP4-5V10-IMD-IR	5MP Sarix Pro 4 Indoor Dome, IR, 3.4-10.5mm P-iris lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	699.00
SRXP4-8V9-EMD-IR	8MP Sarix Pro 4 Environmental Dome, 4.4-9.3mm P-iris lens, Surface Mount, True WDR, SureVision, Pelco Smart Analytics	1,005.00

EX IP Cameras

MODEL NUMBER	DESCRIPTION	MSRP \$
MPXT22CA000CH	MPXT SERIES2 in AISI 316L, 24Vac, thermal camera 9mm, 336x256, 30Hz, Super Low-Light Day/Night FullHD zoom 30x Sony, H.264/AVC, wiper. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. IECEx Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. EAC Ex 1 Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T5 Gb, Zone 21, AEx tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for Canada Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. UK Ex Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C.	37,596.00

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

Explosion proof

MODEL NUMBER	DESCRIPTION	MSRP \$
EXBE2-2X30QF06-SPT-ACG-1	ExSite Enhanced Series 2 Bispectral PTZ in stainless steel AISI316L, Visual 2MP 30x zoom, Thermal lens 6.3mm, 320x256, 9Hz, IN 24Vac, sunshield, with SD card for ONVIF G. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. IECEx Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. EAC Ex 1Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X,-40°C Ta +50°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T4 Gb, Zone 21, AEx tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +65°C +70°C. UL listed for Canada Ex db IIC T6...T4 Gb X, Ex tb IIIC T85°C...T135°C Db X, -40°C Ta +50°C or +65°C +70°C. UK Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C.	33,913.04
EXBE2-2X30QF06-SPT-M1G	ExSite Enhanced Series 2 Bispectral PTZ in stainless steel AISI316L, Visual 2MP 30x zoom, Thermal lens 6.3mm, 320x256, 30Hz, IN Mains 120Vac, sunshield, with SD card for ONVIF G. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. IECEx Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. EAC Ex 1Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X,-40°C Ta +50°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T4 Gb, Zone 21, AEx tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +65°C +70°C. UL listed for Canada Ex db IIC T6...T4 Gb X, Ex tb IIIC T85°C...T135°C Db X, -40°C Ta +50°C or +65°C +70°C. UK Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C.	33,913.04
EXBE2-2X30QF06-SPT-M1G-1	ExSite Enhanced Series 2 Bispectral PTZ in stainless steel AISI316L, Visual 2MP 30x zoom, Thermal lens 6.3mm, 320x256, 9Hz, IN Mains 120Vac, sunshield, with SD card for ONVIF G. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. IECEx Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. EAC Ex 1Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X,-40°C Ta +50°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T4 Gb, Zone 21, AEx tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +65°C +70°C. UL listed for Canada Ex db IIC T6...T4 Gb X, Ex tb IIIC T85°C...T135°C Db X, -40°C Ta +50°C or +65°C +70°C. UK Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C.	33,913.04
EXBE2-2X30QF06-SPT-M2G	EXBE2 2MPx30 6.3mm QVGA 30Hz 230VAC SD	33,913.04
EXBE2-2X30QF06-SPT-M2G-1	ExSite Enhanced Series 2 Bispectral PTZ in stainless steel AISI316L, Visual 2MP 30x zoom, Thermal lens 6.3mm, 320x256, 9Hz, IN Mains 230Vac, sunshield, with SD card for ONVIF G. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. IECEx Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. EAC Ex 1Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X,-40°C Ta +50°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T4 Gb, Zone 21, AEx tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +65°C +70°C. UL listed for Canada Ex db IIC T6...T4 Gb X, Ex tb IIIC T85°C...T135°C Db X, -40°C Ta +50°C or +65°C +70°C. UK Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C.	33,913.04
EXBE2-2X30QF06-SPT-M5G	ExSite Enhanced Series 2 Bispectral PTZ in stainless steel AISI316L, Visual 2MP 30x zoom, Thermal lens 6.3mm, 320x256, 30Hz, IN Mains 220Vac, sunshield, with SD card for ONVIF G. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. IECEx Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. EAC Ex 1Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X,-40°C Ta +50°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T4 Gb, Zone 21, AEx tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +65°C	33,913.04

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

	+70°C. UL listed for Canada Ex db IIC T6...T4 Gb X, Ex tb IIIC T85°C...T135°C Db X, -40°C Ta +50°C or +65°C +70°C. UK Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C.	
EXBE2-2X30QF06-SPT-M5G-1	ExSite Enhanced Series 2 Bispectral PTZ in stainless steel AISI316L, Visual 2MP 30x zoom, Thermal lens 6.3mm, 320x256, 9Hz, IN Mains 220Vac, sunshield, with SD card for ONVIF G. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. IECEX Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. EAC Ex 1Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +50°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T4 Gb, Zone 21, AEx tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +65°C +70°C. UL listed for Canada Ex db IIC T6...T4 Gb X, Ex tb IIIC T85°C...T135°C Db X, -40°C Ta +50°C or +70°C. UK Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C.	33,913.04
EXBE2-2X30QF18-SPT-ACG	ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. IECEX Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. EAC Ex 1Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +50°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T4 Gb, Zone 21, AEx tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +65°C +70°C. UL listed for Canada Ex db IIC T6...T4 Gb X, Ex tb IIIC T85°C...T135°C Db X, -40°C Ta +50°C or +65°C +70°C. UK Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C.	33,913.04
EXBE2-2X30QF18-SPT-ACG-1	ExSite Enhanced Series 2 Bispectral PTZ in stainless steel AISI316L, Visual 2MP 30x zoom, Thermal lens 18mm, 320x256, 9Hz, IN 24Vac, sunshield, with SD card for ONVIF G. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. IECEX Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. EAC Ex 1Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +50°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T4 Gb, Zone 21, AEx tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +65°C +70°C. UL listed for Canada Ex db IIC T6...T4 Gb X, Ex tb IIIC T85°C...T135°C Db X, -40°C Ta +50°C or +65°C +70°C. UK Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C.	33,913.04
EXBE2-2X30QF18-SPT-M1G	ExSite Enhanced Series 2 Bispectral PTZ in stainless steel AISI316L, Visual 2MP 30x zoom, Thermal lens 18mm, 320x256, 30Hz, IN Mains 120Vac, sunshield, with SD card for ONVIF G. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. IECEX Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. EAC Ex 1Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +50°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T4 Gb, Zone 21, AEx tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +65°C +70°C. UL listed for Canada Ex db IIC T6...T4 Gb X, Ex tb IIIC T85°C...T135°C Db X, -40°C Ta +50°C or +65°C +70°C. UK Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C.	33,913.04
EXBE2-2X30QF18-SPT-M1G-1	ExSite Enhanced Series 2 Bispectral PTZ in stainless steel AISI316L, Visual 2MP 30x zoom, Thermal lens 18mm, 320x256, 9Hz, IN Mains 120Vac, sunshield, with SD card for ONVIF G. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. IECEX Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. EAC Ex 1Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +50°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T4 Gb, Zone 21, AEx tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +65°C +70°C. UL listed for Canada Ex db IIC T6...T4 Gb X, Ex tb IIIC T85°C...T135°C Db X, -40°C Ta +50°C or +65°C +70°C. UK Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C.	33,913.04
EXBE2-2X30QF18-SPT-M2G	ExSite Enhanced Series 2 Bispectral PTZ in stainless steel AISI316L, Visual 2MP 30x zoom, Thermal lens 18mm, 320x256, 30Hz, IN Mains 230Vac, sunshield, with SD card for ONVIF G. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. IECEX Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C.	33,913.04

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

	Ta +50°C or +70°C. EAC Ex 1Ex db IIC T6...T5 Gb X, Ex tb IIC T85°C...T100°C Db X,-40°C Ta +50°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T4 Gb, Zone 21, AEx tb IIC T85°C...T135°C Db, -40°C Ta +50°C or +65°C +70°C. UL listed for Canada Ex db IIC T6...T4 Gb X, Ex tb IIC T85°C...T135°C Db X, -40°C Ta +50°C or +65°C +70°C. UK Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C.	
EXBE2-2X30QF18-SPT-M2G-1	ExSite Enhanced Series 2 Bispectral PTZ in stainless steel AISI316L, Visual 2MP 30x zoom, Thermal lens 18mm, 320x256, 9Hz, IN Mains 230Vac, sunshield, with SD card for ONVIF G. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. IECEx Ex db IIC T6...T5 Gb, Ex tb IIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. EAC Ex 1Ex db IIC T6...T5 Gb X, Ex tb IIC T85°C...T100°C Db X,-40°C Ta +50°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T4 Gb, Zone 21, AEx tb IIC T85°C...T135°C Db, -40°C Ta +50°C or +65°C +70°C. UL listed for Canada Ex db IIC T6...T4 Gb X, Ex tb IIC T85°C...T135°C Db X, -40°C Ta +50°C or +65°C +70°C. UK Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C.	33,913.04
EXBE2-2X30QF18-SPT-M5G	ExSite Enhanced Series 2 Bispectral PTZ in stainless steel AISI316L, Visual 2MP 30x zoom, Thermal lens 18mm, 320x256, 30Hz, IN Mains 220Vac, sunshield, with SD card for ONVIF G. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. IECEx Ex db IIC T6...T5 Gb, Ex tb IIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. EAC Ex 1Ex db IIC T6...T5 Gb X, Ex tb IIC T85°C...T100°C Db X,-40°C Ta +50°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T4 Gb, Zone 21, AEx tb IIC T85°C...T135°C Db, -40°C Ta +50°C or +65°C +70°C. UL listed for Canada Ex db IIC T6...T4 Gb X, Ex tb IIC T85°C...T135°C Db X, -40°C Ta +50°C or +65°C +70°C. UK Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C.	33,913.04
EXBE2-2X30QF18-SPT-M5G-1	ExSite Enhanced Series 2 Bispectral PTZ in stainless steel AISI316L, Visual 2MP 30x zoom, Thermal lens 18mm, 320x256, 9Hz, IN Mains 220Vac, sunshield, with SD card for ONVIF G. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. IECEx Ex db IIC T6...T5 Gb, Ex tb IIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. EAC Ex 1Ex db IIC T6...T5 Gb X, Ex tb IIC T85°C...T100°C Db X,-40°C Ta +50°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T4 Gb, Zone 21, AEx tb IIC T85°C...T135°C Db, -40°C Ta +50°C or +65°C +70°C. UL listed for Canada Ex db IIC T6...T4 Gb X, Ex tb IIC T85°C...T135°C Db X, -40°C Ta +50°C or +65°C +70°C. UK Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C.	33,913.04
EXBE2-2X30VF14-SPT-ACG	ExSite Enhanced Series 2 Bispectral PTZ in stainless steel AISI316L, Visual 2MP 30x zoom, Thermal lens 24mm, 640x512, 30Hz, IN 24Vac, sunshield, with SD card for ONVIF G. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. IECEx Ex db IIC T6...T5 Gb, Ex tb IIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. EAC Ex 1Ex db IIC T6...T5 Gb X, Ex tb IIC T85°C...T100°C Db X,-40°C Ta +50°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T4 Gb, Zone 21, AEx tb IIC T85°C...T135°C Db, -40°C Ta +50°C or +65°C +70°C. UL listed for Canada Ex db IIC T6...T4 Gb X, Ex tb IIC T85°C...T135°C Db X, -40°C Ta +50°C or +65°C +70°C. UK Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C.	37,391.30
EXBE2-2X30VF14-SPT-ACG-1	ExSite Enhanced Series 2 Bispectral PTZ in stainless steel AISI316L, Visual 2MP 30x zoom, Thermal lens 24mm, 640x512, 9Hz, IN 24Vac, sunshield, with SD card for ONVIF G. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. IECEx Ex db IIC T6...T5 Gb, Ex tb IIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. EAC Ex 1Ex db IIC T6...T5 Gb X, Ex tb IIC T85°C...T100°C Db X,-40°C Ta +50°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T4 Gb, Zone 21, AEx tb IIC T85°C...T135°C Db, -40°C Ta +50°C or +65°C +70°C. UL listed for Canada Ex db IIC T6...T4 Gb X, Ex tb IIC T85°C...T135°C Db X, -40°C Ta +50°C or +65°C +70°C. UK Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C.	37,391.30

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

T85°C...T135°C Db X, -40°C Ta +50°C or +65°C +70°C. UK Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C.

EXBE2-2X30VF14-SPT-M1G	ExSite Enhanced Series 2 Bispectral PTZ in stainless steel AISI316L, Visual 2MP 30x zoom, Thermal lens 14mm, 640x512, 30Hz, IN Mains 120Vac, sunshield, with SD card for ONVIF G. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. IECEx Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. EAC Ex 1Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X,-40°C Ta +50°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T4 Gb, Zone 21, AEx tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +65°C +70°C. UL listed for Canada Ex db IIC T6...T4 Gb X, Ex tb IIIC T85°C...T135°C Db X, -40°C Ta +50°C or +65°C +70°C. UK Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C.	37,391.30
EXBE2-2X30VF14-SPT-M1G-1	ExSite Enhanced Series 2 Bispectral PTZ in stainless steel AISI316L, Visual 2MP 30x zoom, Thermal lens 14mm, 640x512, 9Hz, IN Mains 120Vac, sunshield, with SD card for ONVIF G. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. IECEx Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. EAC Ex 1Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X,-40°C Ta +50°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T4 Gb, Zone 21, AEx tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +65°C +70°C. UL listed for Canada Ex db IIC T6...T4 Gb X, Ex tb IIIC T85°C...T135°C Db X, -40°C Ta +50°C or +65°C +70°C. UK Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C.	37,391.30
EXBE2-2X30VF14-SPT-M2G	ExSite Enhanced Series 2 Bispectral PTZ in stainless steel AISI316L, Visual 2MP 30x zoom, Thermal lens 14mm, 640x512, 30Hz, IN Mains 230Vac, sunshield, with SD card for ONVIF G. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. IECEx Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. EAC Ex 1Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X,-40°C Ta +50°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T4 Gb, Zone 21, AEx tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +65°C +70°C. UL listed for Canada Ex db IIC T6...T4 Gb X, Ex tb IIIC T85°C...T135°C Db X, -40°C Ta +50°C or +65°C +70°C. UK Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C.	37,391.30
EXBE2-2X30VF14-SPT-M2G-1	ExSite Enhanced Series 2 Bispectral PTZ in stainless steel AISI316L, Visual 2MP 30x zoom, Thermal lens 14mm, 640x512, 9Hz, IN Mains 230Vac, sunshield, with SD card for ONVIF G. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. IECEx Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. EAC Ex 1Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X,-40°C Ta +50°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T4 Gb, Zone 21, AEx tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +65°C +70°C. UL listed for Canada Ex db IIC T6...T4 Gb X, Ex tb IIIC T85°C...T135°C Db X, -40°C Ta +50°C or +65°C +70°C. UK Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C.	37,391.30
EXBE2-2X30VF14-SPT-M5G	ExSite Enhanced Series 2 Bispectral PTZ in stainless steel AISI316L, Visual 2MP 30x zoom, Thermal lens 14mm, 640x512, 30Hz, IN Mains 220Vac, sunshield, with SD card for ONVIF G. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. IECEx Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. EAC Ex 1Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X,-40°C Ta +50°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T4 Gb, Zone 21, AEx tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +65°C +70°C. UL listed for Canada Ex db IIC T6...T4 Gb X, Ex tb IIIC T85°C...T135°C Db X, -40°C Ta +50°C or +65°C +70°C. UK Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C.	37,391.30
EXBE2-2X30VF14-SPT-M5G-1	ExSite Enhanced Series 2 Bispectral PTZ in stainless steel AISI316L, Visual 2MP 30x zoom, Thermal lens 14mm, 640x512, 9Hz, IN Mains 220Vac, sunshield, with SD card for ONVIF G. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C.	37,391.30

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

	T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. IECEx Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. EAC Ex 1Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X,-40°C Ta +50°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T4 Gb, Zone 21, AEx tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +65°C +70°C. UL listed for Canada Ex db IIC T6...T4 Gb X, Ex tb IIIC T85°C...T135°C Db X, -40°C Ta +50°C or +65°C +70°C. UK Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C.	
EXBE2-2X30VF24-SPT-ACG	EXBE2 2MPx30 24mm VGA 30Hz 24VAC SD	37,391.30
EXBE2-2X30VF24-SPT-ACG-1	EXBE2 2MPx30 24mm VGA 9Hz 24VAC SD	37,391.30
EXBE2-2X30VF24-SPT-M1G	ExSite Enhanced Series 2 Bispectral PTZ in stainless steel AISI316L, Visual 2MP 30x zoom, Thermal lens 24mm, 640x512, 30Hz, IN Mains 120Vac, sunshield, with SD card for ONVIF G. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. IECEx Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. EAC Ex 1Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X,-40°C Ta +50°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T4 Gb, Zone 21, AEx tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +65°C +70°C. UL listed for Canada Ex db IIC T6...T4 Gb X, Ex tb IIIC T85°C...T135°C Db X, -40°C Ta +50°C or +65°C +70°C. UK Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C.	37,391.30
EXBE2-2X30VF24-SPT-M1G-1	ExSite Enhanced Series 2 Bispectral PTZ in stainless steel AISI316L, Visual 2MP 30x zoom, Thermal lens 24mm, 640x512, 9Hz, IN Mains 120Vac, sunshield, with SD card for ONVIF G. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. IECEx Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. EAC Ex 1Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X,-40°C Ta +50°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T4 Gb, Zone 21, AEx tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +65°C +70°C. UL listed for Canada Ex db IIC T6...T4 Gb X, Ex tb IIIC T85°C...T135°C Db X, -40°C Ta +50°C or +65°C +70°C. UK Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C.	37,391.30
EXBE2-2X30VF24-SPT-M2G	ExSite Enhanced Series 2 Bispectral PTZ in stainless steel AISI316L, Visual 2MP 30x zoom, Thermal lens 24mm, 640x512, 30Hz, IN Mains 230Vac, sunshield, with SD card for ONVIF G. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. IECEx Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. EAC Ex 1Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X,-40°C Ta +50°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T4 Gb, Zone 21, AEx tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +65°C +70°C. UL listed for Canada Ex db IIC T6...T4 Gb X, Ex tb IIIC T85°C...T135°C Db X, -40°C Ta +50°C or +65°C +70°C. UK Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C.	37,391.30
EXBE2-2X30VF24-SPT-M2G-1	ExSite Enhanced Series 2 Bispectral PTZ in stainless steel AISI316L, Visual 2MP 30x zoom, Thermal lens 24mm, 640x512, 9Hz, IN Mains 230Vac, sunshield, with SD card for ONVIF G. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. IECEx Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. EAC Ex 1Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X,-40°C Ta +50°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T4 Gb, Zone 21, AEx tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +65°C +70°C. UL listed for Canada Ex db IIC T6...T4 Gb X, Ex tb IIIC T85°C...T135°C Db X, -40°C Ta +50°C or +65°C +70°C. UK Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C.	37,391.30
EXBE2-2X30VF24-SPT-M5G	ExSite Enhanced Series 2 Bispectral PTZ in stainless steel AISI316L, Visual 2MP 30x zoom, Thermal lens 24mm, 640x512, 30Hz, IN Mains 220Vac, sunshield, with SD card for ONVIF G. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. IECEx Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. EAC Ex 1Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X,-40°C Ta +50°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T4 Gb, Zone 21, AEx tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +65°C +70°C. UL listed for Canada Ex db IIC T6...T4 Gb X, Ex tb IIIC T85°C...T135°C Db X, -40°C Ta +50°C or +65°C +70°C. UK Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C.	37,391.30

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

	T85°C...T100°C Db X,-40°C Ta +50°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T4 Gb, Zone 21, AEx tb IIC T85°C...T135°C Db, -40°C Ta +50°C or +65°C +70°C. UL listed for Canada Ex db IIC T6...T4 Gb X, Ex tb IIC T85°C...T135°C Db X, -40°C Ta +50°C or +65°C +70°C. UK Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C.	
EXBE2-2X30VF24-SPT-M5G-1	ExSite Enhanced Series 2 Bispectral PTZ in stainless steel AISI316L, Visual 2MP 30x zoom, Thermal lens 24mm, 640x512, 9Hz, IN Mains 220Vac, sunshield, with SD card for ONVIF G. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. IECEx Ex db IIC T6...T5 Gb, Ex tb IIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. EAC Ex 1Ex db IIC T6...T5 Gb X, Ex tb IIC T85°C...T100°C Db X,-40°C Ta +50°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T4 Gb, Zone 21, AEx tb IIC T85°C...T135°C Db, -40°C Ta +50°C or +65°C +70°C. UL listed for Canada Ex db IIC T6...T4 Gb X, Ex tb IIC T85°C...T135°C Db X, -40°C Ta +50°C or +65°C +70°C. UK Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIC T85°C...T100°C Db, -40°C Ta +50°C or +70°C.	37,391.30
EXC2602-62	ExSite 2 series Explosion Proof compact camera, 6MP 4.9-8mm, 24VAC 24VDC POE+, no cable. ATEX Ex II 2 G Ex db IIB T6...T5 Gb, Ex II 2 D Ex tb IIC T85°C...T100°C Db, -40°C Ta +65°C or 70°C. IECEx Ex db IIB T6...T5 Gb, Ex tb IIC T85°C...T100°C Db, -40°C Ta +65°C or 70°C. EAC Ex 1Ex db IIB T6...T5 Gb X, Ex tb IIC T85°C...T100°C Db X, -40°C Ta +65°C or 70°C. INMETRO Ex db IIB T6...T5 Gb, Ex tb IIC T85°C...T100°C Db, -40°C Ta +65°C or 70°C. KCs Ex db IIB T6...T5 Gb, Ex tb IIC T85°C...T100°C Db, -40°C Ta +65°C or 70°C. UL listed for USA Class I Zone 1 AEx db IIB T6...T5 Gb, Zone 21 AEx tb IIC T85°C...T100°C Db, -40°C Ta +65°C or 70°C. UL listed for Canada Ex db IIB T6...T5 Gb X, Ex tb IIC T85°C...T100°C Db X, -40°C Ta +65°C or 70°C. UK Ex Ex II 2 G Ex db IIB T6...T5 Gb, Ex II 2 D Ex tb IIC T85°C...T100°C Db, -40°C Ta +65°C or 70°C.	3,385.54
EXC2602-62-A0	ExSite 2 series Explosion Proof compact camera, 6MP 4.9-8mm, 24VAC 24VDC POE+, 10m armored cable. ATEX Ex II 2 G Ex db IIB T6...T5 Gb, Ex II 2 D Ex tb IIC T85°C...T100°C Db, -40°C Ta +65°C or 70°C. IECEx Ex db IIB T6...T5 Gb, Ex tb IIC T85°C...T100°C Db, -40°C Ta +65°C or 70°C. EAC Ex 1Ex db IIB T6...T5 Gb X, Ex tb IIC T85°C...T100°C Db X, -40°C Ta +65°C or 70°C. INMETRO Ex db IIB T6...T5 Gb, Ex tb IIC T85°C...T100°C Db, -40°C Ta +65°C or 70°C. UK Ex Ex II 2 G Ex db IIB T6...T5 Gb, Ex II 2 D Ex tb IIC T85°C...T100°C Db, -40°C Ta +65°C or 70°C.	4,147.43
EXC2602-62-A4	ExSite 2 series Explosion Proof compact camera, 6MP 4.9-8mm, 24VAC 24VDC POE+, 4m armored cable. ATEX Ex II 2 G Ex db IIB T6...T5 Gb, Ex II 2 D Ex tb IIC T85°C...T100°C Db, -40°C Ta +65°C or 70°C. IECEx Ex db IIB T6...T5 Gb, Ex tb IIC T85°C...T100°C Db, -40°C Ta +65°C or 70°C. EAC Ex 1Ex db IIB T6...T5 Gb X, Ex tb IIC T85°C...T100°C Db X, -40°C Ta +65°C or 70°C. INMETRO Ex db IIB T6...T5 Gb, Ex tb IIC T85°C...T100°C Db, -40°C Ta +65°C or 70°C. UK Ex Ex II 2 G Ex db IIB T6...T5 Gb, Ex II 2 D Ex tb IIC T85°C...T100°C Db, -40°C Ta +65°C or 70°C.	3,830.50
EXF2230-52-A0	ExSite 2 series Explosion Proof fixed camera, 2MPx30, 12-24Vdc/24Vac, 10m armored Cable w/ gland. ATEX Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIC T100°C Db, -60°C Ta +65°C, IP66/68. IECEx Ex db IIC T5 Gb, Ex tb IIC T100°C Db, -60°C Ta +65°C, IP66/68. EAC Ex 1Ex db IIC T5 Gb X, Ex tb IIC T100°C Db X, -60°C Ta +65°C, IP66/IP68. INMETRO Ex db IIC T5 Gb, Ex tb IIC T100°C Db, -60°C Ta +65°C, IP66/IP68. UK Ex Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIC T100°C Db, -60°C Ta +65°C, IP66/68.	8,474.87
EXF2230-52-A4	ExSite 2 series Explosion Proof fixed camera, 2MPx30, 12-24Vdc/24Vac, 4m armored Cable w/ gland. ATEX Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIC T100°C Db, -60°C Ta +65°C, IP66/68. IECEx Ex db IIC T5 Gb, Ex tb IIC T100°C Db, -60°C Ta +65°C, IP66/68. EAC Ex 1Ex db IIC T5 Gb X, Ex tb IIC T100°C Db X, -60°C Ta +65°C, IP66/IP68. INMETRO Ex db IIC T5 Gb, Ex tb IIC T100°C Db, -60°C Ta +65°C, IP66/IP68. UK Ex Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIC T100°C Db, -60°C Ta +65°C, IP66/68.	7,864.04
EXF2230-52-C0	ExSite 2 series Explosion Proof fixed camera, 2MPx30, T5, 12-24Vdc/24Vac, 10m Cable tail. ATEX Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIC T100°C Db, -50°C Ta +65°C, IP66/68. IECEx Ex db IIC T5 Gb, Ex tb IIC T100°C Db, -50°C Ta +65°C, IP66/68. EAC Ex 1Ex db IIC T5 Gb X, Ex tb IIC T100°C Db X, -50°C Ta +65°C INMETRO Ex db IIC T5 Gb, Ex tb IIC T100°C Db, -50°C Ta +65°C, IP66/IP68. ETL listed for USA Class I Zone 1 AEx db IIC T5 Gb, Zone 21 AEx tb IIC T100°C Db, -50°C Ta +65°C. ETL listed for Canada Ex db IIC T5 Gb, Ex tb IIC T100°C Db, -50°C Ta +65°C. KCs Ex db IIC T5 Gb, Ex tb IIC T100°C	8,084.09

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

	Db, -50°C Ta +65°C, IP66/68. UK Ex Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/68.	
EXF2230-52-C4	ExSite 2 series Explosion Proof fixed camera, 2MPx30, T5, 12-24Vdc/24Vac, 4m Cable tail. ATEX Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/68. IECEX Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/68. EAC Ex 1Ex db IIC T5 Gb X, Ex tb IIIC T100°C Db X, -50°C Ta +65°C INMETRO Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/IP68. ETL listed for USA Class I Zone 1 AEx db IIC T5 Gb, Zone 21 AEx tb IIIC T100°C Db, -50°C Ta +65°C. ETL listed for Canada Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -50°C Ta +65°C. KCs Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/68. UK Ex Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/68.	7,532.61
EXF2230-62-A0	ExSite 2 series Explosion Proof fixed camera, 2MPx30, 12-24Vdc/24Vac, 10m armored Cable w/ gland. ATEX Ex II 2G Ex db IIC T6 Gb, Ex II 2D Ex tb IIIC T85°C Db, -60°C Ta +55°C, IP66/68. IECEX Ex db IIC T6 Gb, Ex tb IIIC T85°C Db, -60°C Ta +55°C, IP66/68. EAC Ex 1Ex db IIC T6 Gb X, Ex tb IIIC T85°C Db X, -60°C Ta +55°C, IP66/IP68. INMETRO Ex db IIC T6 Gb, Ex tb IIIC T85°C Db, -60°C Ta +55°C, IP66/IP68. UK Ex Ex II 2G Ex db IIC T6 Gb, Ex II 2D Ex tb IIIC T85°C Db, -60°C Ta +55°C, IP66/68.	8,474.87
EXF2230-62-A4	ExSite 2 series Explosion Proof fixed camera, 2MPx30, 12-24Vdc/24Vac, 4m armored Cable w/ gland. ATEX Ex II 2G Ex db IIC T6 Gb, Ex II 2D Ex tb IIIC T85°C Db, -60°C Ta +55°C, IP66/68. IECEX Ex db IIC T6 Gb, Ex tb IIIC T85°C Db, -60°C Ta +55°C, IP66/68. EAC Ex 1Ex db IIC T6 Gb X, Ex tb IIIC T85°C Db X, -60°C Ta +55°C, IP66/IP68. INMETRO Ex db IIC T6 Gb, Ex tb IIIC T85°C Db, -60°C Ta +55°C, IP66/IP68. UK Ex Ex II 2G Ex db IIC T6 Gb, Ex II 2D Ex tb IIIC T85°C Db, -60°C Ta +55°C, IP66/68.	7,864.04
EXF2230-62-C0	ExSite 2 series Explosion Proof fixed camera, 2MPx30, 12-24Vdc/24Vac, 10m Cable tail. ATEX Ex II 2G Ex db IIC T6 Gb, Ex II 2D Ex tb IIIC T85°C Db, -50°C Ta +55°C, IP66/68. IECEX Ex db IIC T6 Gb, Ex tb IIIC T85°C Db, -50°C Ta +55°C, IP66/68. EAC Ex 1Ex db IIC T6 Gb X, Ex tb IIIC T85°C Db X, -50°C Ta +55°C INMETRO Ex db IIC T6 Gb, Ex tb IIIC T85°C Db, -50°C Ta +55°C, IP66/IP68. ETL listed for USA Class I Zone 1 AEx db IIC T6 Gb, Zone 21 AEx tb IIIC T85°C Db, -50°C Ta +55°C. ETL listed for Canada Ex db IIC T6 Gb, Ex tb IIIC T85°C Db, -50°C Ta +55°C. KCs Ex d IIC T6, Ex tb IIIC T85°C, -50°C Ta +55°C, IP66/68. UK Ex Ex II 2G Ex db IIC T6 Gb, Ex II 2D Ex tb IIIC T85°C Db, -50°C Ta +55°C, IP66/68.	8,084.09
EXF2230-62-C4	ExSite 2 series Explosion Proof fixed camera, 2MPx30, 12-24Vdc/24Vac, 4m Cable tail. ATEX Ex II 2G Ex db IIC T6 Gb, Ex II 2D Ex tb IIIC T85°C Db, -50°C Ta +55°C, IP66/68. IECEX Ex db IIC T6 Gb, Ex tb IIIC T85°C Db, -50°C Ta +55°C, IP66/68. EAC Ex 1Ex db IIC T6 Gb X, Ex tb IIIC T85°C Db X, -50°C Ta +55°C INMETRO Ex db IIC T6 Gb, Ex tb IIIC T85°C Db, -50°C Ta +55°C, IP66/IP68. ETL listed for USA Class I Zone 1 AEx db IIC T6 Gb, Zone 21 AEx tb IIIC T85°C Db, -50°C Ta +55°C. ETL listed for Canada Ex db IIC T6 Gb, Ex tb IIIC T85°C Db, -50°C Ta +55°C. KCs Ex d IIC T6, Ex tb IIIC T85°C, -50°C Ta +55°C, IP66/68. UK Ex Ex II 2G Ex db IIC T6 Gb, Ex II 2D Ex tb IIIC T85°C Db, -50°C Ta +55°C, IP66/68.	7,532.61
EXLP1-2X30-EPT-85B0M3	ExSite Pro Series 1, 2MP 30x Zoom, Aluminum PTZ with IR illuminator 850nm, SPOT and WIDE lenses Mains 100-240Vac, ATEX Ex II 2G Ex db IIB+H2 T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -40°C Ta +70°C; Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +60°C. IECEX Ex db IIB+H2 T5 Gb, Ex tb IIIC T100°C Db, -40°C Ta +70°C; Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +60°C. UK Ex II 2G Ex db IIB+H2 T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -40°C Ta +70°C; Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +60°C. UL listed for America Class I, Zone 1, AEx db IIB+H2 T4 Gb, Zone 21, AEx tb IIIC T135°C Db, -40°C Ta +70°C; Class I, Zone 1, AEx db IIC T4 Gb, Zone 21, AEx tb IIIC T135°C Db, -40°C Ta +60°C. UL listed for Canada Ex db IIB+H2 T4 Gb X, Ex tb IIIC T135°C Db X, -40°C Ta +70°C; Ex db IIC T4 Gb X, Ex tb IIIC T135°C Db X, -40°C Ta +60°C.	14,340.00
EXP2230-62	ExSite 2 series Explosion Proof PTZ camera, 2MPx30, 24VAC. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. IECEX Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. EAC Ex 1Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +55°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T5 Gb, Zone 21, AEx tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. UL listed for Canada Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +55°C or +70°C. UK Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C.	16,434.78
EXP2230-62-G	ExSite 2 series Explosion Proof PTZ camera, 2MPx30, 24VAC, with ONVIF G remote storage. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D	16,891.30

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

	Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. IECEx Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. EAC Ex 1Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +55°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T5 Gb, Zone 21, AEx tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. UL listed for Canada Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +55°C or +70°C. UK Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C.	
EXP2230-65	ExSite 2 series Explosion Proof PTZ camera, 2MPx30, 120VAC. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. IECEx Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. EAC Ex 1Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +55°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T5 Gb, Zone 21, AEx tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. UL listed for Canada Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +55°C or +70°C. UK Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C.	16,434.78
EXP2230-65-G	ExSite 2 series Explosion Proof PTZ camera, 2MPx30, 120VAC, with ONVIF G remote storage. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. IECEx Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. EAC Ex 1Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +55°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T5 Gb, Zone 21, AEx tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. UL listed for Canada Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +55°C or +70°C. UK Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C.	16,891.30
EXP2230-66	ExSite 2 series Explosion Proof PTZ camera, 2MPx30, 220VAC. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. IECEx Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. EAC Ex 1Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +55°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T5 Gb, Zone 21, AEx tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. UL listed for Canada Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +55°C or +70°C. UK Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C.	16,434.78
EXP2230-66-G	ExSite 2 series Explosion Proof PTZ camera, 2MPx30, 220VAC, with ONVIF G remote storage. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. IECEx Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. EAC Ex 1Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +55°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T5 Gb, Zone 21, AEx tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. UL listed for Canada Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +55°C or +70°C. UK Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C.	16,891.30
EXP2230-67	ExSite 2 series Explosion Proof PTZ camera, 2MPx30, 120VAC. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. IECEx Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. EAC Ex 1Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +55°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T5 Gb, Zone 21, AEx tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. UL listed for Canada Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +55°C or +70°C. UK Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C.	16,434.78
EXP2230-67-G	ExSite 2 series Explosion Proof PTZ camera, 2MPx30, 230VAC, with ONVIF G remote storage. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. IECEx Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. EAC Ex 1Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +55°C or +70°C.	16,891.30

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

	Ta +55°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T5 Gb, Zone 21, AEx tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C. UL listed for Canada Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +55°C or +70°C. UK Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +55°C or +70°C.	
EXPE2-2X30-SPT-IRACF	ExSite Enhanced Series 2, 2MP 30x Zoom, Stainless Steel PTZ with IR illuminator 850nm, SPOT and WIDE lenses, 24Vac. ATEX Ex II 2G Ex db IIC T6...T4 Gb, Ex II 2D Ex tb IIIC T85°C...T135°C Db -40°C Ta +50°C or +60°C or +70°C. IECEX Ex db IIC T6...T4 Gb, Ex tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +60°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T5...T4 Gb, Zone 21, AEx tb IIIC T100°C...T135°C Db, -40°C Ta +40°C or +60°C. UL listed for Canada Ex db IIC T5...T4 Gb X, Ex tb IIIC T100°C...T135°C Db X, -40°C Ta +40°C or +60°C. EAC Ex 1Ex db IIC T6...T4 Gb X, Ex tb IIIC T85°C...T135°C Db X, -40°C Ta +50°C or +60°C or +70°C. INMETRO Ex db IIC T6...T4 Gb, Ex tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +60°C or +70°C. KCs Ex db IIC T6...T4 Gb, Ex tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +60°C or +70°C. UK Ex Ex II 2G Ex db IIC T6...T4 Gb, Ex II 2D Ex tb IIIC T85°C...T135°C Db -40°C Ta +50°C or +60°C or +70°C.	20,782.61
EXPE2-2X30-SPT-IRACFG	ExSite Enhanced Series 2, 2MP 30x Zoom, Stainless Steel PTZ with IR illuminator 850nm, SPOT and WIDE lenses Mains 24Vac with preinstalled SD for ONVIF G. ATEX Ex II 2G Ex db IIC T6...T4 Gb, Ex II 2D Ex tb IIIC T85°C...T135°C Db -40°C Ta +50°C or +60°C or +70°C. IECEX Ex db IIC T6...T4 Gb, Ex tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +60°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T5...T4 Gb, Zone 21, AEx tb IIIC T100°C...T135°C Db, -40°C Ta +40°C or +60°C. UL listed for Canada Ex db IIC T5...T4 Gb X, Ex tb IIIC T100°C...T135°C Db X, -40°C Ta +40°C or +60°C. EAC Ex 1Ex db IIC T6...T4 Gb X, Ex tb IIIC T85°C...T135°C Db X, -40°C Ta +50°C or +60°C or +70°C. INMETRO Ex db IIC T6...T4 Gb, Ex tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +60°C or +70°C. KCs Ex db IIC T6...T4 Gb, Ex tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +60°C or +70°C. UK Ex Ex II 2G Ex db IIC T6...T4 Gb, Ex II 2D Ex tb IIIC T85°C...T135°C Db -40°C Ta +50°C or +60°C or +70°C.	21,239.13
EXPE2-2X30-SPT-IRM1F	ExSite Enhanced Series 2, 2MP 30x Zoom, Stainless Steel PTZ with IR illuminator 850nm, SPOT and WIDE lenses, Mains 120Vac. ATEX Ex II 2G Ex db IIC T6...T4 Gb, Ex II 2D Ex tb IIIC T85°C...T135°C Db -40°C Ta +50°C or +60°C or +70°C. IECEX Ex db IIC T6...T4 Gb, Ex tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +60°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T5...T4 Gb, Zone 21, AEx tb IIIC T100°C...T135°C Db, -40°C Ta +40°C or +60°C. UL listed for Canada Ex db IIC T5...T4 Gb X, Ex tb IIIC T100°C...T135°C Db X, -40°C Ta +40°C or +60°C. EAC Ex 1Ex db IIC T6...T4 Gb X, Ex tb IIIC T85°C...T135°C Db X, -40°C Ta +50°C or +60°C or +70°C. INMETRO Ex db IIC T6...T4 Gb, Ex tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +60°C or +70°C. KCs Ex db IIC T6...T4 Gb, Ex tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +60°C or +70°C. UK Ex Ex II 2G Ex db IIC T6...T4 Gb, Ex II 2D Ex tb IIIC T85°C...T135°C Db -40°C Ta +50°C or +60°C or +70°C.	20,782.61
EXPE2-2X30-SPT-IRM1FG	ExSite Enhanced Series 2, 2MP 30x Zoom, Stainless Steel PTZ with IR illuminator 850nm, SPOT and WIDE lenses, Mains 120Vac with preinstalled SD for ONVIF G. ATEX Ex II 2G Ex db IIC T6...T4 Gb, Ex II 2D Ex tb IIIC T85°C...T135°C Db -40°C Ta +50°C or +60°C or +70°C. IECEX Ex db IIC T6...T4 Gb, Ex tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +60°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T5...T4 Gb, Zone 21, AEx tb IIIC T100°C...T135°C Db, -40°C Ta +40°C or +60°C. UL listed for Canada Ex db IIC T5...T4 Gb X, Ex tb IIIC T100°C...T135°C Db X, -40°C Ta +40°C or +60°C. EAC Ex 1Ex db IIC T6...T4 Gb X, Ex tb IIIC T85°C...T135°C Db X, -40°C Ta +50°C or +60°C or +70°C. INMETRO Ex db IIC T6...T4 Gb, Ex tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +60°C or +70°C. KCs Ex db IIC T6...T4 Gb, Ex tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +60°C or +70°C. UK Ex Ex II 2G Ex db IIC T6...T4 Gb, Ex II 2D Ex tb IIIC T85°C...T135°C Db -40°C Ta +50°C or +60°C or +70°C.	21,239.13
EXPE2-2X30-SPT-IRM2F	ExSite Enhanced Series 2, 2MP 30x Zoom, Stainless Steel PTZ with IR illuminator 850nm, SPOT and WIDE lenses, Mains 220-230Vac. ATEX Ex II 2G Ex db IIC T6...T4 Gb, Ex II 2D Ex tb IIIC T85°C...T135°C Db -40°C Ta +50°C or +60°C or +70°C. IECEX Ex db IIC T6...T4 Gb, Ex tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +60°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T5...T4 Gb, Zone 21, AEx tb IIIC T100°C...T135°C Db, -40°C Ta +40°C or +60°C. UL listed for Canada Ex db IIC T5...T4 Gb X, Ex tb IIIC T100°C...T135°C Db X, -40°C Ta +40°C or +60°C. EAC Ex 1Ex db IIC T6...T4 Gb X, Ex tb IIIC T85°C...T135°C Db X, -40°C Ta +50°C or +60°C or +70°C. INMETRO Ex db IIC T6...T4 Gb, Ex tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +60°C or +70°C. KCs Ex db IIC T6...T4 Gb, Ex tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +60°C or +70°C. UK Ex Ex II 2G Ex db IIC T6...T4 Gb, Ex II 2D Ex tb IIIC T85°C...T135°C Db -40°C Ta +50°C or +60°C or +70°C.	20,782.61
EXPE2-2X30-SPT-IRM2FG	ExSite Enhanced Series 2, 2MP 30x Zoom, Stainless Steel PTZ with IR illuminator 850nm, SPOT and WIDE lenses, Mains 220-230Vac. ATEX Ex II 2G Ex db IIC T6...T4 Gb, Ex II 2D Ex tb IIIC T85°C...T135°C Db -40°C Ta +50°C or +60°C or +70°C. IECEX Ex db IIC T6...T4 Gb, Ex tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +60°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T5...T4 Gb, Zone 21, AEx tb IIIC T100°C...T135°C Db, -40°C Ta +40°C or +60°C. UL listed for Canada Ex db IIC T5...T4 Gb X, Ex tb IIIC T100°C...T135°C Db X, -40°C Ta +40°C or +60°C. EAC Ex 1Ex db IIC T6...T4 Gb X, Ex tb IIIC T85°C...T135°C Db X, -40°C Ta +50°C or +60°C or +70°C. INMETRO Ex db IIC T6...T4 Gb, Ex tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +60°C or +70°C. KCs Ex db IIC T6...T4 Gb, Ex tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +60°C or +70°C. UK Ex Ex II 2G Ex db IIC T6...T4 Gb, Ex II 2D Ex tb IIIC T85°C...T135°C Db -40°C Ta +50°C or +60°C or +70°C.	21,239.13

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

ExSite Enhanced Series 2, 2MP 30x Zoom, Stainless Steel PTZ with IR illuminator 850nm, SPOT and WIDE lenses Mains 220-230Vac. ATEX Ex II 2G Ex db IIC T6...T4 Gb, Ex II 2D Ex tb IIIC T85°C...T135°C Db -40°C Ta +50°C or +60°C or +70°C. IECEX Ex db IIC T6...T4 Gb, Ex tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +60°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T5...T4 Gb, Zone 21, AEx tb IIIC T100°C...T135°C Db, -40°C Ta +40°C or +60°C. UL listed for Canada Ex db IIC T5...T4 Gb X, Ex tb IIIC T100°C...T135°C Db X, -40°C Ta +40°C or +60°C. EAC Ex 1Ex db IIC T6...T4 Gb X, Ex tb IIIC T85°C...T135°C Db X, -40°C Ta +50°C or +60°C or +70°C. INMETRO Ex db IIC T6...T4 Gb, Ex tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +60°C or +70°C. KCS Ex db IIC T6...T4 Gb, Ex tb IIIC T85°C...T135°C Db, -40°C Ta +50°C or +60°C or +70°C. UK Ex Ex II 2G Ex db IIC T6...T4 Gb, Ex II 2D Ex tb IIIC T85°C...T135°C Db -40°C Ta +50°C or +60°C or +70°C.

EXPP1-2X30-EPT-00A0M3	ExSite Pro Series 1, 2MP 30x Zoom, Aluminum PTZ, Mains 100-240Vac, ATEX Ex II 2G Ex db IIB+H2 T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -40°C Ta +70°C; Ex II 2G Ex db IIC T6 Gb, Ex II 2D Ex tb IIIC T85°C Db, -40°C Ta +60°C. IECEX Ex db IIB+H2 T5 Gb, Ex tb IIIC T100°C Db, -40°C Ta +70°C; Ex db IIC T6 Gb, Ex tb IIIC T85°C Db, -40°C Ta +60°C. UK Ex II 2G Ex db IIB+H2 T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -40°C Ta +70°C; Ex II 2G Ex db IIC T6 Gb, Ex II 2D Ex tb IIIC T85°C Db, -40°C Ta +60°C. UL listed for USA Class I, Zone 1, AEx db IIB+H2 T5 Gb, Zone 21, AEx tb IIIC T100°C Db, -40°C Ta +70°C; Class I, Zone 1, AEx db IIC T6 Gb, Zone 21, AEx tb IIIC T85°C Db, -40°C Ta +60°C. UL listed for Canada Ex db IIB+H2 T5 Gb X, Ex tb IIIC T100°C Db X, -40°C Ta +70°C; Ex db IIC T6 Gb X, Ex tb IIIC T85°C Db X, -40°C Ta +60°C.	11,340.00
EXPRO1CABLARM101	ExSite PRO 10m arm. cable barrier gland	1,512.76
MMXCABLARM10	Cabling, 10m (32.8 ft), armored cable, barrier cable gland	700.00
MMXCABLARM4	Cabling, 4m (13.1 ft), armored cable, barrier cable gland	550.00
WASEX2T4IC	Water tank 10l with integrated pump controlled by electrovalve certified IECEX, with delivery pipe 20m (66ft) (max delivery head 30m (98ft) with optional pipe), IN 24Vac/dc ATEX Ex II 2G Ex db IIC T6...T4 Gb, Ex II 2D Ex tb IIIC T85°C...T135°C Db, -60°C Tamb +65°C or +80°C or +100°C. IECEX Ex db IIC T6...T4 Gb, Ex tb IIIC T85°C...T135°C Db, -60°C Tamb +65°C or +80°C or +100°C.	2,226.00

Fixed IP Cameras

MODEL NUMBER	DESCRIPTION	MSRP \$
SRXE4-2X33-EBT-IR1	2MP Sarix Enh 4 Environmental IR Bullet Camera with 33x Zoom	1,395.25
SRXE4-4X31-EBT-IR1	4MP Sarix Enh 4 Environmental IR Bullet Camera with 31x Zoom	1,645.25
SRXE4-6X31-EBT-IR1	6MP Sarix Enh 4 Environmental IR Bullet Camera with 31x Zoom	1,795.25
SRXE4P-4X31-EBT-IR1	4MP Sarix Enh 4P Environmental IR Bullet Camera with 31x Zoom, No Mic	1,924.94

Modular

MODEL NUMBER	DESCRIPTION	MSRP \$
IDL0-PU2	Sarix Modular Camera 2 Port Processor Unit	556.50
IDL302-FXI	3MP Fixed Micro Bullet Imager for Sarix Modular Camera	263.94
IDL303-PHI	3MP Pin Hole Right Angle Imager for Sarix Modular Camera	263.94
IDL502-FXI	5MP Fixed Micro Bullet Imager for Sarix Modular Camera	369.94

Panoramic

MODEL NUMBER	DESCRIPTION	MSRP \$
IMD12136	Sarix Multi Pro 12 MP 4 imager 2.8mm 360 degree camera module	1,440.00
IMD15118	Sarix Multi Pro 15 MP 3 imager 4mm 180 degree camera module	1,361.00
IMD15127	Sarix Multi Pro 15 MP 3 imager 2.8mm 270 degree camera module	1,361.00
IMD20136	Sarix Multi Pro 20 MP 4 imager 2.8mm 360 degree camera module	1,585.00
IMD24118	Sarix Multi Pro 24 MP 3 imager 5.2mm 180 degree camera module	1,585.00

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

IMD24127	Sarix Multi Pro 24 MP 3 imager 4mm 270 degree camera module	1,585.00
IMD32136	Sarix Multi Pro 32 MP 4 imager 4mm 360 degree camera module	1,810.00
IMD9118	Sarix Multi Pro 9 MP 3 imager 4mm 180 degree camera module	1,252.00
IMD9127	Sarix Multi Pro 9 MP 3 imager 2.8mm 270 degree camera module	1,252.00
IMF122-1ERS	12MP Fisheye Environmental built In IR Illumination Surface Mount IP Camera Client Side Dewarping True WDR 30 FPS Smart Analytics	1,157.00
IMF122-1ES	12MP Fisheye Environmental Surface Mount IP Camera Client Side Dewarping True WDR 30 FPS Smart Analytics	1,103.00
IMF122-1I	12MP Fisheye Inceiling Mount Indoor IP Camera Client Side Dewarping True WDR 30 FPS Smart Analytics	1,130.00
IMF82-1ERS	8MP Fisheye Environmental built In IR Illumination Surface Mount IP Camera Client Side Dewarping True WDR 30 FPS Smart Analytics	919.00
IMF82-1ES	8MP Fisheye Environmental Surface Mount IP Camera Client Side Dewarping True WDR 30 FPS Smart Analytics	893.00
IMF82-1I	8MP Fisheye Inceiling Mount Indoor IP Camera Client Side Dewarping True WDR 30 FPS Smart Analytics	926.00
IMM12018-1EI	Optera 12MP 180 Environmental Inceiling dome camera telegrey	2,597.74
IMM12018-1EP	Optera 12MP 180 Environmental Pendant dome camera telegrey	2,597.74
IMM12018-1ES	Optera 12MP 180 Environmental Surface mount dome camera telegrey	2,597.74
IMM12018-E-BASE	Optera Panomersive 12MP 180 degree Environmental Base camera module	2,492.06
IMM12027-1EI	Optera 12MP 270 Environmental Inceiling dome camera telegrey	2,597.74
IMM12027-1EP	Optera 12MP 270 Environmental Pendant dome camera telegrey	2,597.74
IMM12027-1ES	Optera 12MP 270 Environmental Surface mount dome camera telegrey	2,597.74
IMM12027-1I	Optera 12MP 270 Indoor vandal Inceiling dome camera White	2,409.65
IMM12027-1S	Optera 12MP 270 Indoor vandal Surface dome camera White	2,409.65
IMM12027-B1I	Optera 12MP 270 Indoor vandal Inceiling dome camera Black	2,409.65
IMM12027-B1P	Optera 12MP 270 Indoor vandal Pendant dome camera Black	2,409.65
IMM12027-B1S	Optera 12MP 270 Indoor vandal Surface dome camera Black	2,409.65
IMM12027-E-BASE	Optera Panomersive 12MP 270 degree Environmental Base camera module	2,492.06
IMM12036-1EI	Optera 12MP 360 Environmental Inceiling dome camera telegrey	2,597.74
IMM12036-1EP	Optera 12MP 360 Environmental Pendant dome camera telegrey	2,597.74
IMM12036-1ES	Optera 12MP 360 Environmental Surface mount dome camera telegrey	2,597.74
IMM12036-E-BASE	Optera Panomersive 12MP 360 degree Environmental Base camera module	2,492.06
IMM820-BI	Backbox for Optera Indoor Vandal Inceiling Mount Black Plemun Rated	75.68
SMLE1-12V5-4H	Sarix Multi Enhanced 12 MP 3.3-5.7mm 4 imager multi-directional camera	1,893.00
SMLE1-15V5-3H	Sarix Multi Enhanced 15 MP 3.3-5.7mm 3 imager multi-directional camera	1,825.00
SMLE1-20V5-4H	Sarix Multi Enhanced 20 MP 3.3-5.7mm 4 imager multi-directional camera	2,053.00
SMLE1-24V5-3H	Sarix Multi Enhanced 24 MP 3.3-5.7mm 3 imager multi-directional camera	2,037.00
SMLE1-32V5-4H	Sarix Multi Enhanced 32 MP 3.3-5.7mm 4 imager multi-directional camera	2,458.00
SMLE1-9V5-3H	Sarix Multi Enhanced 9 MP 3.3-5.7mm 3 imager multi-directional camera	1,641.00

PTZ

MODEL NUMBER	DESCRIPTION	MSRP \$
B6-F	Spectra Enhanced 1080P BackBox Flush	535.13
DD530	Spectra Analog V SE Dome Drive C/BW 30X zoom NTSC/PAL	2,724.62
ES6230-02	Esprit Enhanced 6 1080P POE/24V	4,276.15
ES6230-05	Esprit Enhanced 6 1080P 85-265V	4,276.15

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

ES6230-12	Esprit Enhanced 6 1080P Wiper POE/24V	4,459.79
ES6230-12-R2	Esprit Enhanced 6 1080P Wiper 48VDC IR200m	6,495.47
ES6230-12-RW	Esprit 6 1080P Surevision, wiper, 48VDC, IR and White Light	6,509.94
ES6230-12P	Esprit Enhanced 6 1080P Wiper Pressurized POE/24V	5,551.64
ES6230-12P-R2	Esprit Enhanced 6 1080P Wiper Pressurized 48VDC IR200m	7,466.00
ES6230-12P-RW	Esprit 6 1080P Surevision, wiper, 48VDC, IR and White Light, Pressurized	7,473.80
ES6230-15	Esprit Enhanced 6 1080P Wiper 85-265V	4,459.79
ES6230-15-R2	Esprit Enhanced 6 1080P Wiper 100-240V IR200m	6,495.47
ES6230-15-RW	Esprit 6 1080P Surevision, wiper, mains, IR and White Light	6,509.94
ES6230-15P	Esprit Enhanced 6 1080P Wiper Pressurized 85-265V	5,551.64
ES6230-15P-R2	Esprit Enhanced 6 1080P Wiper Pressurized 100-240V IR200m	7,466.00
ES6230-15P-RW	Esprit 6 1080P Surevision, wiper, mains, IR and White Light, Pressurized	7,473.80
ESCE1-2X40-RLU	Esprit Compact Enhanced Series 1 , 2MP 40x Zoom , Ruggedized Lookup IR PTZ	4,999.00
ESCE1-2X40Q18-RLU	D-PTZ HD-40x QVGA THRM 18mm 12d FOV 30Hz	11,227.00
ESCE1-2X40Q18-RLU-1	D-PTZ HD-40x QVGA THRM 18mm 12d FOV 9Hz	11,227.00
ESCE1-2X40Q6-RLU	D-PTZ HD-40x QVGA THRM 6.3mm 34d FOV 30Hz	11,227.00
ESCE1-2X40Q6-RLU-1	D-PTZ HD-40x QVGA THRM 6.3mm 34d FOV 9Hz	11,227.00
ESCE1-2X40V24-RLU	D-PTZ HD-40x VGA THRM 24mm 18d FOV 30Hz	16,264.00
ESCE1-2X40V24-RLU-1	D-PTZ HD-40x VGA THRM 24mm 18d FOV 9Hz	16,264.00
ESCE1-2X40V9-RLU	D-PTZ HD-40x VGA THRM 8.7mm 50d FOV 30Hz	16,264.00
ESCE1-2X40V9-RLU-1	D-PTZ HD-40x VGA THRM 8.7mm 50d FOV 9Hz	16,264.00
ESCE1-4X36-RLU	Esprit Compact Enhanced Series 1 , 4MP 36x Zoom , Ruggedized Lookup IR PTZ	6,000.00
ESCE1-8X36-RLU	Esprit Compact Enhanced Series 1 , 8MP 36x Zoom , Ruggedized Lookup IR PTZ	6,500.00
LD6PB-0	Spectra Enhanced 1080p Lower Dome Pendant Smoked IK10	223.71
LD6PB-1	Spectra Enhanced 1080p Lower Dome Pendant Clear IK10	223.71
LDHDPB-1	Spectra HD Lower Dome Black Pendant Clear	212.58
NXPTZHD22VW0Z00C	NXPTZ2 24Vac HD 30x wiper cable 3m	12,612.97
P1220-PWH1	Spectra Professional 1080P 20X Pendant White Clear	1,945.52
P2230L-ESR	Spectra Professional 2 series 2M Low Light 30X IR Lookup Environmental Pendant Gray	1,826.00
P2230L-EW0	Spectra Professional 2 series 2M Low Light 30X Environmental Pendant White, smoked bubble	1,506.00
P2230L-EW1	Spectra Professional 2 series 2M Low Light 30X Environmental Pendant White, Clear bubble	1,506.00
P2230L-FW0	Spectra Professional 2 series 2M Low Light 30X Indoor in-ceiling White, smoked bubble	1,422.00
P2230L-FW1	Spectra Professional 2 series 2M Low Light 30X Indoor in-ceiling White, Clear bubble	1,422.00
POE90U-1BT	PoE injector 802.3bt 90W Single Port	285.69
S7230L-EB0	Spectra Enhanced 7 Dome 1080p 30X Environmental Pendant Black Smoked Bubble	2,729.97
S7230L-EB1	Spectra Enhanced 7 Dome 1080p 30X Environmental Pendant Black Clear Bubble	2,729.97
S7230L-EW0	Spectra Enhanced 7 Dome 1080p 30X Environmental Pendant White Smoked Bubble	2,656.06
S7230L-EW1	Spectra Enhanced 7 Dome 1080p 30X Environmental Pendant White Clear Bubble	2,656.06
S7230L-FW0	Spectra Enhanced 7 Dome 1080p 30X Indoor in-ceiling White Smoked Bubble	2,435.25
S7230L-FW1		2,435.25

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

	Spectra Enhanced 7 Dome 1080p 30X Indoor in-ceiling White Clear Bubble	
S7230L-PW	Spectra Enhanced 7 IR Look-up 1080p 30X Environmental Pendant White	3,197.00
S7230L-YB0	Spectra Enhanced 7 Dome 1080p 30X Environmental in-ceiling Black Smoked Bubble	2,508.26
S7230L-YB1	Spectra Enhanced 7 Dome 1080p 30X Environmental in-ceiling Black Clear Bubble	2,508.26
S7240L-PW	Spectra Enhanced 7 IR lookup 1080p 40X Optical stabilization, Environmental, Wiper, Laser Focus Assist, White	3,553.00
S7818L-EB0	Spectra Enhanced 7 Dome 4K 20X Environmental Pendant Black Smoked bubble	4,615.61
S7818L-EB1	Spectra Enhanced 7 Dome 4K 20X Environmental Pendant Black Clear bubble	4,615.61
S7818L-EW0	Spectra Enhanced 7 Dome 4K 20X Environmental Pendant White Smoked bubble	4,525.46
S7818L-EW1	Spectra Enhanced 7 Dome 4K 20X Environmental Pendant White Clear bubble	4,525.46
S7818L-FW0	Spectra Enhanced 7 Dome 4K 20X Indoor in-ceiling White Smoked bubble	4,072.47
S7818L-FW1	Spectra Enhanced 7 Dome 4K 20X Indoor in-ceiling White Clear bubble	4,072.47
S7818L-YB0	Spectra Enhanced 7 Dome 4K 20X Environmental in-ceiling Black Smoked bubble	4,163.73
S7818L-YB1	Spectra Enhanced 7 Dome 4K 20X Environmental in-ceiling Black Clear bubble	4,163.73
S7820L-PW	Spectra Enhanced 7 IR lookup 4K 20x Environmental Pendant, Wiper, Laser Focus Assist, White	4,100.00
SD530-PG-E0	Spectra Analog V SE 30X zoom Environmental Pendant Grey Smoked Dome NTSC/PAL	3,724.10
SD530-PG-E1	Spectra Analog V SE 30X zoom Environmental Pendant Grey Clear Dome NTSC/PAL	3,724.10
UPTB1MWA00A	ULISSE ENH 2 CAMERA 2MPx40 230VAC	4,459.79
UPTB2MWA00A	ULISSE ENH 2 CAMERA 2MPx40 24VAC	4,459.79
UPTB3MWA00A	ULISSE ENH 2 CAMERA 2MPx40 120VAC	4,459.79

PTZ Dome IP Cameras

MODEL NUMBER	DESCRIPTION	MSRP \$
B7-F	Back Box Spectra 7 Indoor in-ceiling White	383.02
B7-F-E	Back Box Spectra 7 Environmental in-ceiling White	427.62
B7-PB-E	Back Box Spectra 7 Environmental Pendant Black	436.30
B7-PW-E	Back Box Spectra 7 Environmental Pendant White	363.28
CNBX-1001	Conduit entry gang box vandal resistant white for corner camera accepts 1/2 and 3/4 inch conduit	134.97
D7230L	Spectra Enhanced 7 Dome 1080p 30X Environmental dome drive	2,324.83
D7818L	Spectra Enhanced 7 Dome 4K 20X Environmental dome drive	3,995.67
LDP-FWH-1	Lower Dome Professional Flush White Clear	122.43

Specialty IP

MODEL NUMBER	DESCRIPTION	MSRP \$
PAXM200	Pole mount adapter for ExSite Enhanced made of 316L stainless steel.	858.12
PEX-MMXCABARM10	Replacement 10m armored cable for EXC2602 Compact camera (VTPN: MMXCABLARM10)	706.86
PEX-MMXCABLARM4	Replacement 4m armored cable for EXC2602 Compact camera (VTPN: MMXCABLARM4)	412.34

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

Thermal

MODEL NUMBER	DESCRIPTION	MSRP \$
MPXT12AA000C	MPXT SERIES2 in AISI 316L, 230Vac, thermal camera 35mm, 336x256, 7.5Hz, Super Low-Light Day/Night FullHD zoom 30x Sony, H.264/AVC, wiper. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. IECEX Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. EAC Ex 1 Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T5 Gb, Zone 21, AEx tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for Canada Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. UK Ex Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C.	38,077.70
MPXT12AA000CH	MPXT SERIES2 in AISI 316L, 230Vac, thermal camera 35mm, 336x256, 30Hz, Super Low-Light Day/Night FullHD zoom 30x Sony, H.264/AVC, wiper. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. IECEX Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. EAC Ex 1 Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T5 Gb, Zone 21, AEx tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for Canada Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. UK Ex Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C.	38,396.52
MPXT12BA000C	MPXT SERIES2 in AISI 316L, 230Vac, thermal camera 25mm, 336x256, 7.5Hz, Super Low-Light Day/Night FullHD zoom 30x Sony, H.264/AVC, wiper. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. IECEX Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. EAC Ex 1 Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T5 Gb, Zone 21, AEx tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for Canada Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. UK Ex Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C.	38,077.70
MPXT12BA000CH	MPXT SERIES2 in AISI 316L, 230Vac, thermal camera 25mm, 336x256, 30Hz, Super Low-Light Day/Night FullHD zoom 30x Sony, H.264/AVC, wiper. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. IECEX Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. EAC Ex 1 Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T5 Gb, Zone 21, AEx tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for Canada Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. UK Ex Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C.	38,396.52
MPXT12DA000C	MPXT SERIES2 in AISI 316L, 230Vac, thermal camera 35mm, 640x512, 7.5Hz, Super Low-Light Day/Night FullHD zoom 30x Sony, H.264/AVC, wiper. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. IECEX Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. EAC Ex 1 Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T5 Gb, Zone 21, AEx tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for Canada Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. UK Ex Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C.	42,403.86
MPXT12DA000CH	MPXT SERIES2 in AISI 316L, 230Vac, thermal camera 35mm, 640x512, 30Hz, Super Low-Light Day/Night FullHD zoom 30x Sony, H.264/AVC, wiper. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. IECEX Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. EAC Ex 1 Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. UK Ex Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C.	43,269.62

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

	Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T5 Gb, Zone 21, AEx tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for Canada Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. UK Ex Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C.	
MPXT12EA000C	MPXT SERIES2 in AISI 316L, 230Vac, thermal camera 25mm, 640x512, 7.5Hz, camera SONY FCB-EV7520 Super Low-Light Day/Night FullHD zoom 30x, H.264/AVC, wiper. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. IECEX Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. EAC Ex 1 Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T5 Gb, Zone 21, AEx tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for Canada Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. UK Ex Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C.	42,403.86
MPXT12EA000CH	MPXT2 SS 2MPx30 25mm VGA 30Hz 230Vac	43,269.62
MPXT22AA000C	MPXT SERIES2 in AISI 316L, 24Vac, thermal camera 35mm, 336x256, 7.5Hz, Super Low-Light Day/Night FullHD zoom 30x Sony, H.264/AVC, wiper. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. IECEX Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. EAC Ex 1 Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T5 Gb, Zone 21, AEx tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for Canada Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. UK Ex Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C.	38,077.70
MPXT22AA000CH	MPXT SERIES2 in AISI 316L, 24Vac, thermal camera 35mm, 336x256, 30Hz, Super Low-Light Day/Night FullHD zoom 30x Sony, H.264/AVC, wiper. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. IECEX Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. EAC Ex 1 Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T5 Gb, Zone 21, AEx tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for Canada Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. UK Ex Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C.	38,396.52
MPXT22BA000C	MPXT SERIES2 in AISI 316L, 24Vac, thermal camera 25mm, 336x256, 7.5Hz, Super Low-Light Day/Night FullHD zoom 30x Sony, H.264/AVC, wiper. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. IECEX Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. EAC Ex 1 Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T5 Gb, Zone 21, AEx tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for Canada Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. UK Ex Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C.	38,077.70
MPXT22BA000CH	MPXT SERIES2 in AISI 316L, 24Vac, thermal camera 25mm, 336x256, 30Hz, Super Low-Light Day/Night FullHD zoom 30x Sony, H.264/AVC, wiper. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. IECEX Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. EAC Ex 1 Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T5 Gb, Zone 21, AEx tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for Canada Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. UK Ex Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C.	38,396.52

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

MPXT22DA000C	MPXT SERIES2 in AISI 316L, 24Vac, thermal camera 35mm, 640x512, 7.5Hz, Super Low-Light Day/Night FullHD zoom 30x Sony, H.264/AVC, wiper. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. IECEX Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. EAC Ex 1 Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T5 Gb, Zone 21, AEx tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for Canada Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. UK Ex Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C.	42,403.86
MPXT22DA000CH	MPXT SERIES2 in AISI 316L, 24Vac, thermal camera 35mm, 640x512, 30Hz, Super Low-Light Day/Night FullHD zoom 30x Sony, H.264/AVC, wiper. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. IECEX Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. EAC Ex 1 Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T5 Gb, Zone 21, AEx tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for Canada Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. UK Ex Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C.	43,269.62
MPXT22EA000C	MPXT SERIES2 in AISI 316L, 24Vac, thermal camera 25mm, 640x512, 7.5Hz, Super Low-Light Day/Night FullHD zoom 30x Sony, H.264/AVC, wiper. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. IECEX Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. EAC Ex 1 Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T5 Gb, Zone 21, AEx tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for Canada Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. UK Ex Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C.	42,403.86
MPXT22EA000CH	MPXT SERIES2 in AISI 316L, 24Vac, thermal camera 25mm, 640x512, 30Hz, Super Low-Light Day/Night FullHD zoom 30x Sony, H.264/AVC, wiper. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. IECEX Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. EAC Ex 1 Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T5 Gb, Zone 21, AEx tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for Canada Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. UK Ex Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C.	43,269.62
MPXT32AA000C	MPXT SERIES2 in AISI 316L, 120Vac, thermal camera 35mm, 336x256, 7.5Hz, Super Low-Light Day/Night FullHD zoom 30x Sony, H.264/AVC, wiper. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. IECEX Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. EAC Ex 1 Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T5 Gb, Zone 21, AEx tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for Canada Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. UK Ex Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C.	38,077.70
MPXT32AA000CH	MPXT SERIES2 in AISI 316L, 120Vac, thermal camera 35mm, 336x256, 30Hz, Super Low-Light Day/Night FullHD zoom 30x Sony, H.264/AVC, wiper. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. IECEX Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. EAC Ex 1 Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T5 Gb, Zone 21, AEx tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for Canada Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C.	38,396.52

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

+70°C. UK Ex Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C.

MPXT32BA000C	MPXT SERIES2 in AISI 316L, 120Vac, thermal camera 25mm, 336x256, 7.5Hz, Super Low-Light Day/Night FullHD zoom 30x Sony, H.264/AVC, wiper. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. IECEX Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. EAC Ex 1 Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T5 Gb, Zone 21, AEx tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for Canada Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. UK Ex Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C.	38,077.70
MPXT32BA000CH	MPXT SERIES2 in AISI 316L, 120Vac, thermal camera 25mm, 336x256, 30Hz, Super Low-Light Day/Night FullHD zoom 30x Sony, H.264/AVC, wiper. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. IECEX Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. EAC Ex 1 Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T5 Gb, Zone 21, AEx tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for Canada Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. UK Ex Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C.	38,396.52
MPXT32DA000C	MPXT SERIES2 in AISI 316L, 120Vac, thermal camera 35mm, 640x512, 7.5Hz, Super Low-Light Day/Night FullHD zoom 30x Sony, H.264/AVC, wiper. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. IECEX Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. EAC Ex 1 Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T5 Gb, Zone 21, AEx tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for Canada Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. UK Ex Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C.	42,403.86
MPXT32DA000CH	MPXT SERIES2 in AISI 316L, 120Vac, thermal camera 35mm, 640x512, 30Hz, Super Low-Light Day/Night FullHD zoom 30x Sony, H.264/AVC, wiper. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. IECEX Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. EAC Ex 1 Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T5 Gb, Zone 21, AEx tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for Canada Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. UK Ex Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C.	43,269.62
MPXT32EA000C	MPXT SERIES2 in AISI 316L, 120Vac, thermal camera 25mm, 640x512, 7.5Hz, Super Low-Light Day/Night FullHD zoom 30x Sony, H.264/AVC, wiper. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. IECEX Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. EAC Ex 1 Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for USA Class I, Zone 1, AEx db IIC T6...T5 Gb, Zone 21, AEx tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for Canada Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. UK Ex Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C.	42,403.86
MPXT32EA000CH	MPXT SERIES2 in AISI 316L, 120Vac, thermal camera 25mm, 640x512, 30Hz, Super Low-Light Day/Night FullHD zoom 30x Sony, H.264/AVC, wiper. ATEX Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. IECEX Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. EAC Ex 1 Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. INMETRO Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. KCs Ex db IIC T6...T5 Gb, Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed	43,269.62

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

for USA Class I, Zone 1, AEx db IIC T6...T5 Gb, Zone 21, AEx tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C. UL listed for Canada Ex db IIC T6...T5 Gb X, Ex tb IIIC T85°C...T100°C Db X, -40°C Ta +60°C or +70°C. UK Ex Ex II 2G Ex db IIC T6...T5 Gb, Ex II 2D Ex tb IIIC T85°C...T100°C Db, -40°C Ta +60°C or +70°C.

MVXT2I0SAZ00B	MVXT thermal camera with radiometric functions, in AISI 316L, 12-24Vdc/24Vac, version IP H264/AVC, 35mm, 336x256, 7.5Hz, armoured cable 4m, sunshield. ATEX Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/68. IECEX Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/68. EAC Ex 1Ex db IIC T5 Gb X, Ex tb IIIC T100°C Db X, -60°C Ta +65°C, IP66/IP68. INMETRO Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/IP68. UK Ex Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/68.	13,557.44
MVXT2I0SAZ00BH	MVXT thermal camera with radiometric functions, in AISI 316L, 12-24Vdc/24Vac, version IP H264/AVC, 35mm, 336x256, 30Hz, armoured cable 4m, sunshield. ATEX Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/68. IECEX Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/68. EAC Ex 1Ex db IIC T5 Gb X, Ex tb IIIC T100°C Db X, -60°C Ta +65°C, IP66/IP68. INMETRO Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/IP68. UK Ex Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/68.	13,644.15
MVXT2I0SFZ01B	MVXT thermal camera with radiometric functions, in AISI 316L, 12-24Vdc/24Vac, version IP H264/AVC, 35mm, 336x256, 7.5Hz, cable tail 4m, sunshield. ATEX Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/68. IECEX Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/68. EAC Ex 1Ex db IIC T5 Gb X, Ex tb IIIC T100°C Db X, -50°C Ta +65°C, IP66/68. INMETRO Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/IP68. ETL listed for USA Class I Zone 1 AEx db IIC T5 Gb, Zone 21 AEx tb IIIC T100°C Db, -50°C Ta +65°C. ETL listed for Canada Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -50°C Ta +65°C. UK Ex Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/68.	13,297.31
MVXT2I0SFZ01BH	MVXT thermal camera with radiometric functions, in AISI 316L, 12-24Vdc/24Vac, version IP H264/AVC, 35mm, 336x256, 30Hz, cable tail 4m, sunshield. ATEX Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/68. IECEX Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/68. EAC Ex 1Ex db IIC T5 Gb X, Ex tb IIIC T100°C Db X, -50°C Ta +65°C, IP66/68. INMETRO Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/IP68. ETL listed for USA Class I Zone 1 AEx db IIC T5 Gb, Zone 21 AEx tb IIIC T100°C Db, -50°C Ta +65°C. ETL listed for Canada Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -50°C Ta +65°C. UK Ex Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/68.	13,385.36
MVXT2U0SAZ00B	MVXT thermal camera with radiometric functions, in AISI 316L, 12-24Vdc/24Vac, IP H264/AVC version, 19mm, 640x512, 7.5Hz, armoured cable 4m (13 ft), sunshield, -60°C/+65°C. ATEX Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/68. IECEX Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/68. EAC Ex 1Ex db IIC T5 Gb X, Ex tb IIIC T100°C Db X, -60°C Ta +65°C, IP66/IP68. INMETRO Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/IP68. UK Ex Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/68.	19,471.06
MVXT2U0SAZ00BH	MVXT thermal camera with radiometric functions, in AISI 316L, 12-24Vdc/24Vac, version IP H264/AVC, 19mm, 640x512, 30Hz, armoured cable 4m, sunshield. ATEX Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/68. IECEX Ex db IIC T5 Gb, Ex tb IIIC T100°C Db X, -60°C Ta +65°C, IP66/IP68. INMETRO Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/IP68. UK Ex Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/68.	19,976.65
MVXT2U0SFZ01B	MVXT thermal camera with radiometric functions, in AISI 316L, 12-24Vdc/24Vac, version IP H264/AVC, 19mm, 640x512, 7.5Hz, cable tail 4m, sunshield. ATEX Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/68. IECEX Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/68. EAC Ex 1Ex db IIC T5 Gb X, Ex tb IIIC T100°C Db X, -50°C Ta +65°C, IP66/68. INMETRO Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/IP68. ETL listed for USA Class I Zone 1 AEx db IIC T5 Gb, Zone 21 AEx tb IIIC T100°C Db, -50°C Ta +65°C. ETL listed for Canada Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -50°C Ta +65°C. UK Ex Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/68.	19,210.93
MVXT2U0SFZ01BH	MVXT with radiometric function, in AISI 316L, 12-24Vdc/24Vac, version IP H264/AVC, thermal camera 19mm, 640x512, 30Hz, cable tail 4m, sunshield. ATEX Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/68. IECEX Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/68. EAC Ex 1Ex db IIC T5 Gb X, Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/68.	19,716.52

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

Db X, -50°C Ta +65°C, IP66/68. INMETRO Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/IP68. ETL listed for USA Class I Zone 1 AEx db IIC T5 Gb, Zone 21 AEx tb IIIC T100°C Db, -50°C Ta +65°C. ETL listed for Canada Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -50°C Ta +65°C. UK Ex Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/68.

MVXT2Z0SAZ00B	MVXT thermal camera with radiometric functions, in AISI 316L, 12-24Vdc/24Vac, version IP H264/AVC, 19mm, 336x256, 7.5Hz, armoured cable 4m, sunshield. ATEX Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/68. IECEX Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/68. EAC Ex 1Ex db IIC T5 Gb X, Ex tb IIIC T100°C Db X, -60°C Ta +65°C, IP66/IP68. INMETRO Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/IP68. UK Ex Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/68.	12,534.26
MVXT2Z0SAZ00BH	MVXT thermal camera with radiometric functions, in AISI 316L, 12-24Vdc/24Vac, version IP H264/AVC, 19mm, 336x256, 30Hz, armoured cable 4m, sunshield. ATEX Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/68. IECEX Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/68. EAC Ex 1Ex db IIC T5 Gb X, Ex tb IIIC T100°C Db X, -60°C Ta +65°C, IP66/IP68. INMETRO Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/IP68. UK Ex Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -60°C Ta +65°C, IP66/68.	12,620.97
MVXT2Z0SFZ01B	MVXT thermal camera with radiometric functions, in AISI 316L, 12-24Vdc/24Vac, version IP H264/AVC, 19mm, 336x256, 7.5Hz, cable tail 4m, sunshield. ATEX Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/68. IECEX Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/68. EAC Ex 1Ex db IIC T5 Gb X, Ex tb IIIC T100°C Db X, -50°C Ta +65°C, IP66/68. INMETRO Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/IP68. ETL listed for USA Class I Zone 1 AEx db IIC T5 Gb, Zone 21 AEx tb IIIC T100°C Db, -50°C Ta +65°C. ETL listed for Canada Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -50°C Ta +65°C. UK Ex Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/68.	12,274.13
MVXT2Z0SFZ01BH	MVXT thermal camera with radiometric functions, in AISI 316L, 12-24Vdc/24Vac, version IP H264/AVC, 19mm, 336x256, 30Hz, cable tail 4m, sunshield. ATEX Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/68. IECEX Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/68. EAC Ex 1Ex db IIC T5 Gb X, Ex tb IIIC T100°C Db X, -50°C Ta +65°C, IP66/68. INMETRO Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/IP68. ETL listed for USA Class I Zone 1 AEx db IIC T5 Gb, Zone 21 AEx tb IIIC T100°C Db, -50°C Ta +65°C. ETL listed for Canada Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, -50°C Ta +65°C. UK Ex Ex II 2G Ex db IIC T5 Gb, Ex II 2D Ex tb IIIC T100°C Db, -50°C Ta +65°C, IP66/68.	12,359.51
NTX2D0R00A	NTX 35mm VGA 7.5Hz IN 24Vac 24Vdc PoE+	18,029.01
NTX2D0R00AH	NTX 35mm VGA 30Hz IN 24Vac 24Vdc PoE+	18,461.23
NTX2H0R00A	NTX 9mm VGA 7.5Hz IN 24Vac 24Vdc PoE+	16,731.03
NTX2H0R00AH	NTX 9mm VGA 30Hz IN 24Vac 24Vdc PoE+	17,163.24
NTX2I0R00A	NTX 35mm QVGA 7.5Hz IN 24Vac 24Vdc PoE+	11,827.24
NTX2I0R00AH	NTX 35mm QVGA 30Hz IN 24Vac 24Vdc PoE+	12,259.46
NTX2Q0R00A	NTX 9mm QVGA 7.5Hz IN 24Vac 24Vdc PoE+	10,529.26
NTX2Q0R00AH	NTX 9mm QVGA 30Hz IN 24Vac 24Vdc PoE+	10,961.48
NTX2U0R00A	NTX 19mm VGA 7.5Hz IN 24Vac 24Vdc PoE+	16,731.03
NTX2U0R00AH	NTX 19mm VGA 30Hz IN 24Vac 24Vdc PoE+	17,163.24
NTX2Z0R00A	NTX 19mm QVGA 7.5Hz IN 24Vac 24Vdc PoE+	10,529.26
NTX2Z0R00AH	NTX 19mm QVGA 30Hz IN 24Vac 24Vdc PoE+	10,961.48
NXPTZT12AW0Z00C	NXPTZT2 230Vac HD30x 35mm QVGA 7.5Hz W3m	22,904.78
NXPTZT12AW0Z00CH	NXPTZT2 230Vac HD30x 35mm QVGA 30Hz W 3m	23,337.00
NXPTZT12BW0Z00C	NXPTZT2 230Vac HD30x 25mm QVGA 7.5Hz W3m	22,904.78
NXPTZT12BW0Z00CH	NXPTZT2 230Vac HD30x 25mm QVGA 30Hz W 3m	23,337.00
NXPTZT12DW0Z00C	NXPTZT2 230Vac HD30x 35mm VGA 7.5Hz W 3m	31,810.56
NXPTZT12DW0Z00CH	NXPTZT2 230Vac HD30x 35mm VGA 30Hz W 3m	32,242.78
NXPTZT12EW0Z00C	NXPTZT2 230Vac HD30x 25mm VGA 7.5Hz W 3m	31,810.56
NXPTZT12EW0Z00CH	NXPTZT2 230Vac HD30x 25mm VGA 30Hz W 3m	32,242.78

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

NXPTZT22AW0Z00C	NXPTZT2 24Vac HD30x 35mm QVGA 7.5Hz W 3m	22,904.78
NXPTZT22AW0Z00CH	NXPTZT2 24Vac HD30x 35mm QVGA 30Hz W 3m	23,337.00
NXPTZT22BW0Z00C	NXPTZT2 24Vac HD30x 25mm QVGA 7.5Hz W 3m	22,904.78
NXPTZT22BW0Z00CH	NXPTZT2 24Vac HD30x 25mm QVGA 30Hz W 3m	23,337.00
NXPTZT22DW0Z00C	NXPTZT2 24Vac HD30x 35mm VGA 7.5Hz W 3m	31,810.56
NXPTZT22DW0Z00CH	NXPTZT2 24Vac HD30x 35mm VGA 30Hz W 3m	32,242.78
NXPTZT22EW0Z00C	NXPTZT2 24Vac HD30x 25mm VGA 7.5Hz W 3m	31,810.56
NXPTZT22EW0Z00CH	NXPTZT2 24Vac HD30x 25mm VGA 30Hz W 3m	32,242.78
NXPTZT32AW0Z00C	NXPTZT2 120Vac HD30x 35mm QVGA 7.5Hz W3m	22,904.78
NXPTZT32AW0Z00CH	NXPTZT2 120Vac HD30x 35mm QVGA 30Hz W3m	23,337.00
NXPTZT32DW0Z00C	NXPTZT2 120Vac HD30x 35mm VGA 7.5Hz W3m	31,810.56
NXPTZT32DW0Z00CH	NXPTZT2 120Vac HD30x 35mm VGA 30Hz W3m	32,242.78
NXPTZT32EW0Z00C	NXPTZT2 120Vac HD30x 25mm VGA 7.5Hz W3m	31,810.56
SXRE4-VF09-EBT		6,021.00
SXRE4-VF09-EBT-1		6,021.00
SXRE4-VF14-EBT	640x512, Sarix Radiometric Enhanced 4, Bullet, 14mm f/1.0, NETD 50mK, 30Hz, Smart Analytic	6,178.00
SXRE4-VF14-EBT-1	640x512, Sarix Radiometric Enhanced 4, Bullet, 14mm f/1.0, NETD 50mK, 9Hz, Smart Analytic	6,178.00
SXTE4-QF04-EBT	320x256, Sarix Thermal Enhanced 4, Bullet, 4.3mm f/1.0, NETD 50mK, 30Hz, Smart Analytics	3,896.00
SXTE4-QF04-EBT-1	320x256, Sarix Thermal Enhanced 4, Bullet, 4.3mm f/1.0, NETD 50mK, 9Hz, Smart Analytics	3,896.00
SXTE4-QF09-EBT	320x256, Sarix Thermal Enhanced 4, Bullet, 9.1mm f/1.0, NETD 50mK, 30Hz, Smart Analytics	3,980.00
SXTE4-QF09-EBT-1	320x256, Sarix Thermal Enhanced 4, Bullet, 9.1mm f/1.0, NETD 50mK, 9Hz, Smart Analytics	3,980.00
SXTE4-QF13-EBT	320x256, Sarix Thermal Enhanced 4, Bullet, 13.8mm f/1.0, NETD 50mK, 30Hz, Smart Analytics	4,319.00
SXTE4-QF13-EBT-1	320x256, Sarix Thermal Enhanced 4, Bullet, 13.8mm f/1.0, NETD 50mK, 9Hz, Smart Analytics	4,319.00
SXTE4-QF18-EBT	320x256, Sarix Thermal Enhanced 4, Bullet, 18mm f/1.0, NETD 50mK, 30Hz, Smart Analytics	4,337.00
SXTE4-QF18-EBT-1	320x256, Sarix Thermal Enhanced 4, Bullet, 18mm f/1.0, NETD 50mK, 9Hz, Smart Analytics	4,337.00
SXTE4-VF18-EBT	640x512, Sarix Thermal Enhanced 4, Bullet, 18mm f/1.0, NETD 50mK, 30Hz, Smart Analytic	6,477.00
SXTE4-VF18-EBT-1	640x512, Sarix Thermal Enhanced 4, Bullet, 18mm f/1.0, NETD 50mK, 9Hz, Smart Analytic	6,477.00
SXTE4-VF24-EBT	640x512, Sarix Thermal Enhanced 4, Bullet, 24.4mm f/1.0, NETD 50mK, 30Hz, Smart Analytics	6,942.00
SXTE4-VF24-EBT-1	640x512, Sarix Thermal Enhanced 4, Bullet, 24.4mm f/1.0, NETD 50mK, 9Hz, Smart Analytics	6,942.00
SXTE4-VF36-EBT	640x512, Sarix Thermal Enhanced 4, Bullet, 36mm f/1.0, NETD 50mK, 30Hz, Smart Analytics	7,161.00
SXTE4-VF36-EBT-1	640x512, Sarix Thermal Enhanced 4, Bullet, 36mm f/1.0, NETD 50mK, 9Hz, Smart Analytics	7,161.00
UED22CA000A	EVO DUAL PTZ 30x thermal 6.3mm 34d HFOV	14,711.35
UED22CA000AH	EVO DUAL PTZ 30x thermal 6.3mm 34d HFOV	14,711.35
UED22DA000A	EVO DUAL PTZ 30x thermal 9.1mm 24d HFOV	14,711.35
UED22DA000AH	EVO DUAL PTZ 30x thermal 9.1mm 24d HFOV	14,711.35
UED22FA000A	EVO DUAL PTZ 30x thermal 18mm 12d HFOV	18,317.15
UED22FA000AH	EVO DUAL PTZ 30x thermal 18mm 12d HFOV	18,317.15
UED22IA000A	EVO DUAL PTZ 30x thermal 8.7mm 50d HFOV	25,096.54

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

UED22IA000AH	EVO DUAL PTZ 30x thermal 8.7mm 50d HFOV	25,096.54
UED22LA000A	EVO DUAL PTZ 30x thermal 14mm 32d HFOV	25,962.31
UED22LA000AH	EVO DUAL PTZ 30x thermal 14mm 32d HFOV	25,962.31
UED22NA000A	EVO DUAL PTZ 30x thermal 24.4mm 18d HFOV	26,538.60
UED22NA000AH	EVO DUAL PTZ 30x thermal 24.4mm 18d HFOV	26,538.60
UET2DA000A	EVO THRM VGA PTZ RadM 35mm 7.5Hz RAL9002	20,480.90
UET2DA000AH	EVO THRM VGA PTZ RadM 35mm 30Hz RAL9002	20,942.47
UET2EA000A	EVO THRM VGA PTZ RadM 25mm 7.5Hz RAL9002	20,480.90
UET2EA000AH	EVO THRM VGA PTZ RadM 25mm 30Hz RAL9002	20,942.47
UET2GA000A	EVO THRM VGA PTZ RadM 13mm 7.5Hz RAL9002	19,182.92
UET2GA000AH	EVO THRM VGA PTZ RadM 13mm 30Hz RAL9002	19,644.48
UET2IA000A	EVO THRM QVGA PTZ RadM 35mm7.5Hz RAL9002	13,557.44
UET2IA000AH	EVO THRM QVGA PTZ RadM 35mm 30Hz RAL9002	13,788.22
UET2LA000A	EVO THRM QVGA PTZ RadM 25mm 7.5HzRAL9002	13,557.44
UET2LA000AH	EVO THRM QVGA PTZ RadM 25mm 30Hz RAL9002	13,788.22
UET2MA000A	EVO THRM QVGA PTZ RadM 13mm 7.5HzRAL9002	12,259.46
UET2MA000AH	EVO THRM QVGA PTZ RadM 13mm 30Hz RAL9002	12,490.24
UET2UA000A	EVO THRM VGA PTZ RadM 19mm 7.5Hz RAL9002	19,182.92
UET2UA000AH	EVO THRM VGA PTZ RadM 19mm 30Hz RAL9002	19,644.48
UET2ZA000A	EVO THRM QVGA PTZ RadM 19mm 7.5HzRAL9002	12,259.46
UET2ZA000AH	EVO THRM QVGA PTZ RadM 19mm 30Hz RAL9002	12,490.24

Turret

MODEL NUMBER	DESCRIPTION	MSRP \$
IFV222-1ERS	Sarix Value 2 Megapixel Fixed Focal 2.8 mm Environmental IR Turret IP Camera	219.26
IFV523-1ERS	Sarix Value 5 Megapixel Fixed Focal 3.6 mm Environmental IR Turret IP Camera	314.98
ITV529-1ERS	Sarix Value 5 Megapixel Varifocal 3.4-9.4 mm Environmental IR Turret IP Camera	412.92

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

Networking

Injectors

MODEL NUMBER	DESCRIPTION	MSRP \$
POE60U-1BTE	Gigabit 802.3bt 60 W PoE Injector, Indoor, single port	177.00

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

Services

Miscellaneous

MODEL NUMBER	DESCRIPTION	MSRP \$
VB-400-12MW-N	12 Month Additional Warranty for VB-400 Body-worn camera	145.00
VB-400-24MW-N	24 Month Additional Warranty for VB-400 Body-worn camera	250.00
VB-400-DOCK14-12MW	12 Month Additional Warranty for VB400-DOCK14	130.00
VB-400-DOCK14-24MW	24 Month Additional Warranty for VB-400-DOCK14	250.00
VB-400-SOLO-12MW	12 Month Additional Warranty for VB-400-DOCK-SOLO	35.00
VB-400-SOLO-24MW	Warranty: +24 Months warranty for VB-400-SOLO	60.00

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

Software

Miscellaneous

MODEL NUMBER	DESCRIPTION	MSRP \$
VM-EPL-HQ-BASE	VideoManager for Head-quarters - Base	3,750.00
VM-EPL-HQ-PRO	VideoManager for Head-quarters - Pro	47,000.00
VM-EPL-VB-CONNECT-1	License: 1x VideoManager CONNECT license for VB400 body-worn camera	325.00
VM-EPL-VB-PLUS-1	License: 1x VideoManager PLUS license for VB400 body-worn camera	415.00
VM-EPL-VBCON1	Licence: 1x VM Connect for VideoBadge	332.85
VM-EPL-VBPLUS1	Licence: 1x VM Plus for VideoBadge	423.15
VM-ESA-M-12M-1		85.00
VM-ESA-M-24M-1		145.00
VM-ESA-M-36M-1		195.00
VM-ESA-STORE1TB12M	12 m for VideoManager ObjectStorage 1Tb	190.00
VM-ESA-VB-12M-1	12 Month Additional S/W Assurance for VideoManager (VB400)	85.00
VM-ESA-VB-24M-1	Software Assurance: +24 Months for 1x VM-EPL-VB license	145.00

All

MODEL NUMBER	DESCRIPTION	MSRP \$
CVA-0105A	Calipsa Video Analyzer, 10 hour pack	187.00

Calipsa

MODEL NUMBER	DESCRIPTION	MSRP \$
CVA-BAP1-10C1Y	Calipsa Basic Plus,10ch,1yr	1,800.00
CVA-BAS1-10C1Y	Calipsa Basic,10ch,1yr	1,500.00
CVA-COR1-10C1Y	Calipsa Core,10ch,1yr	2,700.00
CVA-HLT1-10C1Y	Calipsa Camera Health,10ch,1yr	300.00
CVA-PRO1-10C1Y	Calipsa Pro,10ch,1yr	3,900.00

Compass

MODEL NUMBER	DESCRIPTION	MSRP \$
COMPASS350001S1	SUP for Compass Single Site Base License: 2 server licenses, 2 simultaneous users, from 1 to 5 sites (12 months)	1,369.60
COMPASS350001S2	SUP for Compass Single Site Base License: 2 server licenses, 2 simultaneous users, from 1 to 5 sites (24 months)	2,428.90
COMPASS350002S1	COMPASS350002S1	2,728.50
COMPASS350002S2	SUP for Compass Multi-Site Base License: 2 server licenses, 2 simultaneous users, 6 or more sites (24 months)	4,847.10

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

COMPASS350003	Upgrade from Compass Single Site Base License to Multi-Site Base License	7,575.60
COMPASS350003S1	SUP for Upgrade from Compass Single Site Base License to Multi-Site Base License (12 months)	1,369.60
COMPASS350003S2	SUP for Upgrade from Compass Single Site Base License to Multi-Site Base License (24 months)	2,428.90
COMPASS350004S1	SUP for Compass Video Wall License (12 months)	1,369.60
COMPASS350004S2	SUP for Compass Video Wall License (24 months)	2,428.90
COMPASS350005	Compass VoIP Gateway License (to allow SIP trunking with End-User PBX)	10,100.80
COMPASS350005S1	SUP for Compass VoIP Gateway License (to allow SIP trunking with End-User PBX) (12 months)	1,819.00
COMPASS350005S2	SUP for Compass VoIP Gateway License (to allow SIP trunking with End-User PBX) (24 months)	3,242.10
COMPASS350006	Additional Simultaneous Compass User License (3 or more users, per additional user)	1,893.90
COMPASS350006S1	SUP for Additional Simultaneous Compass User License (3 or more users, per additional user) (12 months)	342.40
COMPASS350006S2	SUP for Additional Simultaneous Compass User License (3 or more users, per additional user) (24 months)	609.90
COMPASS350007	Additional Compass Server Instance License (3 or more instances, per additional instance)	7,575.60
COMPASS350007S1	SUP for Additional Compass Server Instance License (3 or more instances, per additional instance) (12 months)	1,369.60
COMPASS350007S2	SUP for Additional Compass Server Instance License (3 or more instances, per additional instance) (24 months)	2,428.90
COMPASS350008	Third-Party Microsoft Windows Instance License for Compass Server (per Windows instance)	1,893.90
COMPASS350008S1	SUP for Third-Party Microsoft Windows Instance License for Compass Server (per Windows instance) (12 months)	342.40
COMPASS350008S2	SUP for Third-Party Microsoft Windows Instance License for Compass Server (per Windows instance) (24 months)	609.90
COMPASS350050S1	SUP for New Compass Integration Driver (12 months)	1,819.00
COMPASS350050S2	SUP for New Compass Integration Driver (24 months)	3,231.40
COMPASS350060S1	SUP for Existing Compass Integration Driver: Unspecified (12 months)	1,819.00
COMPASS350060S2	SUP for Existing Compass Integration Driver: Unspecified (24 months)	3,231.40
COMPASS350110S1	SUP for Compass Access Control Driver: DDS Amadeus 5 (12 months)	1,819.00
COMPASS350110S2	SUP for Compass Access Control Driver: DDS Amadeus 5 (24 months)	3,231.40
COMPASS350120	Compass Access Control Driver: Dorlet	10,100.80
COMPASS350120S1	SUP for Compass Access Control Driver: Dorlet (12 months)	1,819.00
COMPASS350120S2	SUP for Compass Access Control Driver: Dorlet (24 months)	3,231.40
COMPASS350150	Compass Access Control Driver: Paxton NET2	10,100.80
COMPASS350150S1	SUP for Compass Access Control Driver: Paxton NET2 (12 months)	1,819.00
COMPASS350150S2	SUP for Compass Access Control Driver: Paxton NET2 (24 months)	3,231.40
COMPASS350160S1	SUP for Compass Access Control Driver: Qontinuum QPSIM/QVIGILA (12 months)	1,819.00
COMPASS350160S2	SUP for Compass Access Control Driver: Qontinuum QPSIM/QVIGILA (24 months)	3,231.40
COMPASS350170S1	SUP for Compass Access Control Driver: Salto (12 months)	1,819.00
COMPASS350170S2	SUP for Compass Access Control Driver: Salto (24 months)	3,231.40
COMPASS350180	Compass Access Control Driver: IDCube Access 360	10,100.80
COMPASS350180S1	SUP for Compass Access Control Driver: IDCube Access 360 (12 months)	1,819.00
COMPASS350180S2	SUP for Compass Access Control Driver: IDCube Access 360 (24 months)	3,231.40
COMPASS350190	Compass Access Control Driver: Hikvision	10,100.80
COMPASS350190S1	SUP for Compass Access Control Driver: Hikvision (12 months)	1,819.00

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

COMPASS350190S2	SUP for Compass Access Control Driver: Hikvision (24 months)	3,231.40
COMPASS350200	Compass Access Control Driver: Assa Abloy Traka	10,100.80
COMPASS350200S1	SUP for Compass Access Control Driver: Assa Abloy Traka (12 months)	1,819.00
COMPASS350200S2	SUP for Compass Access Control Driver: Assa Abloy Traka (24 months)	3,231.40
COMPASS351000	Compass VoIP Device Driver: 2N	10,100.80
COMPASS351000S1	SUP for Compass VoIP Device Driver: 2N (12 months)	1,819.00
COMPASS351000S2	SUP for Compass VoIP Device Driver: 2N (24 months)	3,231.40
COMPASS351010S1	SUP for Compass VoIP Device Driver: Mobotix (12 months)	1,819.00
COMPASS351010S2	SUP for Compass VoIP Device Driver: Mobotix (24 months)	3,231.40
COMPASS351020	Compass VoIP Device Driver: Commend	10,100.80
COMPASS351020S1	SUP for Compass VoIP Device Driver: Commend (12 months)	1,819.00
COMPASS351020S2	SUP for Compass VoIP Device Driver: Commend (24 months)	3,231.40
COMPASS352000	Compass Alarm Panel Driver: Honeywell Galaxy	10,100.80
COMPASS352000S1	SUP for Compass Alarm Panel Driver: Honeywell Galaxy (12 months)	1,819.00
COMPASS352000S2	SUP for Compass Alarm Panel Driver: Honeywell Galaxy (24 months)	3,231.40
COMPASS352010	Compass Alarm Panel Driver: Honeywell Notifier ID3000	10,100.80
COMPASS352010S1	SUP for Compass Alarm Panel Driver: Honeywell Notifier ID3000 (12 months)	1,819.00
COMPASS352010S2	SUP for Compass Alarm Panel Driver: Honeywell Notifier ID3000 (24 months)	3,231.40
COMPASS352020	Compass Alarm Panel Driver: UTC ATS 2021	10,100.80
COMPASS352020S1	SUP for Compass Alarm Panel Driver: UTC ATS 2021 (12 months)	1,819.00
COMPASS352020S2	SUP for Compass Alarm Panel Driver: UTC ATS 2021 (24 months)	3,231.40
COMPASS352030	Compass Alarm Panel Driver: Satel Integra 256 Plus	10,100.80
COMPASS352030S1	SUP for Compass Alarm Panel Driver: Satel Integra 256 Plus (12 months)	1,819.00
COMPASS352030S2	SUP for Compass Alarm Panel Driver: Satel Integra 256 Plus (24 months)	3,231.40
COMPASS352040	Compass Alarm Panel Driver: Risco LightSys 2 / ProSys Plus	10,100.80
COMPASS352040S1	SUP for Compass Alarm Panel Driver: Risco LightSyst 2 / ProSys Plus (12 months)	1,819.00
COMPASS352040S2	SUP for Compass Alarm Panel Driver: Risco LightSyst 2 / ProSys Plus (24 months)	3,231.40
COMPASS352050S1	SUP for Compass Alarm Panel Driver: INIM SmartLiving (12 months)	1,819.00
COMPASS352050S2	SUP for Compass Alarm Panel Driver: INIM SmartLiving (24 months)	3,231.40
COMPASS352060S1	SUP for Compass Alarm Panel Driver: UTC FP1200/2000 (12 months)	1,819.00
COMPASS352060S2	SUP for Compass Alarm Panel Driver: UTC FP1200/2000 (24 months)	3,231.40
COMPASS352070S1	SUP for Compass Alarm Receiver Driver: TRIKDIS IPcom (12 months)	1,819.00
COMPASS352070S2	SUP for Compass Alarm Receiver Driver: TRIKDIS IPcom (24 months)	3,231.40
COMPASS352080	Compass Alarm Panel Driver: UTC Aritech 2X	10,100.80
COMPASS352080S1	SUP for Compass Alarm Panel Driver: UTC Aritech 2X (12 months)	1,819.00
COMPASS352080S2	SUP for Compass Alarm Panel Driver: UTC Aritech 2X (24 months)	3,231.40
COMPASS352090	Compass Alarm Panel Driver: Bosch D9412/9512 GV4	10,100.80
COMPASS352090S1	SUP for Compass Alarm Panel Driver: Bosch D9412/9512 GV4 (12 months)	1,819.00
COMPASS352090S2	SUP for Compass Alarm Panel Driver: Bosch D9412/9512 GV4 (24 months)	3,231.40
COMPASS352100S1	SUP for Compass Alarm Panel Driver: Honeywell Galaxy via Emizon TCD (12 months)	1,819.00
COMPASS352100S2	SUP for Compass Alarm Panel Driver: Honeywell Galaxy via Emizon TCD (24 months)	3,231.40
COMPASS352110S1	SUP for Compass Alarm Panel Driver: Emizon TCD (12 months)	1,819.00

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

COMPASS352110S2	SUP for Compass Alarm Panel Driver: Emizon TCD (24 months)	3,231.40
COMPASS352120	Compass Alarm Panel Driver: CommBox FogCenter	10,100.80
COMPASS352120S1	SUP for Compass Alarm Panel Driver: CommBox FogCenter (12 months)	1,819.00
COMPASS352120S2	SUP for Compass Alarm Panel Driver: CommBox FogCenter (24 months)	3,231.40
COMPASS352130	Compass Alarm Receiver Driver: DSC Sur-Gard System III Receiver	31,554.30
COMPASS352130S1	SUP for Compass Alarm Receiver Driver: DSC Sur-Gard System III Receiver (12 months)	1,819.00
COMPASS352130S2	SUP for Compass Alarm Receiver Driver: DSC Sur-Gard System III Receiver (24 months)	3,231.40
COMPASS352140	Compass Alarm Receiver Driver: Honeywell TCP/IP Receiver	31,554.30
COMPASS352140S1	SUP for Compass Alarm Receiver Driver: Honeywell TCP/IP Receiver (12 months)	1,819.00
COMPASS352140S2	SUP for Compass Alarm Receiver Driver: Honeywell TCP/IP Receiver (24 months)	3,231.40
COMPASS353000	Compass Building Automation Driver: Moxa ioLogik E1200	10,100.80
COMPASS353000S1	SUP for Compass Building Automation Driver: Moxa ioLogik E1200 (12 months)	1,819.00
COMPASS353000S2	SUP for Compass Building Automation Driver: Moxa ioLogik E1200 (24 months)	3,231.40
COMPASS354000	Compass Video Driver: ONVIF S/G Compliant Source	10,100.80
COMPASS354000S1	SUP for Compass Video Driver: ONVIF S/G Compliant Source (12 months)	1,819.00
COMPASS354000S2	SUP for Compass Video Driver: ONVIF S/G Compliant Source (24 months)	3,231.40
COMPASS354010	Compass Video Driver: RTSP Compliant Source	10,100.80
COMPASS354010S1	SUP for Compass Video Driver: RTSP Compliant Source (12 months)	1,819.00
COMPASS354010S2	SUP for Compass Video Driver: RTSP Compliant Source (24 months)	3,231.40
COMPASS354030	Compass Video Driver: Axis Cameras	10,100.80
COMPASS354030S1	SUP for Compass Video Driver: Axis Cameras (12 months)	1,819.00
COMPASS354030S2	SUP for Compass Video Driver: Axis Cameras (24 months)	3,231.40
COMPASS354040S1	SUP for Compass Video Driver: Bosch VRM (12 months)	1,819.00
COMPASS354040S2	SUP for Compass Video Driver: Bosch VRM (24 months)	3,231.40
COMPASS354050	Compass Video Driver: Bosch Hybrid 3000 Recorders	10,100.80
COMPASS354050S1	SUP for Compass Video Driver: Bosch Hybrid 3000 Recorders (12 months)	1,819.00
COMPASS354050S2	SUP for Compass Video Driver: Bosch Hybrid 3000 Recorders (24 months)	3,231.40
COMPASS354060	Compass Video Driver: Dahua Recorders	10,100.80
COMPASS354060S1	SUP for Compass Video Driver: Dahua Recorders (12 months)	1,819.00
COMPASS354060S2	SUP for Compass Video Driver: Dahua Recorders (24 months)	3,231.40
COMPASS354070S1	SUP for Compass Video Driver: Ganz DR16H Recorders (12 months)	1,819.00
COMPASS354070S2	SUP for Compass Video Driver: Ganz DR16H Recorders (24 months)	3,231.40
COMPASS354080S1	SUP for Compass Video Driver: Geutebrück G-Scope/re_Porter Recorders (60 months)	6,559.10
COMPASS354080S2	SUP for Compass Video Driver: Geutebrück G-Scope/re_Porter Recorders (12 months)	1,819.00
COMPASS354090	Compass Video Driver: Hikvision Recorders	10,100.80
COMPASS354090S1	SUP for Compass Video Driver: Hikvision Recorders (12 months)	1,819.00
COMPASS354090S2	SUP for Compass Video Driver: Hikvision Recorders (24 months)	3,231.40
COMPASS354100S1	SUP for Compass Video Driver: Intelbras Recorders (12 months)	1,819.00
COMPASS354100S2	SUP for Compass Video Driver: Intelbras Recorders (24 months)	3,231.40
COMPASS354120	Compass Video Driver: Provision Recorders	10,100.80

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

COMPASS354120S1	SUP for Compass Video Driver: Provision Recorders (12 months)	1,819.00
COMPASS354120S2	SUP for Compass Video Driver: Provision Recorders (24 months)	3,231.40
COMPASS354130	Compass Video Driver: Lanaccess OnSafe Recorders	10,100.80
COMPASS354130S1	SUP for Compass Video Driver: Lanaccess OnSafe Recorders (12 months)	1,819.00
COMPASS354130S2	SUP for Compass Video Driver: Lanaccess OnSafe Recorders (24 months)	3,231.40
COMPASS354140	Compass Video Driver: Milestone VMS	10,100.80
COMPASS354140S1	SUP for Compass Video Driver: Milestone VMS (12 months)	1,819.00
COMPASS354140S2	SUP for Compass Video Driver: Milestone VMS (24 months)	3,231.40
COMPASS354150S1	SUP for Compass Video Driver: Mobotix Cameras (12 months)	1,819.00
COMPASS354150S2	SUP for Compass Video Driver: Mobotix Cameras (24 months)	3,231.40
COMPASS354200S1	SUP for Compass Video Driver: Ganz Cortrol (12 months)	1,785.00
COMPASS354200S2	SUP for Compass Video Driver: Ganz Cortrol (24 months)	3,171.00
COMPASS360001	1 MSI Video Channel (including video analytics events) for Compass	94.50
COMPASS360001S1	SUP for 1 MSI Video Channel (including video analytics events) for Compass (12 months)	21.00
COMPASS360001S2	SUP for 1 MSI Video Channel (including video analytics events) for Compass (24 months)	31.50
COMPASS360002	10 MSI Video Channel pack (including video analytics events) for Compass	693.00
COMPASS360002S1	SUP for 10 MSI Video Channel pack (including video analytics events) for Compass (12 months)	126.00
COMPASS360002S2	SUP for 10 MSI Video Channel pack (including video analytics events) for Compass (24 months)	231.00
COMPASS360003	20 MSI Video Channel pack (including video analytics events) for Compass	1,113.00
COMPASS360003S1	SUP for 20 MSI Video Channel pack (including video analytics events) for Compass (12 months)	199.50
COMPASS360003S2	SUP for 20 MSI Video Channel pack (including video analytics events) for Compass (24 months)	357.00
COMPASS360004	50 MSI Video Channel pack (including video analytics events) for Compass	2,215.50
COMPASS360004S1	SUP for 50 MSI Video Channel pack (including video analytics events) for Compass (12 months)	399.00
COMPASS360004S2	SUP for 50 MSI Video Channel pack (including video analytics events) for Compass (24 months)	714.00
COMPASS360005	100 MSI Video Channel pack (including video analytics events) for Compass	3,538.50
COMPASS360005S1	SUP for 100 MSI Video Channel pack (including video analytics events) for Compass (12 months)	640.50
COMPASS360005S2	SUP for 100 MSI Video Channel pack (including video analytics events) for Compass (24 months)	1,134.00
COMPASS360006	200 MSI Video Channel pack (including video analytics events) for Compass	5,670.00
COMPASS360006S1	SUP for 200 MSI Video Channel pack (including video analytics events) for Compass (12 months)	1,029.00
COMPASS360006S2	SUP for 200 MSI Video Channel pack (including video analytics events) for Compass (24 months)	1,816.50
COMPASS360007	500 MSI Video Channel pack (including video analytics events) for Compass	11,329.50
COMPASS360007S1	SUP for 500 MSI Video Channel pack (including video analytics events) for Compass (12 months)	2,047.50
COMPASS360007S2	SUP for 500 MSI Video Channel pack (including video analytics events) for Compass (24 months)	3,633.00
COMPASS360008	Third-Party Microsoft Windows Instance License for Compass Server (per Windows instance)	18,123.00

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

COMPASS360008S1	SUP for Third-Party Microsoft Windows Instance License for Compass Server (per Windows instance) (12 months)	3,265.50
COMPASS360008S2	SUP for Third-Party Microsoft Windows Instance License for Compass Server (per Windows instance) (24 months)	5,806.50
COMPASS360009	New Compass Integration Driver (one-time license per integration)	28,990.50
COMPASS360009S1	SUP for 2,000 MSI Video Channel pack (including video analytics events) for Compass (12 months)	5,218.50
COMPASS360009S2	SUP for 2,000 MSI Video Channel pack (including video analytics events) for Compass (24 months)	9,282.00
COMPASS360010	5,000 MSI Video Channel pack (including video analytics events) for Compass	57,970.50
COMPASS360010S1	SUP for 5,000 MSI Video Channel pack (including video analytics events) for Compass (12 months)	10,437.00
COMPASS360010S2	SUP for 5,000 MSI Video Channel pack (including video analytics events) for Compass (24 months)	18,553.50
COMPASS360011	10,000 MSI Video Channel pack (including video analytics events) for Compass	92,757.00
COMPASS360011S1	SUP for 10,000 MSI Video Channel pack (including video analytics events) for Compass (12 months)	16,705.50
COMPASS360011S2	SUP for 10,000 MSI Video Channel pack (including video analytics events) for Compass (24 months)	29,683.50
COMPASS370001	1 Edge Device for Compass	346.50
COMPASS370001S1	SUP for 1 Edge Device for Compass (12 months)	63.00
COMPASS370001S2	SUP for 1 Edge Device for Compass (24 months)	115.50
COMPASS370002	10 Edge Device pack for Compass	2,761.50
COMPASS370002S1	SUP for 10 Edge Device pack for Compass (12 months)	504.00
COMPASS370002S2	SUP for 10 Edge Device pack for Compass (24 months)	892.50
COMPASS370003	20 Edge Device pack for Compass	4,420.50
COMPASS370003S1	SUP for 20 Edge Device pack for Compass (12 months)	798.00
COMPASS370003S2	SUP for 20 Edge Device pack for Compass (24 months)	1,417.50
COMPASS370004	50 Edge Device pack for Compass	8,841.00
COMPASS370004S1	SUP for 50 Edge Device pack for Compass (12 months)	1,596.00
COMPASS370004S2	SUP for 50 Edge Device pack for Compass (24 months)	2,835.00
COMPASS370005	100 Edge Device pack for Compass	14,154.00
COMPASS370005S1	SUP for 100 Edge Device pack for Compass (12 months)	2,551.50
COMPASS370005S2	SUP for 100 Edge Device pack for Compass (24 months)	4,536.00
COMPASS370006	200 Edge Device pack for Compass	22,648.50
COMPASS370006S1	SUP for 200 Edge Device pack for Compass (12 months)	4,084.50
COMPASS370006S2	SUP for 200 Edge Device pack for Compass (24 months)	7,255.50
COMPASS370007	500 Edge Device pack for Compass	45,286.50
COMPASS370007S1	SUP for 500 Edge Device pack for Compass (12 months)	8,158.50
COMPASS370007S2	SUP for 500 Edge Device pack for Compass (24 months)	14,500.50
COMPASS370008	1,000 Edge Device pack for Compass	72,460.50
COMPASS370008S1	SUP for 1,000 Edge Device pack for Compass (12 months)	13,051.50
COMPASS370008S2	SUP for 1,000 Edge Device pack for Compass (24 months)	23,194.50
COMPASS370009	2,000 Edge Device pack for Compass	115,941.00
COMPASS370009S1	SUP for 2,000 Edge Device pack for Compass (12 months)	20,874.00
COMPASS370009S2	SUP for 2,000 Edge Device pack for Compass (24 months)	37,107.00
COMPASS370010	5,000 Edge Device pack for Compass	231,882.00
COMPASS370010S1	SUP for 5,000 Edge Device pack for Compass (12 months)	41,748.00
COMPASS370010S2	SUP for 5,000 Edge Device pack for Compass (24 months)	74,203.50

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

COMPASS370011	10,000 Edge Device pack for Compass	371,007.00
COMPASS370011S1	SUP for 10,000 Edge Device pack for Compass (12 months)	66,790.50
COMPASS370011S2	SUP for 10,000 Edge Device pack for Compass (24 months)	118,723.50
COMPASS380001	1 Alarm Panel for Compass	1,207.50
COMPASS380001S1	SUP for 1 Alarm Panel for Compass (12 months)	220.50
COMPASS380001S2	SUP for 1 Alarm Panel for Compass (24 months)	388.50
COMPASS380002	10 Alarm Panel pack for Compass	9,660.00
COMPASS380002S1	SUP for 10 Alarm Panel pack for Compass (12 months)	1,743.00
COMPASS380002S2	SUP for 10 Alarm Panel pack for Compass (24 months)	3,097.50
COMPASS380003	20 Alarm Panel pack for Compass	15,445.50
COMPASS380003S1	SUP for 20 Alarm Panel pack for Compass (12 months)	2,782.50
COMPASS380003S2	SUP for 20 Alarm Panel pack for Compass (24 months)	4,945.50
COMPASS380004	50 Alarm Panel pack for Compass	30,901.50
COMPASS380004S1	SUP for 50 Alarm Panel pack for Compass (12 months)	5,565.00
COMPASS380004S2	SUP for 50 Alarm Panel pack for Compass (24 months)	9,891.00
COMPASS380005	100 Alarm Panel pack for Compass	49,434.00
COMPASS380005S1	SUP for 100 Alarm Panel pack for Compass (12 months)	8,904.00
COMPASS380005S2	SUP for 100 Alarm Panel pack for Compass (24 months)	15,823.50
COMPASS380006	200 Alarm Panel pack for Compass	79,096.50
COMPASS380006S1	SUP for 200 Alarm Panel pack for Compass (12 months)	14,238.00
COMPASS380006S2	SUP for 200 Alarm Panel pack for Compass (24 months)	25,315.50
COMPASS380007	500 Alarm Panel pack for Compass	158,193.00
COMPASS380007S1	SUP for 500 Alarm Panel pack for Compass (12 months)	28,476.00
COMPASS380007S2	SUP for 500 Alarm Panel pack for Compass (24 months)	50,631.00
COMPASS380008	1,000 Alarm Panel pack for Compass	253,102.50
COMPASS380008S1	SUP for 1 Alarm Panel for Compass (12 months)	45,559.50
COMPASS380008S2	SUP for 1 Alarm Panel for Compass (24 months)	80,997.00
COMPASS380009	2,000 Alarm Panel pack for Compass	404,964.00
COMPASS380009S1	SUP for 2,000 Building Management Software data points for Compass (12 months)	72,901.50
COMPASS380009S2	SUP for 10 Alarm Panel pack for Compass (24 months)	129,591.00
COMPASS390001	2,000 Building Management System data points for Compass	5,092.50
COMPASS390001S1	SUP for 2,000 Building Management Software data points for Compass (12 months)	924.00
COMPASS390001S2	SUP for 2,000 Building Management Software data points for Compass (24 months)	1,638.00
COMPASS390002	5,000 Building Management System data points for Compass	10,185.00
COMPASS390002S1	SUP for 5,000 Building Management Software data points for Compass (12 months)	1,837.50
COMPASS390002S2	SUP for 5,000 Building Management Software data points for Compass (24 months)	3,265.50
COMPASS390003	10,000 Building Management System data points for Compass	16,296.00
COMPASS390003S1	SUP for 10,000 Building Management Software data points for Compass (12 months)	2,940.00
COMPASS390003S2	SUP for 10,000 Building Management Software data points for Compass (24 months)	5,218.50
COMPASS390004	20,000 Building Management System data points for Compass	26,071.50
COMPASS390004S1	SUP for 20,000 Building Management Software data points for Compass (12 months)	4,693.50
COMPASS390004S2	SUP for 20,000 Building Management Software data points for Compass (24 months)	8,347.50

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

COMPASS980320	Compass Mid-Range Server (Intel® Xeon® 8-core CPU, 64 GB RAM, 2 TB SATA HDD, Windows Server® 2019 Standard)	16,048.93
COMPASS980321	Compass High-End Server (2 x Intel® Xeon® 16-core CPU, 96 GB RAM, 2 TB SATA HDD, Windows Server® 2019 Standard)	29,432.49

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

Video Management

Accessories Other

MODEL NUMBER	DESCRIPTION	MSRP \$
3DX-600-3DMOUSE	VideoXpert, Enhanced 3D Mouse with Joy and Jog Stick	729.02
A1-KBD-3D-KIT2	VideoXpert, Enhanced Keyboard & 3D Mouse Combo	1,592.70
ECO3-HDKIT-12TB	VideoXpert Professional Eco 3 Series, Spare 12TB 7200 RPM SATA, Hot-plug Drive with Carrier.	1,320.02
ECO3-HDKIT-16TB	VideoXpert Professional Eco 3 Series, Spare 16TB 7200 RPM SATA, Hot-plug Drive with Carrier.	1,707.34
ECO3-HDKIT-4TB	VideoXpert Professional Eco 3 Series, Spare 4TB 7200 RPM SATA, Hot-plug Drive with Carrier.	382.87
ECO3-HDKIT-8TB	VideoXpert Professional Eco 3 Series, Spare 8TB 7200 RPM SATA, Hot-plug Drive with Carrier.	769.08
HDDKIT-12TB	VideoXpert 12TB SATA HDD Kit	1,892.10
HDDKIT-12TB-R550	12TB SATA 7200 RPM storage drive with carrier for VXS R-series and Power 3 series recorders	1,892.00
HDDKIT-12TB-SAS	VideoXpert 12TB SAS HDD Kit	2,102.46
HDDKIT-16TB-SAS	VideoXpert 16TB SAS HDD Kit	3,005.10
HDDKIT-18TB-R550	18TB SATA 7200 RPM storage drive with carrier for VXS R-series recorders	2,992.00
KBD5000	Keyboard for VideoXpert, Endura, and Digital Sentry with modular jog dial, joystick, and keypad	2,530.96
KSC-3000U	Direct Mode Fixed/Variable Speed Controller, PTZ, Joystick	658.90
KSC-PSKIT	Power Adapter Kit (12VDC) for KSC-3000U Controller	26.71
NSM53-VXS-UPG	Upgrade NSM5300 Linux OS recorder to a VideoXpert Windows Server 2019 recorder. Includes USB flash drive w/image, Windows Server 2019 Standard license, and VxStorage license. Channels sold separately.	1,742.00
T600-GPUFH		128.80
T600-GPULP		128.80
VX-F-HDTRAY	Empty hard drive carrier tray for VideoXpert Professional Flex Series 1 or Series 2	32.28
VX-P1-HDTRAY	Empty hard drive carrier tray for VideoXpert Professional Power Series 1	31.16
VX-P2-HDTRAY	Empty hard drive carrier tray for VideoXpert Professional Power Series 2	47.70
VX-S2-HDTRAY	Empty hard drive carrier tray for VideoXpert Enterprise VxStorage Series 2, E, T or R and VideoXpert Professional Power 2 or Power 3 Series	47.70
VXP-KIT-4TB	VideoXpert Professional, Eco 2 & Flex 2 Series, 4TB hard drive and tray kit.	830.19
VXP-KIT-8TB	VideoXpert Professional, Power Series, 8TB hard drive and tray kit.	1,180.89
VXP-KIT-P2-PSU	VideoXpert Professional, Power Series 2, 750W hot swappable power supply unit.	545.37
VXP-RK-FLEX	VideoXpert Professional, Flex Series Tower to Rack Conversion Kit	263.78

LPR

MODEL NUMBER	DESCRIPTION	MSRP \$
--------------	-------------	---------

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

VAX-1C	Lpr Software Suitable For All Settings, Including Roads And Highways Where There Is No Speed Limit. Plate Detection And Recognition Is Carried Out In One Lane Or Two Contiguous Lanes. Price Per Camera	1,148.70
VAX-ADR	Vaxalpr On Pc Extension Provides Adr Component Used For The Recognition Of Dangerous Goods According To The European Adr Standard. Only Available In Europe. Price Per Camera.	289.80
VAX-AVGSPED-BAS	Average Speed Plugin That Calculates The Average Speed In A Section Between 2 Cameras. Price Per Basic Helix System	725.55
VAX-AVGSPED-PRO	Average Speed Plugin That Calculates The Average Speed In A Section Between 2 Cameras. Price Per Pro Helix System	3,627.75
VAX-AVGSPED-STD	Average Speed Plugin That Calculates The Average Speed In A Section Between 2 Cameras. Price Per Standard Helix System	1,813.35
VAX-BASIC	Vaxtor Helix Back Office Database Software - 1-10 Cameras	2,887.50
VAX-GRAFANA-BAS	Grafana is an open-source analytics and monitoring solution for databases and allows users to query, visualise and alert on their site metrics. Price per Basic Helix system	725.55
VAX-GRAFANA-PRO	Grafana Is An Open-Source Analytics And Monitoring Solution For Databases And Allows Users To Query, Visualise And Alert On Their Site Metrics. Price Per Pro Helix System	3,627.75
VAX-GRAFANA-STD	Grafana Is An Open-Source Analytics And Monitoring Solution For Databases And Allows Users To Query, Visualise And Alert On Their Site Metrics. Price Per Standard Helix System	1,813.35
VAX-HELP-CAM	Remote Vaxtor Configuration Assistance To Setup And Configure Vaxalpr Products. Price Per Camera	217.35
VAX-HELP-HOUR	Remote Vaxtor Configuration Assistance To Setup And Configure Helix. Price Per Hour	217.35
VAX-INSTSPEED	Vaxalpr On Pc Extension Provides Instant Speed Component. Global Coverage.Price Per Camera. Requires Remote Configuration Support	1,015.35
VAX-MMC	Vaxalpr On Pc Extension Provides Make, Model & Colour (Mmc) Component. Software Runs On Pc. Global Coverage. Price Per Camera.	565.95
VAX-MMC+VCLASS	Vaxalpr On Pc Extension Provides Make, Model, Colour (Mmc) & Classification Component. Software Runs On Pc. Global Coverage. Price Per Camera.	740.25
VAX-PRO	Vaxtor Helix Back Office Database Software - 26-50 Cameras	8,690.85
VAX-REDLIGHT	Vaxtor Helix 6 Component Used For Traffic Fine Management. It Allows The User To Validate Red Light Violations Detected With The Vaxalpr Red Light Software.	2,176.65
VAX-STANDARD	Vaxtor Helix Back Office Database Software - 11-25 Cameras	5,788.65
VAX-TIME-BAS	Cross-Time Is The Calculation Of Duration Spent Inside A Zone Ie For Parking. Price Per Basic Helix System	725.55
VAX-TIME-PRO	Cross-Time Is The Calculation Of Duration Spent Inside A Zone Ie For Parking. Price Per Pro Helix System	3,627.75
VAX-TIME-STD	Cross-Time Is The Calculation Of Duration Spent Inside A Zone Ie For Parking. Price Per Standard Helix System	1,813.35
VAX-VCLASS	Vaxalpr On Pc Extension Provides Vehicle Classification Component. Software Runs On Pc. Global Coverage. Price Per Camera.	565.95

Video Integration

MODEL NUMBER	DESCRIPTION	MSRP \$
INT-A2TEKNOLOJI	The Integration Of Videexpert And A2 Based On A2-Vca And A2-Anpr Offers Advanced Plug-In. Read More Here https://www.pelco.com/Partners/Technical-Partners/Videexpert-Integrations/A2-Technology/	0.00
INT-ACCESSXPRT	Videexpert Integration To Access Expert (Previously Known As Accessxpert)	0.00
INT-ACIC	Acic Analytic Integration	0.00
INT-ACM	Videexpert And Acm Integration	0.00
INT-ACSPPLUGIN	The Access Control System Viewer Is An Opscenter Plug-In That Enables The Communication And Data Exchange From Various Access Control Systems To The Videexpert System.	0.00
INT-ADVGUARD		4,498.20

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

	The Combination Of Advanceguardplugins And Advanceguardmiddleware Software Packages Creates A Seamless Integration With Advanceguard For The Videexpert End User.	
INT-AGENTVIDATA	Savvi Is An On-Premise Video Analytics Software Solution That Offers A Wide Variety Of Analytics Functionalities Through A Single, Easy To Use Platform That Integrate Into Videexpert.	0.00
INT-AGENTVIPLUG	Videexpert Agentvi Plugin For Analytics. This Integration Enables Communication Between Saavi And Videexpert And Enables The Use Of The Agentvi Plugin.	4,498.20
INT-AMAG	Videexpert V3.X Amag Integration (Opscenter Plugin & Events Into Vx) (License Cost Are Per Year)	4,498.20
INT-AUDIOPLUGIN	Videexpert Audio Out Plugin (License Cost Are Per Year)	214.20
INT-BRIEFCAM	Videexpert Integration With Briefcams Review And Respond Modules.	4,498.20
INT-CALIPSA	Calipsa integration to VideoXpert (Permanent License)	0.01
INT-CCURE	Pelco Is An Active Member Of The Software House Connected Platform Integration Program. This Integration Solution Is Developed And Maintained By Pelco Using The Software House C-Cure 9000 Sdk.	4,498.20
INT-COMPASS	VideoXpert Compass integration license	0.00
INT-CONTINUUM	Andover Continuum, Integrating Access Control, Video Surveillance, Hvac, And Lighting Control Into One System Reduces The Amount Of Wiring And Hardware Needed.	0.00
INT-CORTECH	Cortech Integration License (Permanent License)	0.00
INT-CTGSE	Hmi Touchscreen Integration	0.00
INT-CYBERSECURE	Cybersecure Ips Integration (Permanent License)	0.00
INT-ECONNECT	Econnect Casinoconnect Is A Suite Of Comprehensive Casino Management And Surveillance Products For Table Game Optimization, Gaming Analytics, And Cheating Detection.	0.00
INT-ENGIE	Videexpert Integration - By Engie Of Citect Scada Access Control (Permanent License)	0.00
INT-FIBERSENSYS	Fiber Sensys Alarm Processing Units (Apus) Offer Standard Relay Outputs With Many Models Offering A Tcp/Ip Interface Either As A Standard Interface Or As An Option.	4,498.20
INT-GALLAGHER	Integration Of Pelco Videexpert And Gallaghers Command Centre Integrated Security Solutions, A Centralized Software Platform.	4,498.20
INT-GEMOS	Integration Of Videexpert Gemos Psim Platform	0.00
INT-HERASASI	Heras integration to VideoXpert (Permanent License)	0.01
INT-HIRSCHVEL	Videexpert Hirsch Velocity Integration (License Cost Are Per Year)	4,498.20
INT-INNERRANGE	Innerrange Integriti Integration License (Permanent License)	0.00
INT-INSIDEOUT	Videexpert Inside Out Group Integration (Permanent License)	0.00
INT-IPSOTEKVI	Int Ipsotek Visuite	0.00
INT-ISSD	Issd Tunnel Incident Analytics Solution (Permanent License)	0.00
INT-JACQUESCOM	Videexpert Jacques Integration (License Cost Are Per Year)	4,498.20
INT-JCI	The Johnson Controls P2000 Security Management System Is An Innovative Security Integration Platform That'S Adaptable To Small And Large Applications.	4,498.20
INT-JENSON	Videexpert And Jensen Integration	0.00
INT-KANTECH	Videexpert Integration For Kantech Entrypass Security Management System.	4,498.20
INT-KAPLOGIC	Vx Kaplogic Aegis Integration (Permanent License)	0.00
INT-KARADAG	Videexpert Karadag Elektronik Integration (Permanent License)	0.00
INT-LENEL	Videexpert V3.X Lenel Onguard Integration (License Cost Are Per Year)	4,477.20
INT-LENEL-OG-73	Videexpert V3.X Lenel Onguard 7.3 Integration (Vx Video Into Onguard) (License Cost Are Per Year)	4,498.20
INT-LENEL-OG-74	Videexpert V3.X Lenel Onguard 7.4 Integration (Vx Video Into Onguard) (License Cost Are Per Year)	4,498.20
INT-LENEL-OG-75	Videexpert V3.X Lenel Onguard 7.5 Integration (Vx Video Into Onguard) (License Cost Are Per Year)	4,498.20

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

INT-LENEL-OG-76	Videoxpert V3.X Lenel Onguard 7.6 Integration (Vx Video Into Onguard) (License Cost Are Per Year)	4,498.20
INT-LENELDATA7X	Videoxpert V3.X Lenel Data Plugin Integration (Events From Onguard Into Vx) (License Cost Are Per Year)	4,498.20
INT-LNLOG74W-AU	Videoxpert V3.X Audio Addition To Lenel Onguard 7.4 (License Cost Are Per Year)	6,211.80
INT-MAGOSMASS	Middleware Passing Mass Events And Also An Opscenter Plugin For Displaying The Mass Web Application Within A Cell. Events Include An Object Entering Or Leaving Radar Monitored Zones. Onvif Ptz Support	4,498.20
INT-MAVILI	Integration License For Mavili Fire Alarm Detection System. Perm	0.00
INT-NETE2ASIA	Videoxpert Nete2 Integration (Permanent License)	0.00
INT-NEURALLAB	Neural Labs Lpr Integration (Permanent License)	0.00
INT-NGARO	Integration Of Videoxpert And Ngaro Analytics Combines Two High Quality Products And Offers Users An Ideal System For Automatic And Supervised Video Surveillance.	0.00
INT-NSCHEDULE	Vx Scheduling Middleware, Vx Event Notification To User By Schedule And Holiday. E.G Only Notify Users From 6Pm Friday To Monday 6Am And Holiday.	1,713.60
INT-OCCUPANCY	Occupancy Solution For Videoxpert Automate Counting And Monitoring Facility Occupancy Rates, Reduce Staffing Costs Associated With Manually Counting People. Needs Pelco Advanced Analytic Suite To Work	856.80
INT-PAXTONVID	Paxton Net2 Integration Continuously Monitors The Net2 Access Control System And Passes Events To Videoxpert. The Net2 Doors To Be Monitored And Events Injected Into Videoxpert Are Both Configurable	4,498.20
INT-PERIDECT	Videoxpert Integration To Peridect+	0.00
INT-PLATESMART	Platesmart Ptnr Integration (Permanent License)	0.00
INT-PREMISYS	Videoxpert Integration For Identocard Premisys Access Control Event Integration	4,477.20
INT-RBHACCESS	Videoxpert RBH Access integration	0.00
INT-RECFACES	Recfaces Id-Me Stores And Processes Various Biometric Features Of A Person, Photo Of A Face, A Three-Dimensional Image Of A Face, Palm Vein Pattern, A Fingerprint, In A Universal Biometric Profile	0.00
INT-SALTO	Proaccess Software Platform For Centralized Access Control Including Management Of Saltos Broad Range Of Electronic Door Components And Peripherals.	4,498.20
INT-SECCONTINUUM	Videoxpert Continuum Integration By Schneider Electric (Permanent License)	0.00
INT-SECUREXPRT	The Integration Of Pelco Videoxpert With Security Expert Offers End Users The Combined Solution Of Pelco Video Security And The Security Expert Access Control System.	0.00
INT-SENTINEL	Sentinel Alarm System (Permanent License)	0.00
INT-SHOTPOINT	The Shotpoint Reporting Application Called The Know-When-It-Counta (Kwica) Application Can Be Launched Inside The Videoxpert Opscenter User Interface When A Gunshot Occurs.	0.00
INT-SIPASS	Vx Sipass Integration 1Yr Lic	4,498.20
INT-SISTEMGROUP	Videoxpert Sig.Security Integration (Permanent License)	0.00
INT-SSKLPR	Ssk Lpr Integration And Occ Plugin (Permanent License)	0.00
INT-STENTOFON	Stentofon Manager Plugin Integration 1Yr Lic	4,498.20
INT-TAILCOUNT	Middleware Service That Allows A Third Party Access Control System To Trigger The Count On A Camera And Produces An Alarm When More Than One Person Enters Through A Door Upon A Single Access.	4,498.20
INT-UTIANYVISIO	Uti Anyvision Local Facial Recognition Solution Integration	0.00
INT-VAXTOR	VideoXpert integration license	0.01
INT-VIDEOGRDSDK	Videoxpert Integration - Videoguard Sdk - Allows Videoguard Psim To Get Video From Vx	0.00
INT-VIDEOGUARD	Videoxpert Integration - Videoguard Middleware - Sends Events To Videoguard Event Server	0.00
INT-VIDSYS	Videoxpert Integration - Vidsys	0.00
INT-VXCONNECT	VXCONNECT INTEGRATION	4,452.00

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

INT-YALTES	Videoxpert Integration - Yaltes Control System	0.00
VX-ASCII	The Ascii Integration Is Capable Of Listening For Ascii Commands On A Serial Port Or Ethernet Port Or Optionally Both Simultaneously. Commands Are Translated From Ascii Into The Protocol Used By Vx.	0.00
VX-CONNECT	Ability To Export Video Streams From Videoxpert Enterprise And/Or Pro Systems To 3Rd Party Clients. Offers Customizable Rtsp Endpoints Or Onvif That Allow A Client Application Connect To A Stream.	1,539.28
VX-EVENT-MON	The Videoxpert Event Monitor Service Is Capable Of Being Configured To Poll For Alarms From Various Devices, Taking The Alarm Data It Gathers And Performing Various Actions When An Alarm State Changes	0.00
VX-SNMP	Simple Network Management Protocol (Snmp). Check On Vms And Camera Health. Read More Here https://www.pelco.com/partners/technical-partners/videoxpert-utilities-and-add-ons/ (Permanent License)	0.00

Videoxpert®

MODEL NUMBER	DESCRIPTION	MSRP \$
INT-APAC	INT-APAC Access integration (Perm lic)	0.00
TRNF-CUSTOM	Custom Training Field Class 1 Person Including Travel (All quotes for custom training are preliminary and subject to change until the project has been scoped and approved)	10,500.00
TRNF-VXCSS	VxEnterprise Advanced Installer Certification, Level 3E Field 1 Person Including Travel	892.50
TRNF-VXOPR	VX Operator & Administrator Certification, Level 2AO Field 1 Person Including Travel	892.50
TRNF-VXPRO	VxPro Installation and Support Certification, Level 2P Field 1 Person Including Travel	892.50
VXCARE-PROTECT	VxCare Protect Annual Plan bundling unlimited 24x7 Advanced Technical support, Remote Upgrade assistance, Operator Training, and On-site support	53,785.20

VxEnterprise

MODEL NUMBER	DESCRIPTION	MSRP \$
E1-1C	VideoXpert Enterprise, one (1) camera channel license and one (1) year SUP	155.40
E1-1C-SUP1	VideoXpert Enterprise, one (1) year software upgrade entitlement for one (1) channel.	45.15
E1-1C-SUP3	VideoXpert Enterprise, three (3) year software upgrade entitlement for one (1) channel.	112.35
E1-1C3Y	VideoXpert Enterprise, one (1) camera channel license and three (3) year SUP	298.20
E1-4COR-SW	VideoXpert Enterprise, one (1) software license for four (4) or more VxCore servers.	85,680.00
E1-CMG-SVRP		6,080.32
E1-COR-SW	VideoXpert Enterprise, one (1) software license for a single VxCore server.	4,015.20
E1-MGW-SW	VideoXpert Enterprise, one (1) software license for a single Media Gateway server.	3,211.95
E1-NSM-1UP	VideoXpert Enterprise NSM5200/NSM5300 Upgrade, 100 channels, 1 year SUP	6,875.40
E1-NSM-1UP25	VideoXpert Enterprise NSM5200/NSM5300 Upgrade, 25 channels, 1 year SUP	1,718.85
E1-NSM-1UP50	VideoXpert Enterprise NSM5200/NSM5300 Upgrade, 50 channels, 1 year SUP	3,437.70
E1-OPS-WKS6	VX E1 WORK STATION W/6 MON	6,257.29
E1-OPS-WKSP	VideoXpert Ent Ult Workstation, w/Ops Center SW, UP TO 2 Monitors, EU UK US Power Cords	4,507.65
E1-VXS-SW		945.00

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

	VideoXpert Enterprise, one (1) license for a single VxStorage software instance.	
U1-AGG-1C	VideoXpert Enterprise, one aggregated chan from a remote system to be added to the head-end system. One license per aggregated chan is required. License must be applied to the head-end system.	93.45
U1-AGG-1P	VideoXpert Professional, one aggregated chan from a remote system to be added to the head-end system. One license per aggregated chan is required. License must be applied to the head-end system.	214.20
VXCMG2-NSVR	Enhanced Core Media Gateway (CMG), Windows Server 2019 Standard, dual 550W pwr supplies, Intel Xeon Silver processor, 64GB ECC RAM, two 1GbE NIC's, two 10GbE SFP+ ports, iDRAC. 3 year warranty	11,971.64
VXCMG3-10GKIT	10Gb, SFP+, PCIe Adapter Kit for CMG3	825.00
VXCMG3-NSVR	CMG3, Server 2019 Standard, single 550W pwr, Xeon E, 64GB ECC RAM, 3yr wty	7,950.00
VXS2B-E168-N12S	E-Series VxStorage, Windows Server 2019, 32GB RAM, Intel Xeon Silver (x2), 1GbE NIC (x4), 10GbE SFP+ (x2), iDRAC, redundant power, RAID 6, 168TB raw, 128.29TB effective, 5 Yr Wty, 100 CH LIC, 100 1YR SUP	64,198.95
VXS2B-E216-N12S	E-Series VxStorage, Windows Server 2019, 32GB RAM, Intel Xeon Silver (x2), 1GbE NIC (x4), 10GbE SFP+ (x2), iDRAC, redundant power, RAID 6, 216TB raw, 171.06TB effective, 5 Yr Wty, 100 CH LIC, 100 1YR SUP	71,578.14
VXS2B-E288-N16S	E-Series VxStorage, Windows Server 2019, 32GB RAM, Intel Xeon Silver (x2), 1GbE NIC (x4), 10GbE SFP+ (x2), iDRAC, redundant power, RAID 6, 288TB raw, 232.83TB effective, 5 Yr Wty, 100 CH LIC, 100 1YR SUP	92,081.83
VXS2B-R0-N	VXS RAID STORAGE, Windows Server 2019, 00TB (No Storage Drives), 100 CH LIC, 100 1YR SUP	40,995.00
VXS2B-R144-N18	R-Series VxStorage, Windows Server 2019, 32GB RAM, Intel Xeon Silver (x1), 1GbE NIC (x2), 10GbE SFP+ (x2), iDRAC, redundant power, RAID 6, 144TB raw, 98.22TB effective, 5 Yr Wty, 100 CH LIC, 100 1YR SUP	58,445.00
VXS2B-R160-N20	T-Series VxStorage, Windows Server 2019, 32GB RAM, Intel Xeon Silver (x1), 1GbE NIC (x2), 10GbE SFP+ (x2), iDRAC, redundant power, RAID 6, 160TB raw, 109.14TB effective, 5 Yr Wty, 100 CH LIC, 100 1YR SUP	58,445.00
VXS2B-R96-N12	R-Series VxStorage, Windows Server 2019, 32GB RAM, Intel Xeon Silver (x1), 1GbE NIC (x2), 10GbE SFP+ (x2), iDRAC, redundant power, RAID 6, 96TB raw, 65.46TB effective, 5 Yr Wty, 100 CH LIC, 100 1YR SUP	49,405.00
VXS2B-T0-N	VXS RAID STORAGE, Windows Server 2019, 00TB (No Storage Drives), 100 CH LIC, 100 1YR SUP	40,995.13

VxProfessional

MODEL NUMBER	DESCRIPTION	MSRP \$
VX3930-PS	Single 550W hot pluggable power supply unit with cable. Universal for VideoXpert Eco 3 Series Server, Rackmount Workstations, or Core Media Gateway 3 Series	464.12
VXP-1C	VideoXpert Professional, one (1) camera channel license.	91.35
VXP-1C-3Y	VideoXpert Professional, one (1) camera channel license and three (3) year software upgrade for one (1) channel.	150.15
VXP-E2-0-J-S	VideoXpert Professional, Eco 2 Series Tower Server, Windows 10 IoT, 16GB RAM, Intel Xeon E, 1GbE Network Ports (x2), iDRAC, JBOD, 0TB storage, NVIDIA Quadro P620 (2GB) video card. 3 year warranty	3,469.22
VXP-E3-24-J-S	VideoXpert Professional, Eco 3 Rack Server, Windows 10 IoT, 16GB RAM, Intel i5, 1GbE NIC, JBOD, 24TB raw, NVIDIA Quadro P620 (2GB) video card. 3 year warranty	6,350.46
VXP-E3-32-J-S	VideoXpert Professional, Eco 3 Rack Server, Windows 10 IoT, 16GB RAM, Intel i5, 1GbE NIC, JBOD, 32TB raw, NVIDIA Quadro P620 (2GB) video card. 3 year warranty	7,341.56
VXP-E3-4-J-S	VideoXpert Professional, Eco 3 Rack Server, Windows 10 IoT, 16GB RAM, Intel i5, 1GbE NIC, JBOD, 4TB raw, NVIDIA Quadro P620 (2GB) video card. 3 year warranty	4,365.08
VXP-P2-0-XN	VideoXpert Professional, Power 2 Server (2RU), Windows Server 2019 (mirrored RAID 1), 16GB RAM, Intel Xeon Silver, 1GbE NIC (x2), iDRAC, unconfigured storage, 0TB raw capacity. 3 year warranty	10,395.42
VXP-P2-0-XT	VideoXpert Professional, Power 2 Server (2RU), Windows 10 IoT 2019 (mirrored RAID 1), 16GB RAM, Intel Xeon Silver, 1GbE NIC (x2), iDRAC, unconfigured storage, 0TB raw capacity. 3 year warranty	9,441.42

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

VXP-P2-24-JT	VideoXpert Professional, Power 2 Server (2RU), Windows 10 IoT 2019 (mirrored RAID 1), 16GB RAM, Intel Xeon Silver, 1GbE NIC (x2), iDRAC , JBOD, 24TB raw, 21.8TB effective. 3 year warranty	12,362.78
VXP-P2-48-5T	VideoXpert Professional, Power 2 Server (2RU), Windows 10 IoT 2019 (mirrored RAID 1), 16GB RAM, Intel Xeon Silver, 1GbE NIC (x2), iDRAC, RAID 5, 48TB raw, 36.4TB effective. 3 year warranty	15,642.42
VXP-P2-48-6T	VideoXpert Professional, Power 2 Server (2RU), Windows 10 IoT 2019 (mirrored RAID 1), 16GB RAM, Intel Xeon Silver, 1GbE NIC (x2), iDRAC, RAID 6, 48TB raw, 29TB effective. 3 year warranty	15,642.42
VXP-P2-48-JN	VideoXpert Professional, Power 2 Server (2RU), Windows Server 2019 (mirrored RAID 1), 16GB RAM, Intel Xeon Silver, 1GbE NIC (x2), iDRAC, JBOD, 48TB raw, 43.6TB effective. 3 year warranty	16,579.46
VXP-P2-48-JT	VideoXpert Professional, Power 2 Server (2RU), Windows 10 IoT 2019 (mirrored RAID 1), 16GB RAM, Intel Xeon Silver, 1GbE NIC (x2), iDRAC, JBOD, 48TB raw, 43.6TB effective. 3 year warranty	15,642.42
VXP-P2-72-5N	VideoXpert Professional, Power 2 Server (2RU), Windows 10 Server 2019 (mirrored RAID 1), 16GB RAM, Intel Xeon Silver, 1GbE NIC (x2), iDRAC, RAID 5, 72TB raw, 58.2TB effective. 3 year warranty	19,388.46
VXP-P2-72-5T	VideoXpert Professional, Power 2 Server (2RU), Windows 10 IoT 2019 (mirrored RAID 1), 16GB RAM, Intel Xeon Silver, 1GbE NIC (x2), iDRAC, RAID 5, 72TB raw, 58.2TB effective. 3 year warranty	18,452.48
VXP-P2-72-6N	VideoXpert Professional, Power 2 Server (2RU), Windows Server 2019 (mirrored RAID 1), 16GB RAM, Intel Xeon Silver, 1GbE NIC (x2), iDRAC, RAID 6, 72TB raw, 50.9TB effective. 3 year warranty	19,388.46
VXP-P2-72-6T	VideoXpert Professional, Power 2 Server (2RU), Windows 10 IoT 2019 (mirrored RAID 1), 16GB RAM, Intel Xeon Silver, 1GbE NIC (x2), iDRAC, RAID 6, 72TB raw, 50.9TB effective. 3 year warranty	18,452.48
VXP-P2-72-JN	VideoXpert Professional, Power 2 Server (2RU), Windows Server 2019 (mirrored RAID 1), 16GB RAM, Intel Xeon Silver, 1GbE NIC (x2), iDRAC, JBOD, 72TB raw, 65.4TB effective. 3 year warranty	19,388.46
VXP-P2-72-JT	VideoXpert Professional, Power 2 Server (2RU), Windows 10 IoT 2019 (mirrored RAID 1), 16GB RAM, Intel Xeon Silver, 1GbE NIC (x2), iDRAC, JBOD, 72TB raw, 65.4TB effective. 3 year warranty	18,452.48
VXP-P2-96-5N	VideoXpert Professional, Power 2 Server (2RU), Windows 10 Server 2019 (mirrored RAID 1), 16GB RAM, Intel Xeon Silver, 1GbE NIC (x2), iDRAC, RAID 5, 96TB raw, 80TB effective. 3 year warranty	22,198.52
VXP-P2-96-6N	VideoXpert Professional, Power 2 Server (2RU), Windows 10 Server 2019 (mirrored RAID 1), 16GB RAM, Intel Xeon Silver, 1GbE NIC (x2), iDRAC, RAID 6, 96TB raw, 72.7TB effective. 3 year warranty included	22,198.52
VXP-P2-96-JT	VideoXpert Professional, Power 2 Server (2RU), Windows 10 IoT 2019 (mirrored RAID 1), 16GB RAM, Intel Xeon Silver, 1GbE NIC (x2), iDRAC, JBOD, 96TB raw, 87.2TB effective. 3 year warranty	21,262.54
VXP-P3-0-XN	VideoXpert Professional, Power 3 Server (2RU), Windows Server 2019 (mirrored RAID 1), 16GB RAM, Intel Xeon Silver, 1GbE NIC (x2), iDRAC , unconfigured storage, 0TB raw capacity. 3 year warranty	11,278.00
VXP-P3-0-XT	VideoXpert Professional, Power 3 Server (2RU), Windows 10 IoT 2019 (mirrored RAID 1), 16GB RAM, Intel Xeon Silver, 1GbE NIC (x2), iDRAC , unconfigured storage, 0TB raw capacity. 3 year warranty	10,243.00
VXP-P3-36-5N	VideoXpert Professional, Power 3 Server (2RU), Windows Server 2019 (mirrored RAID 1), 16GB RAM, Intel Xeon Silver, 1GbE NIC (x2), iDRAC, RAID 5, 36TB raw, 21.82TB effective. 3 year warranty	15,419.00
VXP-P3-36-5T	VideoXpert Professional, Power 3 Server (2RU), Windows 10 IoT 2019 (mirrored RAID 1), 16GB RAM, Intel Xeon Silver, 1GbE NIC (x2), iDRAC, RAID 5, 36TB raw, 21.82TB effective. 3 year warranty	14,483.00
VXP-P3-36-JN	VideoXpert Professional, Power 3 Server (2RU), Windows Server 2019 (mirrored RAID 1), 16GB RAM, Intel Xeon Silver, 1GbE NIC (x2), iDRAC , JBOD, 36TB raw, 32.73TB effective. 3 year warranty	15,419.00
VXP-P3-36-JT	VideoXpert Professional, Power 3 Server (2RU), Windows 10 IoT 2019 (mirrored RAID 1), 16GB RAM, Intel Xeon Silver, 1GbE NIC (x2), iDRAC , JBOD, 36TB raw, 32.73TB effective. 3 year warranty	14,483.00
VXP-P3-48-5N	VideoXpert Professional, Power 3 Server (2RU), Windows Server 2019 (mirrored RAID 1), 16GB RAM, Intel Xeon Silver, 1GbE NIC (x2), iDRAC, RAID 5, 48TB raw, 32.73TB effective. 3 year warranty	16,579.00
VXP-P3-48-5T	VideoXpert Professional, Power 3 Server (2RU), Windows 10 IoT 2019 (mirrored RAID 1), 16GB RAM, Intel Xeon Silver, 1GbE NIC (x2), iDRAC, RAID 5, 48TB raw, 32.73TB effective. 3 year warranty	15,642.00
VXP-P3-48-6N		16,579.00

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

	VideoXpert Professional, Power 3 Server (2RU), Windows Server 2019 (mirrored RAID 1), 16GB RAM, Intel Xeon Silver, 1GbE NIC (x2), iDRAC, RAID 6, 48TB raw, 21.82TB effective. 3 year warranty	
VXP-P3-48-6T	VideoXpert Professional, Power 3 Server (2RU), Windows 10 IoT 2019 (mirrored RAID 1), 16GB RAM, Intel Xeon Silver, 1GbE NIC (x2), iDRAC, RAID 6, 48TB raw, 21.82TB effective. 3 year warranty	15,642.00
VXP-P3-48-JN	VideoXpert Professional, Power 3 Server (2RU), Windows Server 2019 (mirrored RAID 1), 16GB RAM, Intel Xeon Silver, 1GbE NIC (x2), iDRAC, JBOD, 48TB raw, 43.64TB effective. 3 year warranty	16,579.00
VXP-P3-48-JT	VideoXpert Professional, Power 3 Server (2RU), Windows 10 IoT 2019 (mirrored RAID 1), 16GB RAM, Intel Xeon Silver, 1GbE NIC (x2), iDRAC, JBOD, 48TB raw, 43.64TB effective. 3 year warranty	15,642.00
VXP-P3-72-5N	VideoXpert Professional, Power 3 Server (2RU), Windows 10 Server 2019 (mirrored RAID 1), 16GB RAM, Intel Xeon Silver, 1GbE NIC (x2), iDRAC, RAID 5, 72TB raw, 54.55TB effective. 3 year warranty	19,388.00
VXP-P3-72-5T	VideoXpert Professional, Power 3 Server (2RU), Windows 10 IoT 2019 (mirrored RAID 1), 16GB RAM, Intel Xeon Silver, 1GbE NIC (x2), iDRAC, RAID 5, 72TB raw, 54.55TB effective. 3 year warranty	18,452.00
VXP-P3-72-6N	VideoXpert Professional, Power 3 Server (2RU), Windows Server 2019 (mirrored RAID 1), 16GB RAM, Intel Xeon Silver, 1GbE NIC (x2), iDRAC, RAID 6, 72TB raw, 43.64TB effective. 3 year warranty	19,388.00
VXP-P3-72-6T	VideoXpert Professional, Power 3 Server (2RU), Windows 10 IoT 2019 (mirrored RAID 1), 16GB RAM, Intel Xeon Silver, 1GbE NIC (x2), iDRAC, RAID 6, 72TB raw, 43.64TB effective. 3 year warranty	18,452.00
VXP-P3-72-JN	VideoXpert Professional, Power 3 Server (2RU), Windows Server 2019 (mirrored RAID 1), 16GB RAM, Intel Xeon Silver, 1GbE NIC (x2), iDRAC, JBOD, 72TB raw, 65.46TB effective. 3 year warranty	19,388.00
VXP-P3-72-JT	VideoXpert Professional, Power 3 Server (2RU), Windows 10 IoT 2019 (mirrored RAID 1), 16GB RAM, Intel Xeon Silver, 1GbE NIC (x2), iDRAC, JBOD, 72TB raw, 65.46TB effective. 3 year warranty	18,452.00
VXP-P3-96-5N	VideoXpert Professional, Power 3 Server (2RU), Windows 10 Server 2019 (mirrored RAID 1), 16GB RAM, Intel Xeon Silver, 1GbE NIC (x2), iDRAC, RAID 5, 96TB raw, 76.37TB effective. 3 year warranty	22,198.00
VXP-P3-96-5T	VideoXpert Professional, Power 3 Server (2RU), Windows 10 IoT 2019 (mirrored RAID 1), 16GB RAM, Intel Xeon Silver, 1GbE NIC (x2), iDRAC, RAID 5, 96TB raw, 76.37TB effective. 3 year warranty	21,262.00
VXP-P3-96-6N	VideoXpert Professional, Power 3 Server (2RU), Windows 10 Server 2019 (mirrored RAID 1), 16GB RAM, Intel Xeon Silver, 1GbE NIC (x2), iDRAC, RAID 6, 96TB raw, 65.46TB effective. 3 year warranty included	22,198.00
VXP-P3-96-6T	VideoXpert Professional, Power 3 Server (2RU), Windows 10 IoT 2019 (mirrored RAID 1), 16GB RAM, Intel Xeon Silver, 1GbE NIC (x2), iDRAC, RAID 6, 96TB raw, 65.46TB effective. 3 year warranty included	21,262.00
VXP-P3-96-JN	VideoXpert Professional, Power 3 Server (2RU), Windows 10 Server 2019 (mirrored RAID 1), 16GB RAM, Intel Xeon Silver, 1GbE NIC (x2), iDRAC, JBOD, 96TB raw, 87.28TB effective. 3 year warranty	22,198.00
VXP-P3-96-JT	VideoXpert Professional, Power 3 Server (2RU), Windows 10 IoT 2019 (mirrored RAID 1), 16GB RAM, Intel Xeon Silver, 1GbE NIC (x2), iDRAC, JBOD, 96TB raw, 87.28TB effective. 3 year warranty	21,262.00
VXP-SUP-1Y	VideoXpert Professional, one (1) year software upgrade for one (1) channel.	26.25
VXP-SUP-3Y	VideoXpert Professional, three (3) year software upgrade for one (1) channel.	64.05

Workstations

MODEL NUMBER	DESCRIPTION	MSRP \$
VX-A4-DEC	VideoXpert Enhanced Decoder with Linux, 8GB RAM, VESA mount, and EU, UK, US power cords included. Three (3) year warranty included.	2,578.82
VX-A5-SDD	VideoXpert Shared Display Decoder with Windows 10 IoT 2019, 16GB memory, VESA mount, and EU, UK, US power cords included. Three (3) year warranty included.	3,197.65
VX-RKWKS8T	VideoXpert Workstation (1RU) with VxOpsCenter, Windows 10 IoT 2019, 16GB RAM, two NVIDIA Quadro P620 2GB GPU's, supports 4 mons direct or 8 mons with 2 direct and 6 Enc Decoders. 3 year warranty	6,372.72
VX-RKWKST		5,442.57

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.

VideoXpert (1RU) Workstation with VxOpsCenter, Windows 10 IoT 2019, 16GB RAM, one NVIDIA Quadro P620 2GB video card, supports up to 4 monitors directly connected. 3 year warranty

VX-WKST2	VX Desktop Workstation, Win 10 IoT, 32GB DDR4 memory, NVIDIA T1000 8GB	4,450.00
----------	--	----------

*Not applicable for Partner Discount

All prices are exclusive of taxes and freight. Pelco reserves the right to make changes to pricing and discount margins. All installation and use of Pelco software is governed by its end user license agreement (EULA). Contact Pelco or visit www.pelco.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Pelco Corporation.